






# RAG<sup>®</sup> 2022

## RECOMMENDED ADHESIVES GUIDE

- Tested 
- Approved 
- Recommended 
- Guaranteed 
- Trusted 





F. Ball and Co. Ltd.

- Tested
- Approved
- Recommended
- Guaranteed
- Trusted

[www.f-ball.com](http://www.f-ball.com)

## Recommended Adhesives Guide

The complete guide to flooring adhesive selection

Page	Title
3	Welcome
4	Continuing Evolution
5	Technical Support Contacts
6-7	Guarantee/Health & Safety
8-167	Recommended Adhesives by Manufacturer
169-171	Guide to Adhesive Selection
172-175	Testing and Development
176-183	Subfloor Preparation Guide
184-185	Moisture Measurement & Control
186-187	STOPGAP Selector Chart - Smoothing Underlayments, Repair and Finishing Compounds
188-189	STYCCOBOND Selector Chart - Adhesives
190-191	Wood Adhesives

## Introducing RAG® 2022

As the world continues to adapt from the challenges of the past two years, new builds and refurbishments resume apace, and floorcovering manufacturers are quick to take advantage of increased demand for new floorcoverings. In response, innovative products, as well as new backings for existing ones, are continually being launched into the market.

F. Ball's industry-leading RAG® is designed to make adhesive selection effortless for specifiers, flooring professionals and distributors. For nearly half a century it has provided a swift and easy way to check the compatibility of F. Ball adhesives with virtually any floorcovering available.

With a multitude of different floorcovering types and designs, the RAG® has to keep pace with developments, and F. Ball has produced an annual update each year since its initial launch, featuring recommendations for floorcoverings released in the preceding 12 months, as well as adding new F. Ball adhesives launched during the year. Many of the floorcoverings listed in the guide have been tested for compatibility with F. Ball's new fast-drying, fibre-reinforced adhesive for Luxury Vinyl Tiles (LVTs), Styccobond F58 PLUS. Further information can be found on page four.

Each recommendation is only included in the guide after a rigorous seven-week testing programme and subject to the relevant floorcovering manufacturer's endorsement. F. Ball's Technical Service Department has worked tirelessly to make sure that this year's guide features more recommendations than ever before.

Also moving with the times is the way that the RAG® can be accessed. A continually updated version of the guide is available on the F. Ball website and as a mobile app, which can be downloaded for free from the Apple App Store or Google Play. This allows contractors to consult the trusted guide for advice on floorcovering-adhesive compatibility via the smartphone in their pocket at any time.

**Paul Starkey – F. Ball Liaison Manager**  
[paul.starkey@f-ball.co.uk](mailto:paul.starkey@f-ball.co.uk)



## Continuing Evolution

As well as helping flooring contractors to meet increasing customer expectations, a main driver of adhesives innovation at F. Ball is the way contractors work, including individual preferences.

This was the case for F. Ball's new 'no time to wait', fibre-reinforced adhesive for LVTs, Styccobond F58 PLUS. It was developed to transition from a wet-lay adhesive when initially applied to a subfloor, to become pressure sensitive in a short period of time. Reinforcing fibres in the formulation provide resistance to lateral movement, holding tiles firmly in place and reducing the potential for them to slide around when working.

The fast-drying formulation of Styccobond F58 PLUS enables LVT tiles and planks to be secured from just five minutes following application, helping flooring contractors to respond to ever more exacting time constraints placed on projects. It also caters for individual styles and techniques – some contractors like wet-lay adhesives, while others prefer pressure sensitive characteristics.

As well as helping to reduce movement during installation, the adhesive's high bond strength and strong initial tack prevents excess adhesive oozing between joints, facilitating easier application. It also offers an extended open time of around three hours when used as a pressure-sensitive adhesive (depending on ambient conditions), allowing large areas of adhesive to be applied in one application without risking late placement of the floorcovering. When used as a wet-lay adhesive, it is also suitable for the installation of rubber sheet and tile floor coverings up to 2.5mm thick.


Following rigorous testing procedures in line with all other recommendations in the RAG®, this latest edition of the guide has been updated to list the compatibility of Styccobond F58 PLUS with floorcoverings alongside other F. Ball adhesives.



For telephone and written advice contact F. Ball Technical Service **01538 361633**

### Postcodes

- 11 AB, DD, DG, EH, FK, G, HS, IV, KA, KW, KY, ML, PA, PH, ZE
- 12 BB, BD, BL, CH, CW, FY, HD, HG, HX, IM, L, LS, M, OL, PR, SK, WA, WF, WN
- 13 CA, DH, DL, LA, NE, SR, TD, TS, YO
- 14 B, CV, DY, LL, ST, SY, TF, WR, WS, WV
- 15 DE, DN, HU, LE, LN, NG, NN, PE (9-12, 20-25), S
- 16 BA, BS, CF, EX, GL, HR, LD, NP, PL, SA, TA, TQ, TR
- 17 BH, DT, GY, JE, OX, PO, RG, SN, SO, SP
- 18 CB, CM (0-3, 6-9, 77), CO, IP, NR, PE (1-8, 13-19, 26-38, 99), SS
- 19 & 20 BT, Ireland
- 21 AL, CM (4-5, 11-24), E, EC, EN, HA, HP, IG, LU, MK, N, NW, RM, SG, SL (0-3, 6-9), SW (1, 3, 5-7, 10), UB, W, WC, WD
- 22 CR, GU, KT, SE, SL (4-5), SM, SW (2, 4, 8-9, 11-20), TW
- 23 BN, BR, CT, DA, ME, RH, TN



### Northern Area Manager

Adam Lord (07709 522 063)

### Area Representative Mobile

- 11 Alan McEwan 07525 891098
- 12 Gary Kenworthy 07740 213865
- 13 John Rowlands 07710 182932
- 14 Lee Heatherley 07710 182936
- 15 Phil Nightingale 07710 182943
- 19 & 20 Kevin Hardy 085 874 1885

### Southern Area Manager

Simon Jenkins (07710 182 934)

### Area Representative Mobile

- 16 Lee Crofts 07710 182940
- 17 Scott Pomeroy 07710 182931
- 18 Steve Spinks 07710 182941
- 21 Paul Trubridge 07710 182935
- 22 Mike Willett 07710 182933
- 23 Joe Gilbert 07710 182942

Netherlands  
Belgium  
Luxembourg

**Representative**

24 & 25 Bob Van Wort  
Tel: +31 (0)6 8281 2840

### Export Contacts

F. Ball and Co. Ltd.

Europe / Middle East / Africa

Jonathan Goold  
Tel: +44 (0) 1538 361633  
Mobile: +44 (0) 7850 864202  
Email: jonathan.goold@f-ball.co.uk

Asia Pacific

Gareth Lewis  
Mobile: +44 (0) 7929 016491  
Email: gareth.lewis@f-ball.co.uk

The Americas / Canada

Gareth Lewis  
Mobile: +44 (0) 7929 016491  
Email: gareth.lewis@f-ball.co.uk

F. Ball and Co. (Asia) Pte Ltd.

Ronnie Lim  
Tel: +65 6515 1715  
Mobile: +65 9687 9181  
Email: mail@f-ballasia.com



## ADHESIVES

STYCCOBOND Adhesives are guaranteed against manufacturing defects. F. Ball and Co. Ltd. certify that when properly set, dry or cured they will secure the floorcoverings and other materials described in our Recommended Adhesives Guide and other technical data published by us, and current at the date of the installation.

### Conditions of Guarantee

This guarantee is conditional on each of the following terms having been complied with by you.

- The adhesive must be stored as specified on the label.
- The installation must be carried out precisely in accordance with the instructions and recommendations published in the current Installation Guide or other current technical data published by us relevant to the floorcovering and other materials.
- The floorcovering or other materials must have been subjected only to normal traffic.
- Adequate facilities must be provided to us to enable examination of the site and materials. Also sufficient time must be provided to us to fully investigate the complaint and to report on the reason for it arising.**

### Compensation

In the event of bond failure caused by a manufacturing defect in the STYCCOBOND Adhesive, F. Ball and Co. Ltd. will:

- Pay reasonable labour costs incurred for remedial work.
- If, in our opinion, the floorcovering or other material, due to bond failure, is not in a satisfactory condition to be re-laid, we will pay the manufacturer's price for replacement material of similar type or quality.
- Supply free of charge, sufficient STYCCOBOND Adhesive to secure the floorcovering or other materials.

## FLOOR SMOOTHING UNDERLAYMENTS AND MEMBRANES

STOPGAP Floor Smoothing Underlayments and Membranes are guaranteed against manufacturing defects. F. Ball and Co. Ltd. certify that they are suitable for the conditions, sites and traffic described in our current technical data.

These Underlayments and Membranes are guaranteed to create surfaces suitable for the application of STYCCOBOND Adhesives to secure floorcoverings.

### Conditions of Guarantee

This guarantee is conditional on each of the following terms having been complied with by you.

- The Underlayments and Membranes must be stored in accordance with the conditions specified on the data sheet or label.
- The substrate must be in the suitable condition described in our brochure 'Subfloor Preparation Guide', or other current technical data published by us.
- The Smoothing Underlayment and Membranes must be mixed and laid in accordance with our printed instructions.
- Should the Smoothing Underlayment or Membrane not set and dry in the period quoted, not bond to the substrate, or disintegrate, the failure must be reported to us immediately and we must be provided immediate access to examine it in situ before it is uplifted and obtain samples for analysis. Any unused Smoothing Underlayment must also be retained for inspection and sampling by us.**
- In the case of Isolator Membrane, prior to application of adhesive, you must ensure there are no surface defects or transit damage within the Isolator Membrane that may lead to grin through and affect the appearance of the finished floorcovering. Should surface defects or damage be noticeable, or you are in doubt, do not proceed with installation and contact us immediately. Should you proceed with installation of the membrane in this condition any compensation under a claim under this guarantee to be paid by F. Ball and Co. Ltd. will be limited to the value of the cost of the Isolator Membrane only.



## Compensation

Should it be established that the Smoothing Underlayment or Membrane has a manufacturing defect, subject to (e) above, F. Ball and Co. Ltd. will:

- Pay all reasonable labour costs incurred for removing the defective Underlayment or Membrane.
- Supply free of charge STOPGAP Underlayment or Membrane for the replacement.
- Pay all reasonable labour costs for relaying.

## ARBITRATION

Should you not agree with our decision in relation to any of the guarantees above, the dispute may be submitted to an Independent Arbitrator to act as an arbitrator (not as an expert) to be agreed by you and us (or in default of agreement within 14 days of being proposed as then selected by us) whose decision shall be accepted as conclusive and legally binding on all parties. Responsibility for payment of the costs of the parties shall be as determined by the Arbitrator.

## HEALTH & SAFETY

In accordance with the requirements of Section 6 of the Health and Safety at Work etc., Act 1974 (as amended), information is provided for our customers to ensure, so far as is reasonably practicable, that they can meet their legal obligations under the Act.

Health and Safety information in respect of our products is provided on appropriate safety data sheets. Certain Health and Safety information can also be found at [www.f-ball.com](http://www.f-ball.com) or on product labels and within technical literature published by the Company.

Products supplied by this Company could, if incorrectly used, handled, processed, stored, transported or disposed of, give rise to risks to Health and Safety. Prior assessment of the suitability of any product for its intended purposes must be made and all relevant Health and Safety requirements must be studied, understood and applied.

### www.f-ball.com

F. Ball's website is the most comprehensive source of product information with easy navigation that makes it extremely user friendly.

Available for instant view or download are Technical Data Sheets, Safety Data Sheets, Range brochures and Selector Charts.

You can view details of all new products and promotions in the Latest News section. The new website also includes on-line product familiarisation and training in the form of short video clips with commentaries.

If you still need additional information, be sure to send your enquiries to the company's Technical Service Department, who will respond by phone or email with advice and recommendations.





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>2TEC2 HIGH TECH FLOORING</b>					
2tec2 Roll	Comfort back	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
2tec2 Tile	Comfort back	F44,F46,F48 PLUS,F49,F58 PLUS	F4I	F73 PLUS,F74,F81,F84	F49,F60,F66
2tec2 Rolls	PVC	F44,F46,F49,F58 PLUS	-	F74,F84	F49,F66
2tec2 Tiles	PVC	F44,F46,F49,F58 PLUS	F4I	F74,F84	F49,F66

**3D FLOORING SUPPLIES LTD** Tel: 0032 56 854 747 Email: info@2tec2.com Web: www.2tec2.com Fax: 0032 56 854 740

<b>3D FLOORING SUPPLIES LTD</b> Tel: 029 20706706 Email: sales@3dflooringsupplies.co.uk Fax: 029 20711649					
Marathon	Actionback	F3,F40	F40	-	F60,F66
New Endurance	Actionback	F3,F40	F40	-	F60,F66
Traffic	Actionback	F3,F40	F40	-	F60,F66
Bedford Tile	Bitumen	F3	F4I	-	F66
Burbury/ Burbury Stripe Tiles	Bitumen	F3	F4I	-	F66
Canterbury Tiles	Bitumen	F3	F4I	-	F66
Euro Star Storm Tile	Bitumen	F3	F4I	-	F66
Latour	Bitumen	F3	F4I	-	F66
Moda	Bitumen	F3	F4I	-	F66
Primavera Tile	Bitumen	F3	F4I	-	F66
Diva Tiles	Bitumen	-	F4I	-	-
Marquee	Foam	F3	-	-	F60,F66
Bedford Rib	Gel	F3	-	-	F60,F66
Cancan Gel	Gel	F3	-	-	F60,F66
Euro Star Storm	Gel	F3	-	-	F60,F66
Jazz Gel	Gel	F3	-	-	F60,F66
Levy	Gel	F3	-	-	F60,F66
Magnum	Gel	F3	-	-	F60,F66
Primavera	Gel	F3	-	-	F60,F66
Entry	Gel Back	F3	-	-	F60,F66
Traffic	Gel Back	F3	-	-	F60,F66
Euro Saturn Tile	Graphlar	F3	F4I	-	F66
Marathon	Impervious Gel	F3	-	-	F60,F66
New Endurance	Impervious Gel	F3	-	-	F60,F66
Euro Coir	PVC	-	-	F73 PLUS,F74,F81,F84	-
Euro Vinyl Tile	PVC	F44	-	-	F60,F66
Malta	Resin	F3	-	-	F60,F66
Canterbury	Rot Proof Gel	F3,F40	-	-	F60,F66
Euro Chevron	Rot Proof Gel	F3,F40	-	-	F60,F66
Euro Mat	Rot Proof Gel	F3,F40	-	-	F60,F66
York	Rot Proof Gel	F3,F40	-	-	F60,F66
Euro Rubber Sheet	Rubber	-	-	F73 PLUS,F74,F81,F84	-
Euro Healthcare	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66
Euro Healthcare Plain	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66
Forum	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>3D FLOORING SUPPLIES LTD continued...</b>					
Cocos	Rubber Waffle *	F3,F40	-	-	F60,F66
Typhoon	Rubber Waffle *	F3,F40	-	-	F60,F66
Ultracord	SBR Resine	F3,F52	-	-	F60,F66

F3\* applied using a 3mm x 6mm 'V' notched trowel.

**ABINGDON CARPET TILE** Tel: 01274 246220 Email: info@abingdonflooring.co.uk Web: www.abingdonflooring.co.uk

<b>CARPET TILES</b>					
Abingdon Cobblestone	Bitumen	F3	F4I	-	F66
Abingdon Designer Collection	Bitumen	F3	F4I	-	F66
Abingdon Rib	Bitumen	F3	F4I	-	F66
Abingdon Velour	Bitumen	F3	F4I	-	F66
Combination	Bitumen	F3	F4I	-	F66
Fusion	Bitumen	F3	F4I	-	F66
Infinite	Bitumen	F3	F4I	-	F66
Unity	Bitumen	F3	F4I	-	F66

**ENTRANCE MATTING PVC 2.00 METRE SHEET**

Gemstone	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Strata	PVC	F45	-	F73 PLUS,F74,F81,F84	-

**NON STANDARD TILES**

Combination	Bitumen	F3	F4I	-	F66
Infinite	Bitumen	F3	F4I	-	F66
Combination	Comfort Back	F3	F4I	-	F66
Infinite	Comfort Back	F3	F4I	-	F66

**ADAM CARPETS LTD** Tel: 01562 829966 Email: sales@adamcarpets.com Web: www.adamcarpets.co.uk Fax: 01562 751471

All Qualities	Hessian	F3	-	-	F60,F66
Avant/Boulevard/ Catherine	Polypropylene	F3	-	-	F60,F66
Castlemead Twist	Polypropylene	F3,F40	F40	-	F60,F66
Castlemead Velvet Stripe	Polypropylene	F3	-	-	F60,F66
Deckchair	Polypropylene	F3,F40	F40	-	F60,F66
Fine Upland Twist	Polypropylene	F3,F40	F40	-	F60,F66
Fine Worcester Twist	Polypropylene	F3,F40	F40	-	F60,F66
Florentine Collection	Polypropylene	F3,F40	F40	-	F60,F66
Hotel Dot Com	Polypropylene	F3	F40	-	F60,F66
Inspirations	Polypropylene	F3,F40	F40	-	F60,F66
Kasbah Twist/ Kasbah Stripe	Polypropylene	F3,F40	F40	-	F60,F66
Panache	Polypropylene	F3,F40	F40	-	F60,F66
Pinstripe	Polypropylene	F3,F40	F40	-	F60,F66
Pure Brit/Supreme	Polypropylene	F3	-	-	F60,F66
Revelations & Flare	Polypropylene	F3,F40	F40	-	F60,F66
Rustic Berber	Polypropylene	F3	-	-	F60,F66
Sylvan Shadows	Polypropylene	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**ADAM CARPETS LTD** *continued...*

Wyre Forest	Polypropylene	F3,F40	F40	-	F60,F66
All Qualities	Unitary	F3,F40,F52	F40	-	F60,F66

**ADORE FLOORS** Tel: 0845 6021881 Email: [adorefloors@btconnect.com](mailto:adorefloors@btconnect.com) Web: [www.adorefloors.com](http://www.adorefloors.com) Fax: 0560 3413597

Adore Vinyl Planks	PVC	F44,F46,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Adore Vinyl Tiles	PVC	F44,F46,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**AKO PRODUCTS** Tel: 0049 7172 30444 Email: [ako@kolckmann.de](mailto:ako@kolckmann.de) Web: [www.kolckmann.de](http://www.kolckmann.de) Fax: 0049 7172 30499

Insulation Underlay 119/2	PU/PVC/Cork	F3,F44,F46	-	-	-
Elastic 2.5	PVC Foam	F44,F46,F58 PLUS	-	-	F66
Elastic 4.5	PVC Foam	F44,F46,F58 PLUS	-	-	F66

**ALTERNATIVE FLOORING** Tel: 01264 335111 Email: [hello@alternativeflooring.com](mailto:hello@alternativeflooring.com) Web: [www.alternativeflooring.com](http://www.alternativeflooring.com) Fax: 01264 336445

**NATURAL FIBRES**

No Bother Sisal	Action Bac	F3	-	-	F60,F66
Wool Rib	Action Bac	F3	-	-	F60,F66
Coir	Latex	F3	-	-	F60,F66
Jute	Latex	F3	-	-	F60,F66
Seagrass	Latex	F3	-	-	F60,F66
Sisal	Latex	F3	-	-	F60,F66

**WOOL**

Barefoot	Hessian	F3	-	-	F60,F66
Margo Selby Stripe	Hessian	F3	-	-	F60,F66
Rock 'n' Roll	Hessian	F3	-	-	F60,F66
Wool Berber	Hessian	F3	-	-	F60,F66
Wool Crafty	Hessian	F3	-	-	F60,F66
Wool Croft	Hessian	F3	-	-	F60,F66
Wool Herringbone	Hessian	F3	-	-	F60,F66
Wool Iconic	Hessian	F3	-	-	F60,F66
Wool Knot	Hessian	F3	-	-	F60,F66
Wool Milkshake	Hessian	F3	-	-	F60,F66
Wool Pebble	Hessian	F3	-	-	F60,F66
Wool Tipple	Hessian	F3	-	-	F60,F66
Wool Motown	Woven	F3	-	-	F60,F66
	Polypropylene				

**WOOL MIX**

Quirky	Hessian	F3	-	-	F60,F66
Quirky B	Hessian	F3	-	-	F60,F66

**FAUX**

Luxx	Cotton	F3	-	-	F60,F66
Anywhere	Gel	F3	-	-	F60,F66
Anywhere	Latex	F3	-	-	F60,F66

**ALTRO FLOORS** Tel: 01462 489516 Email: [enquiries@altro.com](mailto:enquiries@altro.com) Web: [www.altro.co.uk](http://www.altro.co.uk)

Altro Transflor Chroma™	Cellulose Tissue	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Altro Transflor Figura™	Cellulose Tissue	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**ALTRO FLOORS** *continued...*

Altro Transflor Meta™	Cellulose Tissue	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Altro Ensemble™/M500	Felt *	F44,F45,F49	-	F73 PLUS,F74,F81,F84	F49,F66
Altro Orchestra™/R200	Felt *	F44,F45,F49	F40	F73 PLUS,F74,F81	F49,F66
Altro Wood™ Comfort	Felt *	F44,F45,F49	F40	F73 PLUS,F74,F81	F49,F66
Altro Transflor BX™	Fleece	F44,F46,F47,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Altro Transflor Tungsten™	Fleece	F44,F46,F47,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Altro Transflor Wood™	Fleece	F44,F46,F47,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Altro Serenade™/R450	Foam	F44,F45,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Altro Aquarius™	PVC	-	-	F73 PLUS,F74,F81,F84	F49,F66
Altro Atlas™ 40	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F60,F66
Altro Classic™ 25	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F60,F66
Altro Contrax™ 2mm	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F60
Altro Impressionist II™	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F60,F66
Altro Marine™ 20	PVC	-	-	F73 PLUS,F74,F84	F49,F60
Altro Operetta™/R300	PVC	F44,F58 PLUS	-	F73 PLUS,F74	-
Altro Pisces™	PVC	-	-	F73 PLUS,F74,F84	F49,F60
Altro Reliance™	PVC	-	-	F73 PLUS,F74,F84	F49,F60
Altro Stronghold™ 30	PVC	-	-	F73 PLUS,F74,F84	F49,F60
Altro Suprema™	PVC	F44,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F61,F66
Altro Walkway™ 20	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F60,F66
Altro Walkway™ 20 SD	PVC	F57	-	-	F49,F60
Altro Wood™	PVC	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Altro Zodiac™	PVC	F44,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66
Altro Transflor Met™	PVC	F44,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66
Altro Transflor Motus™	Rubber	F73 PLUS,F74,F84	-	F73 PLUS,F74,F84	F60,F61,F66

Styccobond F49 - Wet bond only.  
F40\* to be applied by roller for release bond.

**ALVIN MORRIS LTD** Tel: 0113 3802900 Email: [sales@mercado.co.uk](mailto:sales@mercado.co.uk) Web: [www.alvinmorris.co.uk](http://www.alvinmorris.co.uk) Fax: 0113 3802828

See entry for MERCADO CARPETS

**AMBIANCE VINYL FLOORING** Tel: 02476 407000 Email: [sales@ambiencevinylflooring.co.uk](mailto:sales@ambiencevinylflooring.co.uk) Web: [www.ambiencevinylflooring.co.uk](http://www.ambiencevinylflooring.co.uk)

Deep Emboss Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Hand Scraped Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Herringbone Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Prima	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Shale Finish Slate Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Stone + Granite Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tick Finish Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**AMORIM CORK COMPOSITES** Tel: 00351 227475300 Email: [General.auk@amorim.com](mailto:General.auk@amorim.com) Web: [www.acousticork.co.uk](http://www.acousticork.co.uk) Fax: 00351 227475304

AcoustiCORK T61 (over 3mm thick)	Agglomerated Cork	F49	-	-	F49,F60,F66
----------------------------------	-------------------	-----	---	---	-------------



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**AMORIM CORK COMPOSITES** *continued...*

AcoustiCORK T6l (up to 3mm thick)	Agglomerated Cork	F3,F44,F49	-	-	F49,F60,F66
AcoustiCORK T66	Agglomerated Cork and recycled rubber	F3,F44,F49	-	-	F49,F60,F66
AcoustiCORK	Cork Rubber	F49	-	-	F49,F60,F66
Amorim ECO21dB	EVAr + Cork	F3,F44,F49	-	-	F49,F66

**ANGLO PORTUGUESE CORK CO LTD** Tel: 01434 673478 Email: enquiries@apcork.co.uk Web: www.apcork.co.uk

Sheet (over 3mm thick)	Cork	-	-	-	F60,F66
Sheet (up to 3mm thick)	Cork	F3	-	-	F60,F66
Tiles (over 3mm thick)	Cork	-	-	-	F60,F66
Tiles (up to 3mm thick)	Cork	F3	-	-	F60,F66
Wall Covering (over 3mm thick)	Cork	-	-	-	F60,F66
Wall Covering (up to 3mm thick)	Cork	-	-	-	F3,F60,F66
Cork Rubber APC CB 1020	Cork/Rubber	F3,F44	-	F73 PLUS,F74,F81,F84	-

**ANKER TEPPICHBODEN** Tel: 0049 2421 804456 Email: t.sanchez@anker-dueren.de Web: www.anker-teppichboden.de Fax: 0049 2421 804309**TILES**

Aera System	Bitumen	F3	F41	-	F60,F66
Alba System	Bitumen	F3	F41	-	F60,F66
Barolo Extrem System	Bitumen	F3	F41	-	F60,F66
Delta System	Bitumen	F3	F41	-	F60,F66
Lucca System	Bitumen	F3	F41	-	F60,F66
Prep System	Bitumen	F3	F41	-	F60,F66
Shape	Bitumen	F3	F41	-	F60,F66

**TUFTED**

Aera	Action Bac	F3,F40	F40	-	F60,F66
Alba	Action Bac	F3,F40	F40	-	F60,F66
Barolo	Action Bac	F3,F40	F40	-	F60,F66
Barolo Deluxe	Action Bac	F3,F40	F40	-	F60,F66
Barolo Extreme	Action Bac	F3,F40	F40	-	F60,F66
Carlton	Action Bac	F3,F40	F40	-	F60,F66
Carlton_E Avenue/ Boulevard	Action Bac	F3,F40	F40	-	F60,F66
Delta	Action Bac	F3,F40	F40	-	F60,F66
Jungle	Action Bac	F3,F40	F40	-	F60,F66
Lucca	Action Bac	F3,F40	F40	-	F60,F66
Plot 600	Action Bac	F3,F40	F40	-	F60,F66
Resort	Action Bac	F3,F40	F40	-	F60,F66
Rondo_E	Action Bac	F3,F40	F40	-	F60,F66
Sun	Action Bac	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**ANKER TEPPICHBODEN** *continued...*

<b>WOVEN</b>					
Kashmir	Woven	F3	-	-	F60,F66
Perlon Rips	Woven	F3	-	-	F60,F66

**ARMSTRONG TECHFLOOR** Tel: 01254 200999 Email: info@techfloor.co.uk Web: www.techfloor.co.uk/armstrong.html

Excelon Imperial Texture Tiles	PVC	F44,F46,F58 PLUS	-	-	F60,F66
-----------------------------------	-----	------------------	---	---	---------

**ASPECTA UK BDM** Tel: +31 88 1662500 Web: www.aspecta flooring.com

Aspecta One	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Aspecta One Ornamental	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Aspecta Five	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**ASSOCIATED WEAVERS (EUROPE) LTD** Tel: 01422 431100 Email: Salesuk@awe.be Fax: 01422 431105

FUNDAMENTAL	ACTIONBAC	F3	-	-	F60,F66
STAINAWAY	ACTIONBAC	F3	-	-	F60,F66
SEDNA	Eco Friendly Fusion	F3	-	-	F60,F66
GALA	FUSION	F3	-	-	F60,F66
INVICTUS	FUSION	F3	-	-	F60,F66
ISENSE	FUSION	F3	-	-	F60,F66
NON BRANDED	FUSION	F3	-	-	F60,F66
VIVENDI	FUSION	F3	-	-	F60,F66
STAINAWAY	GEL	F3	-	-	F60,F66
Gladiator	Waterproof Gel Foam	F3	-	-	F60,F66

**ATLAS CARPETS** Tel: 01908 308777 Email: sales@christy-carpets.co.uk Fax: 01908 308775

Archeologique Collection	Action Bac	F3,F40	F40	-	F60,F66
Atelier Collection III	Action Bac	F3,F40	F40	-	F60,F66
Avant Garde Collection	Action Bac	F3,F40	F40	-	F60,F66
Bandwidth	Action Bac	F3,F40	F40	-	F60,F66
Beaux Arts	Action Bac	F3,F40	F40	-	F60,F66
Brampton	Action Bac	F3,F40	F40	-	F60,F66
Brio Collection	Action Bac	F3,F40	F40	-	F60,F66
Bubbles	Action Bac	F3,F40	F40	-	F60,F66
Canberra Collection	Action Bac	F3,F40	F40	-	F60,F66
Cipriani	Action Bac	F3,F40	F40	-	F60,F66
Colección Clásico	Action Bac	F3,F40	F40	-	F60,F66
Corinth	Action Bac	F3,F40	F40	-	F60,F66
Cortona	Action Bac	F3,F40	F40	-	F60,F66
Dance Partner Collection	Action Bac	F3,F40	F40	-	F60,F66
Dots	Action Bac	F3,F40	F40	-	F60,F66
Dreamology Collection	Action Bac	F3,F40	F40	-	F60,F66
Elan	Action Bac	F3,F40	F40	-	F60,F66
Epic Collection	Action Bac	F3,F40	F40	-	F60,F66
Esprit	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**ATLAS CARPETS continued...**

Estilo Collection	Action Bac	F3,F40	F40	-	F60,F66
Iberian Collection	Action Bac	F3,F40	F40	-	F60,F66
Inizio	Action Bac	F3,F40	F40	-	F60,F66
Kago	Action Bac	F3,F40	F40	-	F60,F66
Katachi Collection	Action Bac	F3,F40	F40	-	F60,F66
Kendari Collection	Action Bac	F3,F40	F40	-	F60,F66
Koari	Action Bac	F3,F40	F40	-	F60,F66
L Appelle Collection	Action Bac	F3,F40	F40	-	F60,F66
La Dolce Vita Collection	Action Bac	F3,F40	F40	-	F60,F66
Le Collezioni Botaniche	Action Bac	F3,F40	F40	-	F60,F66
Lineage	Action Bac	F3,F40	F40	-	F60,F66
Lyric Collection	Action Bac	F3,F40	F40	-	F60,F66
Miraveni	Action Bac	F3,F40	F40	-	F60,F66
Mod Squad Collection	Action Bac	F3,F40	F40	-	F60,F66
Moda	Action Bac	F3,F40	F40	-	F60,F66
Momentum Collection	Action Bac	F3,F40	F40	-	F60,F66
Montage Collection	Action Bac	F3,F40	F40	-	F60,F66
Navarre	Action Bac	F3,F40	F40	-	F60,F66
Norfolk	Action Bac	F3,F40	F40	-	F60,F66
Nouveau Collection	Action Bac	F3,F40	F40	-	F60,F66
Paradiso	Action Bac	F3,F40	F40	-	F60,F66
Paradiso di Colori	Action Bac	F3,F40	F40	-	F60,F66
Popolo	Action Bac	F3,F40	F40	-	F60,F66
Positano	Action Bac	F3,F40	F40	-	F60,F66
Positano Colore	Action Bac	F3,F40	F40	-	F60,F66
Post Modern	Action Bac	F3,F40	F40	-	F60,F66
Prairie School	Action Bac	F3,F40	F40	-	F60,F66
Rhodes	Action Bac	F3,F40	F40	-	F60,F66
Sashi	Action Bac	F3,F40	F40	-	F60,F66
Satara	Action Bac	F3,F40	F40	-	F60,F66
Screenplay Collection II	Action Bac	F3,F40	F40	-	F60,F66
Shall We Dance Collection	Action Bac	F3,F40	F40	-	F60,F66
Shibori Collection	Action Bac	F3,F40	F40	-	F60,F66
Shimmer Ikat Collection	Action Bac	F3,F40	F40	-	F60,F66
Sketchbook Collection	Action Bac	F3,F40	F40	-	F60,F66
Strada	Action Bac	F3,F40	F40	-	F60,F66
Studio Collection	Action Bac	F3,F40	F40	-	F60,F66
Swirls	Action Bac	F3,F40	F40	-	F60,F66
Tabaret	Action Bac	F3,F40	F40	-	F60,F66
Terra Nuovo Collection	Action Bac	F3,F40	F40	-	F60,F66
Tessile	Action Bac	F3,F40	F40	-	F60,F66
Textura Collection	Action Bac	F3,F40	F40	-	F60,F66
Tremezzo	Action Bac	F3,F40	F40	-	F60,F66
Upton	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**ATLAS CARPETS continued...**

Urba	Action Bac	F3,F40	F40	-	F60,F66
Varenna	Action Bac	F3,F40	F40	-	F60,F66
Adapt Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Amore di Arte Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Archeologue Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Atelier Collection III	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Bandwidth Carpet Tile	Perma-tile vinyl	-	F41	-	-
Brio Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Canberra Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Change of Pace	Perma-tile vinyl	-	F41	-	-
Collection Carpet Tile					
Connections Carpet Tile	Perma-tile vinyl	-	F41	-	-
Dreamology Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Epic Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Kendari Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
L Appelle Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
La Dolce Vita Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Le Collezioni Botaniche	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Mediterranea Carpet Tile	Perma-tile vinyl	-	F41	-	-
Metafora Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Momentum Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Satara Carpet Tile	Perma-tile vinyl	-	F41	-	-
Shall We Dance	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Shibori Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Shimmer Ikat Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Tabaret Carpet Tile	Perma-tile vinyl	-	F41	-	-
Terra Nuovo Collection	Perma-tile vinyl	-	F41	-	-
Carpet Tile					
Ville Des Lumieres	Perma-tile vinyl	-	F41	-	-
Collection Carpet Tile					





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### ATLAS CARPETS *continued...*

Amore di Arte Collection	Permian	F3,F40	F40	-	F60,F66
Bellissimo Collection	Permian	F3,F40	F40	-	F60,F66
De La Playa Collection	Permian	F3,F40	F40	-	F60,F66
Eaton	Permian	F3,F40	F40	-	F60,F66
Mediterranea Collection	Permian	F3,F40	F40	-	F60,F66
Mediterranea Collection II	Permian	F3,F40	F40	-	F60,F66
Metafora Collection	Permian	F3,F40	F40	-	F60,F66
Metropolitan Collection	Permian	F3,F40	F40	-	F60,F66
Ville Des Lumieres Collection	Permian	F3,F40	F40	-	F60,F66

**AURA FLOORING** Tel: 01908 803339 Email: sales@auraflooring.co.uk Web: www.auraflooring.co.uk

See F Ball and Company online RAG

**AVENUE** Tel: 0032 56 653211 Email: info@ivcgroup.com Web: www.ivcgroup.com Fax: 0032 56 65329

Bubblegum & Liquorice	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Titanium XT	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Ultimate Timber PU	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Ultimate Tones	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Urbanista	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Comfytex	Textile	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**AXMINSTER CARPETS LTD** Tel: 01297 32244 Email: sales@axminster-carpets.co.uk Web: www.axminster-carpets.co.uk Fax: 01297 35241

Devona Plains	Actionback	F3,F40	F40	-	F60,F66
Dunmore	Actionback	F3,F40	F40	-	F60,F66
Glandore	Actionback	F3,F40	F40	-	F60,F66
Jacobs Tweed	Actionback	F3,F40	F40	-	F60,F66
Jacobs Twist	Actionback	F3,F40	F40	-	F60,F66
Moorland Heather Tweed	Actionback	F3,F40	F40	-	F60,F66
Moorland Heather Twist	Actionback	F3,F40	F40	-	F60,F66
Rusticweave	Actionback	F3,F40	F40	-	F60,F66
Simply Natural	Actionback	F3,F40	F40	-	F60,F66
Aalya	Jute	F3	-	-	F60,F66
Dartmoor Heather Plains	Jute	F3	-	-	F60,F66
Dartmoor Patterned	Jute	F3	-	-	F60,F66
Exeter	Jute	F3	-	-	F60,F66
Exmoor Patterned	Jute	F3	-	-	F60,F66
Natural Plaid	Jute	F3	-	-	F60,F66
Princetown	Jute	F3	-	-	F60,F66
Ready to Weave	Jute	F3	-	-	F60,F66
Royal Axminster	Jute	F3	-	-	F60,F66
Royal Clovelly	Jute	F3	-	-	F60,F66
Royal Dartmouth	Jute	F3	-	-	F60,F66
Royal Seaton	Jute	F3	-	-	F60,F66
Salcombe	Jute	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### AXMINSTER CARPETS LTD *continued...*

Super Dartmoor	Jute	F3	-	-	F60,F66
Heather Plain	Jute	F3	-	-	F60,F66
Tamar	Jute	F3	-	-	F60,F66
Torbay	Jute	F3	-	-	F60,F66

**BALL & YOUNG LTD** Tel: 01536 200502 Email: stephen.wilkinson@ballandyoung.com Web: www.underlay.com Fax: 01536 269554

Olympic 6.5	Non Woven Scrim	-	F40	-	-
Cloud 9 Contract	PE film	-	F40	-	-
Cloud 9 Flame Retardant 4 PE film	PE film	-	F40	-	-
Cloud 9 Flame Retardant 6 PE film	PE film	-	F40	-	-
Cloud 9 Flame Retardant 8 PE film	PE film	-	F40	-	-
Cloud 9 Radiance	PE film	F3	F40	-	-
Cloud 9 Silver Lining	PE film	-	F40	-	-
Cloud 9 Super Contract	PE film	-	F40	-	-
Comfort 6	Thermoplastic Film	-	F40	-	-
Comfort 8	Thermoplastic Film	-	F40	-	-
Comfort 10	Thermoplastic Film	-	F40	-	-

Not all carpets are suitable for installation on a release bond underlay system. Please consult the carpet manufacturer before proceeding.

**BALSAN MOQUETTE** Tel: 0033 254297878 Email: eric.jones@balsan.com Web: www.balsan.com Fax: 0033 254367908

### BROADLOOM

Aqua	Action Bac	F3,F40	F40	-	F60,F66
Aquarelle Touch	Action Bac	F3,F40	F40	-	F60,F66
Atoll	Action Bac	F3,F40	F40	-	F60,F66
Atrium	Action Bac	F3,F40	F40	-	F60,F66
Avenue Roll	Action Bac	F3,F40	F40	-	F60,F66
Baccarat	Action Bac	F3,F40	F40	-	F60,F66
Balmoral	Action Bac	F3,F40	F40	-	F60,F66
Centaure Deco	Action Bac	F3,F40	F40	-	F60,F66
Design Concept	Action Bac	F3,F40	F40	-	F60,F66
Duo/Les Best	Action Bac	F3,F40	F40	-	F60,F66
Equinoxe	Action Bac	F3,F40	F40	-	F60,F66
Feelings	Action Bac	F3,F40	F40	-	F60,F66
First Class	Action Bac	F3,F40	F40	-	F60,F66
French Couture	Action Bac	F3,F40	F40	-	F60,F66
Gabardine	Action Bac	F3,F40	F40	-	F60,F66
Grand Hôtel	Action Bac	F3,F40	F40	-	F60,F66
Idylle	Action Bac	F3,F40	F40	-	F60,F66
Les Best	Action Bac	F3,F40	F40	-	F60,F66
Les Best Design	Action Bac	F3,F40	F40	-	F60,F66
Luxe	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALSAN MOQUETTE continued...**

Majestic	Action Bac	F3,F40	F40	-	F60,F66
Scenario	Action Bac	F3,F40	F40	-	F60,F66
Script	Action Bac	F3,F40	F40	-	F60,F66
Serenite	Action Bac	F3,F40	F40	-	F60,F66
Signature	Action Bac	F3,F40	F40	-	F60,F66
Sublime	Action Bac	F3,F40	F40	-	F60,F66
Sweet Dreams	Action Bac	F3,F40	F40	-	F60,F66
Sydney DD	Action Bac	F3,F40	F40	-	F60,F66
Sydney Design	Action Bac	F3,F40	F40	-	F60,F66
Territoires	Action Bac	F3,F40	F40	-	F60,F66
Top Design 650 SAXONY	Action Bac	F3,F40	F40	-	F60,F66
Top Design 950 SAXONY	Action Bac	F3,F40	F40	-	F60,F66
Top Design 1030 SAXONY	Action Bac	F3,F40	F40	-	F60,F66
Top Design 1100 SAXONY	Action Bac	F3,F40	F40	-	F60,F66
Top Design 1300 SAXONY	Action Bac	F3,F40	F40	-	F60,F66
Top Design 650 VELOURS	Action Bac	F3,F40	F40	-	F60,F66
Ultrasoft	Action Bac	F3,F40	F40	-	F60,F66
Unique Territoires	Action Bac	F3,F40	F40	-	F60,F66
Vision of Elegance	Action Bac	F3,F40	F40	-	F60,F66
Concrete Confort+	Felt	F3,F40	F40	-	F60,F66
Constellation Confort+	Felt	F3,F40	F40	-	F60,F66
Equinoxe Confort+	Felt	F3,F40	F40	-	F60,F66
Feelings Confort+	Felt	F3,F40	F40	-	F60,F66
French Couture Confort +	Felt	F3,F40	F40	-	F60,F66
Les Greens Confort+	Felt	F3,F40	F40	-	F60,F66
Luxe Confort+	Felt	F3,F40	F40	-	F60,F66
Signature Confort+	Felt	F3,F40	F40	-	F60,F66
Residentiel	Foam	F3	-	-	F60,F66

**CARPET TILES**

Batik	Bitumen	-	F41	-	-
Bolero	Bitumen	-	F41	-	-
Bolero Planks	Bitumen	-	F41	-	-
Canopy To Bark	Bitumen	-	F41	-	-
Canopy To Bark Planks	Bitumen	-	F41	-	-
Carre Couture	Bitumen	-	F41	-	-
City	Bitumen	-	F41	-	-
Factory	Bitumen	-	F41	-	-
Grand Hôtel Dalle	Bitumen	-	F41	-	-
Impression	Bitumen	-	F41	-	-
Infini Colors	Bitumen	-	F41	-	-
Jungle Planks	Bitumen	-	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALSAN MOQUETTE continued...**

L480	Bitumen	-	F41	-	-
Landscape	Bitumen	-	F41	-	-
Macro-Micro	Bitumen	-	F41	-	-
Macro-Micro HD	Bitumen	-	F41	-	-
Metropolitan District	Bitumen	-	F41	-	-
Metropolitan Grafik	Bitumen	-	F41	-	-
Mezzo	Bitumen	-	F41	-	-
Nexus	Bitumen	-	F41	-	-
Nexus Links	Bitumen	-	F41	-	-
Nirvana – Karma	Bitumen	-	F41	-	-
Origami	Bitumen	-	F41	-	-
Park	Bitumen	-	F41	-	-
Peak to Marble	Bitumen	-	F41	-	-
Pilote 3D	Bitumen	-	F41	-	-
Pilote²	Bitumen	-	F41	-	-
Pilote² Planks	Bitumen	-	F41	-	-
Progression	Bitumen	-	F41	-	-
Resonance-Trust	Bitumen	-	F41	-	-
Resonance-Trust Lines	Bitumen	-	F41	-	-
Resonance-Trust Link	Bitumen	-	F41	-	-
Resonance-Trust Stripes	Bitumen	-	F41	-	-
Season Lines	Bitumen	-	F41	-	-
Serenité Dalle	Bitumen	-	F41	-	-
Take a Walk	Bitumen	-	F41	-	-
Track	Bitumen	-	F41	-	-
Ultrasoft Dalle	Bitumen	-	F41	-	-
Ultrasoft Planks	Bitumen	-	F41	-	-
Urbanist	Bitumen	-	F41	-	-
Winter	Bitumen	-	F41	-	-
Batik Sonic Confort	Felt	-	F41	-	-
Bolero Sonic Confort	Felt	-	F41	-	-
Infini Colors Sonic Confort	Felt	-	F41	-	-
Landscape Sonic Confort	Felt	-	F41	-	-
Macro-Micro HD District Sonic Confort	Felt	-	F41	-	-
Macro-Micro Sonic Confort	Felt	-	F41	-	-
Metropolitan District Sonic Confort	Felt	-	F41	-	-
Pilote 3D Sonic Confort	Felt	-	F41	-	-
Pilote² Sonic Confort	Felt	-	F41	-	-
Serenite Dalle Lignes Sonic Confort	Felt	-	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALSAN MOQUETTE continued...**

Serenite Dalle Sonic Confort	Felt	-	F4I	-	-
Urbanist Sonic Confort	Felt	-	F4I	-	-
Color Scale – Grey Matters	NRB felt	F3	F4I	-	F66
INFINI COLORS C-	NRB felt	F3	F4I	-	F66
L480 NRB	NRB felt	F3	F4I	-	F66
PILOTE 3D NRB	NRB felt	F3	F4I	-	F66
RESONANCE TRUST NRB	NRB felt	F3	F4I	-	F66

**LVT**

Symbiance	Dry Back	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Symbiance	Loose Lay	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66

**BALTA INDUSTRIES** Tel: 0032 56 622211 Email: [broadloom@baltagroup.com](mailto:broadloom@baltagroup.com) Web: [www.baltagroup.com](http://www.baltagroup.com) Fax: 0032 56 622355

Akzento	Actionback	F3,F40	F40	-	F60,F66
Antiquity	Actionback	F3,F40	F40	-	F60,F66
Belluno	Actionback	F3,F40	F40	-	F60,F66
Blaze w2w	Actionback	F3,F40	F40	-	F60,F66
Casablanca	Actionback	F3,F40	F40	-	F60,F66
Castleton Saxony	Actionback	F3,F40	F40	-	F60,F66
Cheddar Gorge	Actionback	F3,F40	F40	-	F60,F66
Classic Charm	Actionback	F3,F40	F40	-	F60,F66
Classic Charm Heathers	Actionback	F3,F40	F40	-	F60,F66
Corsa	Actionback	F3,F40	F40	-	F60,F66
Country Charm	Actionback	F3,F40	F40	-	F60,F66
Endless Charm	Actionback	F3,F40	F40	-	F60,F66
Endless Charm Heathers	Actionback	F3,F40	F40	-	F60,F66
Evolve	Actionback	F3,F40	F40	-	F60,F66
Fortesse SDE new	Actionback	F3,F40	F40	-	F60,F66
Gala	Actionback	F3,F40	F40	-	F60,F66
Gala Design Cable	Actionback	F3,F40	F40	-	F60,F66
Gala Stripes	Actionback	F3,F40	F40	-	F60,F66
Gleam w2w	Actionback	F3,F40	F40	-	F60,F66
Grand Prix	Actionback	F3,F40	F40	-	F60,F66
Hampton Bays	Actionback	F3,F40	F40	-	F60,F66
Heritage Exquisite	Actionback	F3,F40	F40	-	F60,F66
Kensington Heathers	Actionback	F3,F40	F40	-	F60,F66
Kingsdale Twist	Actionback	F3,F40	F40	-	F60,F66
Kudos	Actionback	F3,F40	F40	-	F60,F66
Lexus	Actionback	F3,F40	F40	-	F60,F66
Master	Actionback	F3,F40	F40	-	F60,F66
New Bahia	Actionback	F3,F40	F40	-	F60,F66
Newport	Actionback	F3,F40	F40	-	F60,F66
Noble Dreams	Actionback	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALTA INDUSTRIES continued...**

Noble Heathers	Actionback	F3,F40	F40	-	F60,F66
Optima SDE new	Actionback	F3,F40	F40	-	F60,F66
PM Bach	Actionback	F3,F40	F40	-	F60,F66
PM Debussy	Actionback	F3,F40	F40	-	F60,F66
PM Mozart	Actionback	F3,F40	F40	-	F60,F66
PM Strauss	Actionback	F3,F40	F40	-	F60,F66
Prominent	Actionback	F3,F40	F40	-	F60,F66
Provincetown	Actionback	F3,F40	F40	-	F60,F66
Quartz	Actionback	F3,F40	F40	-	F60,F66
RV Alethea	Actionback	F3,F40	F40	-	F60,F66
RV Promethea	Actionback	F3,F40	F40	-	F60,F66
Rapid	Actionback	F3,F40	F40	-	F60,F66
Re-Tweed	Actionback	F3,F40	F40	-	F60,F66
Riverdale Twist	Actionback	F3,F40	F40	-	F60,F66
Rosewood Heathers	Actionback	F3,F40	F40	-	F60,F66
Rossini	Actionback	F3,F40	F40	-	F60,F66
SR Lumen	Actionback	F3,F40	F40	-	F60,F66
SR Obscura	Actionback	F3,F40	F40	-	F60,F66
Saxon King	Actionback	F3,F40	F40	-	F60,F66
Sensit Heathers	Actionback	F3,F40	F40	-	F60,F66
Sirious	Actionback	F3,F40	F40	-	F60,F66
Snowdonia	Actionback	F3,F40	F40	-	F60,F66
Soft Noble	Actionback	F3,F40	F40	-	F60,F66
Soft Noble Stripes	Actionback	F3,F40	F40	-	F60,F66
Soft Splendid	Actionback	F3,F40	F40	-	F60,F66
Spark w2w	Actionback	F3,F40	F40	-	F60,F66
Splendid Heathers	Actionback	F3,F40	F40	-	F60,F66
Splendid Saxony	Actionback	F3,F40	F40	-	F60,F66
Splendid Stripes	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Heritage Heathers Elite	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Heritage Heathers Luxury	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Heritage Heathers Super	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Impression	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Luxury Stripes	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Moorland Stripes	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Moorland Twist	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Shepherd Heathers	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Shepherd Twist	Actionback	F3,F40	F40	-	F60,F66
Stanage Edge	Actionback	F3,F40	F40	-	F60,F66
Stormont Twist	Actionback	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALTA INDUSTRIES continued...**

Super Noble Twist	Actionback	F3,F40	F40	-	F60,F66
Superstar FR AB	Actionback	F3,F40	F40	-	F60,F66
Supertwist	Actionback	F3,F40	F40	-	F60,F66
The Noble Saxony	Actionback	F3,F40	F40	-	F60,F66
The Noble Stripes	Actionback	F3,F40	F40	-	F60,F66
Traffic	Actionback	F3,F40	F40	-	F60,F66
Urban legend ABI	Actionback	F3,F40	F40	-	F60,F66
Vigor	Actionback	F3,F40	F40	-	F60,F66
Warwick Castle	Actionback	F3,F40	F40	-	F60,F66
Wicklow Heathers	Actionback	F3,F40	F40	-	F60,F66
e-blend	Actionback	F3,F40	F40	-	F60,F66
e-blitz	Actionback	F3,F40	F40	-	F60,F66
e-check	Actionback	F3,F40	F40	-	F60,F66
e-firm	Actionback	F3,F40	F40	-	F60,F66
e-force	Actionback	F3,F40	F40	-	F60,F66
e-major	Actionback	F3,F40	F40	-	F60,F66
e-strike	Actionback	F3,F40	F40	-	F60,F66
e-touch	Actionback	F3,F40	F40	-	F60,F66
e-weave	Actionback	F3,F40	F40	-	F60,F66
Belluno	Gel Back	F3	-	-	F60,F66
Traffic FR AB	Gel Back	F3	-	-	F60,F66
Dartmoor Twist	Superback	F3,F40	F40	-	F60,F66
Ace (Big Hit)	Texflor® *	F3,F40	F40	-	F60,F66
Aim High	Texflor® *	F3,F40	F40	-	F60,F66
Bossanova	Texflor® *	F3,F40	F40	-	F60,F66
Brazil	Texflor® *	F3,F40	F40	-	F60,F66
Corsa	Texflor® *	F3,F40	F40	-	F60,F66
Drops	Texflor® *	F3,F40	F40	-	F60,F66
Eagle (Big Hit)	Texflor® *	F3,F40	F40	-	F60,F66
Endless Charm Heathers	Texflor® *	F3,F40	F40	-	F60,F66
Goal (Big Hit)	Texflor® *	F3,F40	F40	-	F60,F66
Gora	Texflor® *	F3,F40	F40	-	F60,F66
Gothic	Texflor® *	F3,F40	F40	-	F60,F66
Jamaica	Texflor® *	F3,F40	F40	-	F60,F66
Marbella	Texflor® *	F3,F40	F40	-	F60,F66
Marquino	Texflor® *	F3,F40	F40	-	F60,F66
Mont Blanc	Texflor® *	F3,F40	F40	-	F60,F66
Paradise	Texflor® *	F3,F40	F40	-	F60,F66
Playcity (IR)	Texflor® *	F3,F40	F40	-	F60,F66
Prima	Texflor® *	F3,F40	F40	-	F60,F66
Prisma	Texflor® *	F3,F40	F40	-	F60,F66
Rapid	Texflor® *	F3,F40	F40	-	F60,F66
Ruta	Texflor® *	F3,F40	F40	-	F60,F66
Sprinkle	Texflor® *	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALTA INDUSTRIES continued...**

Stainsafe Moorland Stripes	Texflor® *	F3,F40	F40	-	F60,F66
Stainsafe Moorland Twist	Texflor® *	F3,F40	F40	-	F60,F66
Stormont Twist	Texflor® *	F3,F40	F40	-	F60,F66
Superstar	Texflor® *	F3,F40	F40	-	F60,F66
Tavira	Texflor® *	F3,F40	F40	-	F60,F66
Wicklow Heathers	Texflor® *	F3,F40	F40	-	F60,F66
Amaryliss	Twinback	F3	-	-	F60,F66
Anemone	Twinback	F3	-	-	F60,F66
Arcadia	Twinback	F3	-	-	F60,F66
Art Fusion	Twinback	F3	-	-	F60,F66
Audrey	Twinback	F3	-	-	F60,F66
Avelino	Twinback	F3	-	-	F60,F66
Bold Indulgence	Twinback	F3	-	-	F60,F66
Cashmere Velvet	Twinback	F3	-	-	F60,F66
Corvino	Twinback	F3	-	-	F60,F66
Durban	Twinback	F3	-	-	F60,F66
Earthy Privilege	Twinback	F3	-	-	F60,F66
Frivola	Twinback	F3	-	-	F60,F66
In-Tense	Twinback	F3	-	-	F60,F66
Kesari	Twinback	F3	-	-	F60,F66
Lily	Twinback	F3	-	-	F60,F66
Lumina	Twinback	F3	-	-	F60,F66
Marble Fusion	Twinback	F3	-	-	F60,F66
Marilyn	Twinback	F3	-	-	F60,F66
Marlene	Twinback	F3	-	-	F60,F66
Natural Embrace	Twinback	F3	-	-	F60,F66
PM Holzer	Twinback	F3	-	-	F60,F66
PM Oakwood	Twinback	F3	-	-	F60,F66
Pissarro	Twinback	F3	-	-	F60,F66
Poppy	Twinback	F3	-	-	F60,F66
Primrose	Twinback	F3	-	-	F60,F66
Satino Casanova	Twinback	F3	-	-	F60,F66
Satino Dolce	Twinback	F3	-	-	F60,F66
Satino Romantica	Twinback	F3	-	-	F60,F66
Satino Romeo	Twinback	F3	-	-	F60,F66
Satino Royale	Twinback	F3	-	-	F60,F66
Savage Abundance	Twinback	F3	-	-	F60,F66
Shaggy Exclusive	Twinback	F3	-	-	F60,F66
Silky Lush	Twinback	F3	-	-	F60,F66
Sintra	Twinback	F3	-	-	F60,F66
Vivid Opulence	Twinback	F3	-	-	F60,F66
Wealthy Gathering	Twinback	F3	-	-	F60,F66
Akuta	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>BALTA INDUSTRIES continued...</b>					
Alaska	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Allstar	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Altona	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Belluno	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Capriolo	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Carezza	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Casablanca	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Castelo	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Chambord	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Corsa	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Dobro	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Evora	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Gala	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Gala Stripes	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Gloriana	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Nicosia	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Noble Dreams	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Noble Heathers	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Polka	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Roxane	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Serenade	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Silverstone	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Soft Noble	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Soft Noble Stripes	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>BALTA INDUSTRIES continued...</b>					
Soft Splendid	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Splendid Heathers	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Splendid Saxony	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Splendid Stripes	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
St. Tropez	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Stainsafe Woodlands	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Superstar	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Supertwist	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Sylt	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
The Noble Saxony	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
The Noble Stripes	Ultratex® Quick Plus *	F3,F40	F40	-	F60,F66
Chelsea Harbour	Wilton	F3	-	-	F60,F66
Chelsea Wiltax	Wilton	F3	-	-	F60,F66
Dunvegan Castle	Wilton	F3	-	-	F60,F66
Frame	Wilton	F3	-	-	F60,F66
South Bank	Wilton	F3	-	-	F60,F66
Wellington	Wilton	F3	-	-	F60,F66
Wiltax	Wilton	F3	-	-	F60,F66
Nature	Wilton Flatweave	F3,F40	F40	F73 PLUS,F74,F81,F84	F60,F66
Nature Design	Wilton Flatweave	F3,F40	F40	F73 PLUS,F74,F81,F84	F60,F66
Nature Design Vintage	Wilton Flatweave	F3,F40	F40	F73 PLUS,F74,F81,F84	F60,F66
Nature Rainbow	Wilton Flatweave	F3,F40	F40	-	F60,F66
Nature Rustique	Wilton Flatweave	F3,F40	F40	-	F60,F66
Pro Nature	Wilton Flatweave	F3,F40	F40	-	F60,F66
<b>CARPET TILES</b>					
Aristo	Bitumen	F3	-	-	F66
Craft	Bitumen	F3	-	-	F66
Diva	Bitumen	F3	-	-	F66
Forest	Bitumen	F3	-	-	F66
Graphite	Bitumen	F3	-	-	F66
Headliner	Bitumen	F3	-	-	F66
Impact	Bitumen	F3	-	-	F66
Impression	Bitumen	F3	-	-	F66
Intrigo	Bitumen	F3	-	-	F66
Largo	Bitumen	F3	-	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BALTA INDUSTRIES continued...**

Lineations	Bitumen	F3	-	-	F66
Prima	Bitumen	F3	-	-	F66
Quartz	Bitumen	F3	-	-	F66
Rex	Bitumen	F3	-	-	F66
Vox	Bitumen	F3	-	-	F66
Zenit	Bitumen	F3	-	-	F66
Primrose SQR	Comfy Back	F44,F46	-	-	F60,F66

F40\* to be applied by roller for release bond.

**BEAUFLOL part of B.I.G. FLOORCOVERINGS**
 Tel: 0032 56 67 6611 | Email: info.beauflor@bintg.be | Web: www.beauflor.be  
 Fax: 0032 56 67 6984

Absolute	Compact Bac	F44,F46,F58 PLUS	-	F73 PLUS,F74,F84	-
Actual Plus	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Atlantic	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Bartesa	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Designer Plus	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Inspire	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Novo	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Passion	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Phonitec	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Plaza	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Rimini	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Sonipro	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Spectrum	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Start	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Trento	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Turbo	Comfort Bac	F44,F46,F58 PLUS	-	-	F60,F66
Skyline	Compact Bac	F44,F46,F58 PLUS	-	F73 PLUS,F74,F84	-
Xtreme	Compact Bac	F44,F46,F58 PLUS	-	F73 PLUS,F74,F84	-
Artex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Blacktex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Cosytex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Designer-tex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Hightex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Moonlight	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Nobletex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Pop Up	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BEAUFLOL part of B.I.G. FLOORCOVERINGS continued...**

Puretex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Quintex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Resitex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Safetex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Silvertex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Smartex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Soho	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Supreme	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Tex-Style	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Utratex	Polyester Needle Felt	F44,F58 PLUS	-	-	F60,F66
Dynasty	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Elegance	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Emotions	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Expoline	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Feelings	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Phoni-Xtreme	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Pietro	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Santana	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Sherwood Oak	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Technosafe	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Ambient	Solid Bac	F44,F58 PLUS	-	-	F66
Impakt	Solid Bac	F44,F58 PLUS	-	-	F66
Massif	Solid Bac	F44,F58 PLUS	-	-	F66
Olympus	Solid Bac	F44,F58 PLUS	-	-	F66
Polaris	Solid Bac	F44,F58 PLUS	-	-	-

**BEAUFLOL VINYL TILES NV**
 Tel: 0032 56 676611 | Email: joke.saelen@bintg.com | Web: www.beauflor.com | Fax: 0032 56 676984

Podium Pro 30	PVC	F44,F46,F47,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Podium Pro 55	PVC	F44,F46,F47,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Podium XXL	PVC	F44,F46,F47,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**BEDS FLOORING DISTRIBUTORS**
 Tel: 01234 341234 | Email: sales@bedsflooring.co.uk | Web: www.bedsflooring.co.uk  
 Trade Counter: 01243 341043
**CARPET TILES**

Baltic	Bitumen	F3	F41	-	F66
Bedford Rib	Bitumen	F3	F41	-	F66
Boulevard 5000 (Tile)	Bitumen	F3	F41	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BEDS FLOORING DISTRIBUTORS continued...**

Boulevard 6000 (Tile)	Bitumen	F3	F4I	-	F66
Developer II	Bitumen	F3	F4I	-	F66
Diversity	Bitumen	F3	F4I	-	F66
Diversity Groove	Bitumen	F3	F4I	-	F66
Gaas Rib	Bitumen	F3	F4I	-	F66
Gaas Velour	Bitumen	F3	F4I	-	F66
Lafite Connect Plain/ Stripes/Design/ Space (Tile)	Bitumen	F3	F4I	-	F66
Lafite Connect Space (Plank)	Bitumen	F3	F4I	-	F66
Latour <sup>2</sup>	Bitumen	F3	F4I	-	F66
Latour <sup>2</sup> Stripe	Bitumen	F3	F4I	-	F66
Macaw	Bitumen	F3	F4I	-	F66
Macaw Stripe	Bitumen	F3	F4I	-	F66
Mainstay	Bitumen	F3	F4I	-	F66
Predator	Bitumen	F3	F4I	-	F66
Prima Velour	Bitumen	F3	F4I	-	F66
Rimini	Bitumen	F3	F4I	-	F66
SqMile Exec	Bitumen	F3	F4I	-	F66
Stratus Tile	Bitumen	F3	F4I	-	F66
Streetwise Design	Bitumen	F3	F4I	-	F66
Streetwise Style	Bitumen	F3	F4I	-	F66
Supacord	Bitumen	F3	F4I	-	F66
Vapour	Bitumen	F3	F4I	-	F66
Vienna	Bitumen	F3	F4I	-	F66
Vital	Bitumen	F3	F4I	-	F66
Wellington	Bitumen	F3	F4I	-	F66
530 Quantum XL	Graphlex	F3	F4I	-	F66
580 Olympic	Graphlex	F3	F4I	-	F66
Composure	Graphlex	F3	F4I	-	F66
Composure Edge	Graphlex	F3	F4I	-	F66
Employ Dimensions (Plank)	Graphlex	F3	F4I	-	F66
Employ Lines	Graphlex	F3	F4I	-	F66
Employ Loop	Graphlex	F3	F4I	-	F66
Heuga 727	Graphlex	F3	F4I	-	F66
Transformation	Graphlex	F3	F4I	-	F66
Works Balance	Graphlex	F3	F4I	-	F66
Works Dash	Graphlex	F3	F4I	-	F66
Works Flow	Graphlex	F3	F4I	-	F66
Works Fluid	Graphlex	F3	F4I	-	F66
Works Freestyle	Graphlex	F3	F4I	-	F66
Works Geometry	Graphlex	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BEDS FLOORING DISTRIBUTORS continued...**

Works Hype	Graphlex	F3	F4I	-	F66
Yuton 104	Graphlex	F3	F4I	-	F66
Yuton 105	Graphlex	F3	F4I	-	F66
Times Square	Polyurethane Cushion	F3,F44,F58 PLUS	F40,F4I	-	F60,F6I

**SHEET MATERIAL**

Gala	Action Back	F3,F40	F40	-	F60,F66
Gala	Felt *	F3,F40	F40	-	F60,F66
Battleship	Fibre Bonded	F3,F52	-	-	F60,F66
Broadrib Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Iron Duke	Fibre Bonded	F3,F52	-	-	F60,F66
Supacord Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Ultracord	Fibre Bonded	F3,F52	-	-	F60,F66
Bedford Rib Gel	Gel Rubber Foam	F3,F40	-	-	F60,F66
Gaas Rib Gel	Gel Rubber Foam	F3,F40	-	-	F60,F66
Gaas Velour Gel	Gel Rubber Foam	F3,F40	-	-	F60,F66
Magnum Gel	Gel Rubber Foam	F3	-	-	F60,F66
Prima Velour Gel	Gel Rubber Foam	F3,F40	-	-	F60,F66
Scala Solutions	Rubber Foam (Emb)	F3,F40	-	-	F60,F66
Dreadnought Sheet	Rubber Waffle	F3	-	F73 PLUS,F74,F8I	F60,F66
Hippo Cord	Rubber Waffle	F3	-	F73 PLUS,F74,F8I	F60,F66
Vanquisher	Rubber Waffle	F3	-	F73 PLUS,F74,F8I	F60,F66
Gladiator Gel	Waterproof Gel Foam	F3	-	-	F60,F66

F40\* to be applied by roller for release bond.

**BENTLEY MILLS** Tel: 07879 605795 Email: [Trudi@bentleymills.co.uk](mailto:Trudi@bentleymills.co.uk) Web: [www.bentleymills.com](http://www.bentleymills.com)

Chilewich Tile	Biofelt	F3	F4I	-	F60,F66
Chilewich W2W	Biofelt	F3,F40	F40	-	F60,F66
Bentley Mills Broadloom	High Performance	F3	F40	-	F60,F66
Bentley Mills Tile	Nexstep	F3	F4I	-	F66

**BETAP NONWOVENS BV** Tel: 0031 383861060 Email: [centralmail@betap.com](mailto:centralmail@betap.com) Web: [www.betap.com](http://www.betap.com) Fax: 0031 383861080

Baltic Tile	Bitumen	F3	F4I	-	F66
Club Plank	Bitumen	F3	F4I	-	F66
Lake Plank	Bitumen	F3	F4I	-	F66
Larix Tile	Bitumen	F3	F4I	-	F66
Line Tile	Bitumen	F3	F4I	-	F66
Park Tile	Bitumen	F3	F4I	-	F66
Pave Tile	Bitumen	F3	F4I	-	F66
Rialto Tile	Bitumen	F3	F4I	-	F66
Transform Tile	Bitumen	F3	F4I	-	F66
Translate Tile	Bitumen	F3	F4I	-	F66
Vienna Tile	Bitumen	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BETAP NONWOVENS BV continued...**

Crafter	Gel	F3	-	-	F60,F66
Ohio	Gel	F3	-	-	F60,F66
Omega	Gel	F3	-	-	F60,F66
Rally	Gel	F3	-	-	F60,F66
Rhino	Gel	F3	-	-	F60,F66
Rialto	Gel	F3	-	-	F60,F66
Sprinter	Gel	F3	-	-	F60,F66
Tornado	Gel	F3	-	-	F60,F66
Turbo	Gel	F3	-	-	F60,F66

**BIRCH CARPETS** Tel: 0114 2431230 Email: info@birchcarpets.co.uk Web: www.birchcarpets.co.uk Fax: 0114 2435118

Alpha Tech	Action Bac	F3	F40	-	F60,F66
Beta-Tech	Action Bac	F3	F40	-	F60,F66
Diamond-Tech	Action Bac	F3	F40	-	F60,F66
Edu-Tech	Action Bac	F3	F40	-	F60,F66
Escafeld Twist 40&50 oz	Action Bac	F3	F40	-	F60,F66
Floors That Teach	Action Bac	F3	F40	-	F60,F66
Mega-Tech	Action Bac	F3	F40	-	F60,F66
Multi Tech	Action Bac	F3	F40	-	F60,F66
Neon Black Light	Action Bac	F3	F40	-	F60,F66
New Gamma-Tech	Action Bac	F3	F40	-	F60,F66
New Impulse	Action Bac	F3	F40	-	F60,F66
Nova-Tech	Action Bac	F3	F40	-	F60,F66
Star-Tech	Action Bac	F3	F40	-	F60,F66
Twist Tech Classic	Action Bac	F3	F40	-	F60,F66
Twist Tech Supreme	Action Bac	F3	F40	-	F60,F66
Twist-Tech	Action Bac	F3	F40	-	F60,F66
Alpha-Tech Tile	Bitumen/Felt	F3	F41	-	F66
Archi-Tech Tile	Bitumen/Felt	F3	F41	-	F66
Barrier-Tech Stripe Tiles	Bitumen/Felt	F3	F41	-	F66
Beta-Tech Tile	Bitumen/Felt	F3	F41	-	F66
Birch Cord Tile	Bitumen/Felt	F3	F41	-	F66
Birch Velour Tile	Bitumen/Felt	F3	F41	-	F66
Delta-Tech Tile	Bitumen/Felt	F3	F41	-	F66
Enigma Tile	Bitumen/Felt	F3	F41	-	F66
Enyo Tile	Bitumen/Felt	F3	F41	-	F66
Hi Tech Bloc Tile	Bitumen/Felt	F3	F41	-	F66
Hi Tech Design Tile	Bitumen/Felt	F3	F41	-	F66
Hi Tech Evolution Tile	Bitumen/Felt	F3	F41	-	F66
Hi Tech Slate Tile	Bitumen/Felt	F3	F41	-	F66
Hi-Tech Tile	Bitumen/Felt	F3	F41	-	F66
Independence Tile	Bitumen/Felt	F3	F41	-	F66
Mega-Tech Tile	Bitumen/Felt	F3	F41	-	F66
Phase 2 Tile	Bitumen/Felt	F3	F41	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BIRCH CARPETS continued...**

Phase Tile	Bitumen/Felt	F3	F41	-	F66
Profile Tile	Bitumen/Felt	F3	F41	-	F66
Style & Style Design Tile	Bitumen/Felt	F3	F41	-	F66
Terrain Tile	Bitumen/Felt	F3	F41	-	F66
Luxor	Embossed Gel Foam	F3	-	-	F60,F66
Barrier-Tech Step Up Tiles	Encycle Back	-	F40	-	-
Birch Cord	Fibre Bonded	F3	F40	-	F60
Birch Velour	Fibre Bonded	F3	F40	-	F60
Med-Tech Impervious	Impervious Foam	F3	-	-	F60,F66
New Impulse	PES-Filz Felt *	F3,F40	F40	-	F60,F66
Barrier-Tech Catch	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Barrier-Tech Matting	PVC	F45	-	F73 PLUS,F74,F81	-
Barrier-Tech Plus	PVC	F45	-	F73 PLUS,F74,F81	-
Barrier-Tech Step Up Tiles	PVC	F45	F41	F73 PLUS,F74,F81,F84	-
Barrier-Tech Stripe	PVC	F45	-	F73 PLUS,F74,F81	-
Dura-Tech Matting	PVC	F45	-	F73 PLUS,F74,F81	F60
Entrada	PVC	F45	-	F73 PLUS,F74,F81	-
Alpha-Tech Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Care-Tech Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Care-Tech Plus Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Health-Tech Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Multi-Tech Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Nova-Tech Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Zeta-Tech Impervious	Rubber Foam (Comp)	F3	-	-	F60,F66
Contour	Waffle Gel Back	F3,F40	-	-	F60,F66
Matrix	Waffle Gel Back	F3,F40	-	-	F60,F66
Contessa	Woven	F3	-	-	F60,F66
Fast Track Axminster	Woven Hessian	F3	-	-	F60,F66

**BIRCH LIVING**

Coastline Heathers	Action Bac	F3,F40	F40	-	F60,F66
Crofter	Action Bac	F3	F40	-	F60,F66
Dalesman	Action Bac	F3	F40	-	F60,F66
Dalesman II	Action Bac	F3	F40	-	F60,F66
Moorlands	Action Bac	F3	F40	-	F60,F66
Seashore	Action Bac	F3	F40	-	F60,F66
Sierra II	Action Bac	F3	F40	-	F60,F66
Silk Royal	Action Bac	F3	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BIRCH CARPETS continued...**

Twist-Tech Classic	Action Bac	F3	F40	-	F60,F66
Twist-Tech Supreme	Action Bac	F3	F40	-	F60,F66
Aztec	Felt *	F3,F40	F40	-	F60,F66
Caspian	Felt *	F3,F40	F40	-	F60,F66
Contessa	Woven	F3	-	-	F60,F66
New Tradition	Woven Hessian	F3	-	-	F60,F66

F40\* to be applied by roller for release bond.

**BOLON AB** Tel: 0046 321 530400 Email: info@bolon.com Web: www.bolon.com Fax: 0046 321 530450

Artisan Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Artisan Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Bkb Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Bkb Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Bolon by JND Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Bolon by JND Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Bolon by Missoni Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Bolon by Missoni Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Bolon by you Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Bolon by you Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Botanic Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49
Botanic Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Create Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Create Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Diversity Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Diversity Tiles	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Elements Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Elements Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Emerge Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Emerge Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Ethnic Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Ethnic Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Graphic Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Graphic Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Now Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Now Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Silence Rolls	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Silence Tiles	PVC	F44,F45,F49,F58 PLUS	F41	-	F49
Elements ISI	PVC Foam	F44,F45,F49,F58 PLUS	F41	F73 PLUS,F74,F81,F84	F49
Silence ISI	PVC Foam	F44,F45,F49,F58 PLUS	F41	F73 PLUS,F74,F81,F84	F49

**BRAMPTON CHASE** Tel: 01604 664855 Email: support@bramptonchase.co.uk

Classics	PVC	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Stones	PVC	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Stones Ultra	PVC	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Studio Designs	PVC	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BRAMPTON CHASE continued...**

Woodlands	PVC	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
-----------	-----	-------------	---	----------------------	-------------

**BRINTONS CARPETS LTD** Tel: 0800 505055 Email: gharrison@brintons.co.uk Web: www.brintons.net Fax: 01562 634737

Abbeyglen	Latex	F3	-	-	F60,F66
Abbotsford Collection	Latex	F3	-	-	F60,F66
Bell Twist	Latex	F3	-	-	F60,F66
City Plaids	Latex	F3	-	-	F60,F66
Classic Florals Nouveau	Latex	F3	-	-	F60,F66
Country Life Collection	Latex	F3	-	-	F60,F66
Distinction	Latex	F3	-	-	F60,F66
Fresco	Latex	F3	-	-	F60,F66
Fresco Naturals	Latex	F3	-	-	F60,F66
Laura Ashley Collection	Latex	F3	-	-	F60,F66
Marrakesh Naturals	Latex	F3	-	-	F60,F66
New Living	Latex	F3	-	-	F60,F66
Perpetual Textures	Latex	F3	-	-	F60,F66
Quickweave	Latex	F3	-	-	F60,F66
Renaissance	Latex	F3	-	-	F60,F66
Renaissance Classics	Latex	F3	-	-	F60,F66
Royal Marquis	Latex	F3	-	-	F60,F66
Timorous Beasties	Latex	F3	-	-	F60,F66
Velvet Collection	Latex	F3	-	-	F60,F66
Comfort Back Tile	Polypropylene Felt	F3	F41	-	F60,F66

For recommendations on other Brintons products please refer to the manufacturer.

**BROCKWAY CARPETS LTD** Tel: 01562 828200 Email: sales@brockway.co.uk Web: www.brockway.co.uk Fax: 01562 752010

Beachcomber	Polydref	F3,F40	F40	-	F60,F66
Dimensions Stripes, Heathers & Plains	Polydref	F3,F40	F40	-	F60,F66
Galloway	Polydref	F3,F40	F40	-	F60,F66
Lakeland Herdwick	Polydref	F3,F40	F40	-	F60,F66
Lakeland Herdwick Loop & Twist	Polydref	F3,F40	F40	-	F60,F66
Lakeland Herdwick Weave	Polydref	F3,F40	F40	-	F60,F66
Lingdale	Polydref	F3,F40	F40	-	F60,F66
Lingdale Elite	Polydref	F3,F40	F40	-	F60,F66
Opulence	Polydref	F3,F40	F40	-	F60,F66
Orion	Polydref	F3,F40	F40	-	F60,F66
Orion Twist Major	Polydref	F3,F40	F40	-	F60,F66
Padstow	Polydref	F3,F40	F40	-	F60,F66
Portofino	Polydref	F3,F40	F40	-	F60,F66
Rare Breeds/ Rare Breeds Loop	Polydref	F3,F40	F40	-	F60,F66
Solar	Polydref	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BROCKWAY CARPETS LTD continued...**

Solar Stripe	Polydref	F3,F40	F40	-	F60,F66
Natural Tweed	Polydref	F3,F40	F40	-	F60,F66

**BRYAN & CLARK LTD** Tel: 0208 2062200 Email: [dilip@bryanandclark.co.uk](mailto:dilip@bryanandclark.co.uk) Web: [www.bryanandclark.co.uk](http://www.bryanandclark.co.uk) Fax: 0208 2062929

Fulda Bell-Object	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fulda Flash BI	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fulda Grip	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fulda Lan	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fulda Plus	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fulda Rex	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fuldament	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Fuldapark	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Tennis Game	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Tennis Star	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66

**BURMATEX LTD** Tel: 01924 262525 Email: [info@burmatex.co.uk](mailto:info@burmatex.co.uk) Web: [www.burmatex.co.uk](http://www.burmatex.co.uk) Fax: 01924 280033

**CARPET ROLLS**

3230 Classic	Fibre Bonded	F3,F52	-	-	F60,F66
4200 Sidewalk	Fibre Bonded	F3,F52	-	-	F60,F66
4400 Broadway	Fibre Bonded	F3,F52	-	-	F60,F66
5500 Luxury	Fibre Bonded	F3,F52	-	-	F60,F66
7700 Grimebuster	Fibre Bonded	F3,F52	-	-	F60,F66
7800 Chevrolay	Fibre Bonded	F3,F52	-	-	F60,F66
Lateral	Fibre Bonded	F3,F52	-	-	F60,F66

**CARPET TILES**

Academy	Accummen/ Polyester	F3	F41	-	F66
Alaska	Accummen/ Polyester	F3	F41	-	F66
Anyway Skyline	Accummen/ Polyester	F3	F41	-	F66
Anyway Urban	Accummen/ Polyester	F3	F41	-	F66
Armour	Accummen/ Polyester	F3	F41	-	F66
Artemis	Accummen/ Polyester	F3	F41	-	F66
Axis	Accummen/ Polyester	F3	F41	-	F66
Balance	Accummen/ Polyester	F3	F41	-	F66
Balance Atomic	Accummen/ Polyester	F3	F41	-	F66
Balance Echo	Accummen/ Polyester	F3	F41	-	F66
Balance Echo – Plank	Accummen/ Polyester	F3	F41	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**BURMATEX LTD continued...**

Balance Grade	Accummen/ Polyester	F3	F41	-	F66
Balance Greyscale	Accummen/ Polyester	F3	F41	-	F66
Balance Grid	Accummen/ Polyester	F3	F41	-	F66
Balance Ground	Accummen/ Polyester	F3	F41	-	F66
Balance Stripe	Accummen/ Polyester	F3	F41	-	F66
Barrier	Accummen/ Polyester	F3	F41	-	F66
Chevrolay 50	Accummen/ Polyester	F3	F41	-	F66
Code	Accummen/ Polyester	F3	F41	-	F66
Cordiale	Accummen/ Polyester	F3	F41	-	F66
Dapple	Accummen/ Polyester	F3	F41	-	F66
Down	Accummen/ Polyester	F3	F41	-	F66
Fuse	Accummen/ Polyester	F3	F41	-	F66
Go To	Accummen/ Polyester	F3	F41	-	F66
Grade	Accummen/ Polyester	F3	F41	-	F66
Grade – Plank	Accummen/ Polyester	F3	F41	-	F66
Grandee	Accummen/ Polyester	F3	F41	-	F66
Grimebuster 50	Accummen/ Polyester	F3	F41	-	F66
Groove	Accummen/ Polyester	F3	F41	-	F66
Hadron	Accummen/ Polyester	F3	F41	-	F66
Hadron – Plank	Accummen/ Polyester	F3	F41	-	F66
Infinity	Accummen/ Polyester	F3	F41	-	F66
Infinity Stitch	Accummen/ Polyester	F3	F41	-	F66
Lateral	Accummen/ Polyester	F3	F41	-	F66
Loom	Accummen/ Polyester	F3	F41	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>BURMATEX LTD continued...</b>					
Mood	Accummen/ Polyester	F3	F4I	-	F66
Origin	Accummen/ Polyester	F3	F4I	-	F66
Osaka	Accummen/ Polyester	F3	F4I	-	F66
Overlander	Accummen/ Polyester	F3	F4I	-	F66
Rainfall	Accummen/ Polyester	F3	F4I	-	F66
Rialto	Accummen/ Polyester	F3	F4I	-	F66
Scan	Accummen/ Polyester	F3	F4I	-	F66
Sector	Accummen/ Polyester	F3	F4I	-	F66
Shift	Accummen/ Polyester	F3	F4I	-	F66
Spin	Accummen/ Polyester	F3	F4I	-	F66
Sport	Accummen/ Polyester	F3	F4I	-	F66
Strands	Accummen/ Polyester	F3	F4I	-	F66
Surface	Accummen/ Polyester	F3	F4I	-	F66
Tandem	Accummen/ Polyester	F3	F4I	-	F66
Tiltturn	Accummen/ Polyester	F3	F4I	-	F66
Tivoli	Accummen/ Polyester	F3	F4I	-	F66
Tivoli Mist	Accummen/ Polyester	F3	F4I	-	F66
Tivoli Mist – Plank	Accummen/ Polyester	F3	F4I	-	F66
Tivoli Multiline	Accummen/ Polyester	F3	F4I	-	F66
Tivoli Multiline – Plank	Accummen/ Polyester	F3	F4I	-	F66
Tivoli Online	Accummen/ Polyester	F3	F4I	-	F66
Tivoli – Plank	Accummen/ Polyester	F3	F4I	-	F66
UP	Accummen/ Polyester	F3	F4I	-	F66
Velour Excel	Accummen/ Polyester	F3	F4I	-	F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>BURMATEX LTD continued...</b>					
Vibe	Accummen/ Polyester	F3	F4I	-	F66
Zip	Accummen/ Polyester	F3	F4I	-	F66
3230 Classic	Fibre Bonded	F52	-	-	-
<b>VINYL PRODUCTS</b>					
Mode	Vinyl	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Versatile	Vinyl	-	F4I	-	-
<b>C.A.T. LIMITED</b> Tel: 01582 561500 Email: sales@cat-accs.com Web: www.thecatweb.com Fax: 01582 561900					
All Angle Profiles		Stycco Flex	-	-	-
All Ramp Profiles		Stycco Flex	-	-	-
Aluminium Flooring Profiles		Stycco Flex	-	-	-
Aluminium Stair Nosings & Edgings		Stycco Flex	-	-	-
Aluminium Stair Tread Inserts		Stycco Flex	-	-	-
Aluminium Wall & Corner Profiles		Stycco Flex	-	-	-
Antique Brass Flooring Profiles		Stycco Flex	-	-	-
Antique Brass Stair Nosings & Edgings		Stycco Flex	-	-	-
Antique Bronze Flooring Profiles		Stycco Flex	-	-	-
Antique Bronze Stair Nosings & Edgings		Stycco Flex	-	-	-
Brass Capping Profiles		Stycco Flex	-	-	-
Brass Flooring Profiles		Stycco Flex	-	-	-
Brass Stair Nosings & Edgings		Stycco Flex	-	-	-
Catwalk		Stycco Flex	-	-	-
Chrome Flooring Profiles		Stycco Flex	-	-	-
Chrome Stair Nosings		Stycco Flex	-	-	-
Feline Flooring Profiles		Stycco Flex	-	-	-
In Step		Stycco Flex	-	-	-
Kliks Base		Stycco Flex	-	-	-
Kliks Slim Bases		Stycco Flex	-	-	-
Nisheen Flooring Profiles		Stycco Flex	-	-	-
Nisheen Stair Nosings		Stycco Flex	-	-	-
Olympic Heavy Duty Stair Nosings		Stycco Flex	-	-	-
Silver Anodised Flooring Profiles		Stycco Flex	-	-	-
Silver Anodised Stair Nosing		Stycco Flex	-	-	-
Stainless Steel Flooring Profiles		Stycco Flex	-	-	-
Stainless Steel Wall & Corner Profiles		Stycco Flex	-	-	-
TagTrim Flooring Profiles		Stycco Flex	-	-	-
Timberline Flooring Profiles		Stycco Flex	-	-	-
Vertex Corner Profiles		Stycco Flex	-	-	-
P8 Flexi Base	PVC	F60,F66,Stycco Flex	-	-	-
PVC Stair Nosings & Edgings	PVC	Stycco Flex	-	-	-
P8 Rigid Base	PVCu	Stycco Flex	-	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**CARPENTER LTD** Tel: 01457 892402 Email: sales.uk@carpenter.com Web: www.carpenter.ltd.uk Fax: 01457 892401

7mm Firmstep 145kgm <sup>3</sup>	Poly laminate	-	F40	-	-
8mm Prostep 180kgm <sup>3</sup>	Poly laminate	-	F40	-	-
9mm Powerstep 145kgm <sup>3</sup>	Poly laminate	-	F40	-	-
10mm Ultimate Living 145kgm <sup>3</sup>	Poly laminate	-	F40	-	-

**MARINE UNDERLAYS**

6mm Extrastep 180kgm <sup>3</sup>	Poly laminate	-	F40	-	-
-----------------------------------	---------------	---	-----	---	---

Not all carpets are suitable for installation on a release bond underlay system. Please consult the carpet manufacturer before proceeding.

**CAVALIER CARPETS LTD** Tel: 01254 268000 Email: info@cavalier-carpets.co.uk Web: www.cavaliercarpets.co.uk Fax: 01254 268001

**AXMINSTER**

Bespoke Axminster	Jute/ Polypropylene	F3	-	-	F60,F66
ColourTin (Axminster)	Jute/ Polypropylene	F3	-	-	F60,F66
FastAX (Axminster)	Jute/ Polypropylene	F3	-	-	F60,F66

**TUFTED BROADLOOM**

Bespoke Tufted Graphics	Hessian	F3	-	-	F60,F66
Classic Herringbone	Hessian	F3	-	-	F60,F66
Classic Shadow Textures	Hessian	F3	-	-	F60,F66
Confetti Trends	Hessian	F3	-	-	F60,F66
Spacestyle	Hessian	F3	-	-	F60,F66
Steps	Hessian	F3	-	-	F60,F66
Architect	Lobac/Hessian	F3	-	-	F60,F66
Cartouche	Lobac/Hessian	F3	-	-	F60,F66
Celebration	Lobac/Hessian	F3	-	-	F60,F66
Classic Pinstripe	Lobac/Hessian	F3	-	-	F60,F66
Cobble	Lobac/Hessian	F3	-	-	F60,F66
Cosmopolitan	Lobac/Hessian	F3	-	-	F60,F66
County Collection	Lobac/Hessian	F3	-	-	F60,F66
Criterion	Lobac/Hessian	F3	-	-	F60,F66
Downtown	Lobac/Hessian	F3	-	-	F60,F66
Envy	Lobac/Hessian	F3	-	-	F60,F66
Gemini	Lobac/Hessian	F3	-	-	F60,F66
Guildhall	Lobac/Hessian	F3	-	-	F60,F66
Homemaker	Lobac/Hessian	F3	-	-	F60,F66
Icon	Lobac/Hessian	F3	-	-	F60,F66
Liberty	Lobac/Hessian	F3	-	-	F60,F66
Lupo	Lobac/Hessian	F3	-	-	F60,F66
Millstone	Lobac/Hessian	F3	-	-	F60,F66
Pennine Heathers	Lobac/Hessian	F3	-	-	F60,F66
Performer	Lobac/Hessian	F3	-	-	F60,F66
Provenance	Lobac/Hessian	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**CAVALIER CARPETS LTD continued...**

Serenity	Lobac/Hessian	F3	-	-	F60,F66
Silken	Lobac/Hessian	F3	-	-	F60,F66
Stainless Definitions	Lobac/Hessian	F3	-	-	F60,F66
Stainless Distinctions	Lobac/Hessian	F3	-	-	F60,F66
Stainless Luxury	Lobac/Hessian	F3	-	-	F60,F66
Stainless Twist	Lobac/Hessian	F3	-	-	F60,F66
Strata	Lobac/Hessian	F3	-	-	F60,F66
Titan	Lobac/Hessian	F3	-	-	F60,F66

**TUFTED TILES**

Confetti	Bitumen	-	F41	-	F66
----------	---------	---	-----	---	-----

**CCM CALDEW CARPET MANUFACTURERS** Tel: 01228 810568 Email: info@ccm-carpets.co.uk Web: www.ccm-carpets.co.uk Fax: 01228 810582

Custom 34	Jute	F3,F40	F40	-	F60,F66
Custom 38	Jute	F3,F40	F40	-	F60,F66
Custom 42	Jute	F3,F40	F40	-	F60,F66
Custom 45	Jute	F3,F40	F40	-	F60,F66
Customax 9 Row	Jute/Latex	F3,F40	F40	-	F60,F66
Stockax 9 Row	Jute/Latex	F3,F40	F40	-	F60,F66

**CFS CARPETS part of CARPET AND FLOORING** Tel: 01527 511860 Email: sales@cfs carpets.co.uk Web: www.cfs carpets.co.uk Fax: 01527 511864

Compilation Plus Broadloom	Actionbac	F3	-	-	F60,F66
Kensington 30oz/40oz/50oz	Actionbac	F3	-	-	F60,F66
Mythology II Broadloom	Actionbac	F3	-	-	F60,F66
Performance	Actionbac	F3	-	-	F60,F66
Pinnacle	Actionbac	F3	-	-	F60,F66
Titan	Actionbac	F3	-	-	F60,F66
City Walk Tile	Bitumen	F3	F41	-	F66
Compilation Plus	Bitumen	F3	F41	-	F66
Constellation Tiles	Bitumen	F3	F41	-	F66
Europa Cut Tile	Bitumen	F3	F41	-	F66
Europa Loop Tile	Bitumen	F3	F41	-	F66
Formation Linear Tile	Bitumen	F3	F41	-	F66
Formation Tile	Bitumen	F3	F41	-	F66
Framework Tiles	Bitumen	F3	F41	-	F66
Freestile II Tile	Bitumen	F3	F41	-	F66
Illusion Tile	Bitumen	F3	F41	-	F66
Inspiration Tile	Bitumen	F3	F41	-	F66
Lobby Tile	Bitumen	F3	F41	-	F66
Matrix Tile & Plank	Bitumen	F3	F41	-	F66
Modena Tile	Bitumen	F3	F41	-	F66
Mythology II Tile	Bitumen	F3	F41	-	F66
New Chinook Tile	Bitumen	F3	F41	-	F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### CFS CARPETS part of CARPET AND FLOORING continued...

New Tornado Tile	Bitumen	F3	F4I	-	F66
New Typhoon Tile	Bitumen	F3	F4I	-	F66
Precision Solidz & Texture Tile	Bitumen	F3	F4I	-	F66
Sigma Tile	Bitumen	F3	F4I	-	F66
Signature Tile	Bitumen	F3	F4I	-	F66
Tredline Tile	Bitumen	F3	F4I	-	F66
VT480 Tile	Bitumen	F3	F4I	-	F66
New Chinook Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
New Typhoon Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Atlas Sheet	Gel Foam	F3,F40	-	-	F60,F66
Lobby Sheet	Gel Foam	F3,F40	-	-	F60,F66
Fortress Entrance Matting	Gel Rubber *	F3,F40	-	-	F60,F66
Magnum	Gel Rubber *	F3,F40	-	-	F60,F66
New Drever Sheet	Gel Rubber *	F3,F40	-	-	F60,F66
Plaza Entrance Matting	Gel Rubber *	F3,F40	-	-	F60,F66
Primavera Sheet	Gel Rubber *	F3,F40	-	-	F60,F66
Stockade Sheet	Gel Rubber *	F3,F40	-	-	F60,F66
Optimum Tonals	Impervious Foam	F3	-	-	F60,F66
Scala Twist	Impervious Foam	F3	-	-	F60,F66
Performance Broadloom	Impervious Gel	F3,F40	-	-	F60,F66
Scala Solutions	Impervious Gel	F3,F40	-	-	F60,F66
Superior Care	Impervious Gel	F3,F40	-	-	F60,F66
CFS Eternity Classic, Parquet & Commercial LVT	PVC	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Elements Commercial Vinyl Sheet	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F81,F84	-
Synopsis Tile	PVC	-	F4I	-	-
Studway Tile	Rubber	-	-	F8I	F60
Varsity Collection	Textile Back	F3	-	-	F60,F66

\*F3 applied using a 3mm x 6mm 'V' notched trowel.

### CHRISTY CARPETS Tel: 01908 308777 Email: sales@christy-carpets.co.uk Fax: 01908 308775

Accent	Action Bac	F3,F40	F40	-	F60,F66
Bergere	Action Bac	F3,F40	F40	-	F60,F66
Cord	Action Bac	F3,F40	F40	-	F60,F66
Eco Loop	Action Bac	F3,F40	F40	-	F60,F66
Eco Rib	Action Bac	F3,F40	F40	-	F60,F66
Elemental	Action Bac	F3,F40	F40	-	F60,F66
Extra	Action Bac	F3,F40	F40	-	F60,F66
Frise	Action Bac	F3,F40	F40	-	F60,F66
Granite	Action Bac	F3,F40	F40	-	F60,F66
Halcyon	Action Bac	F3,F40	F40	-	F60,F66
Keynote	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### CHRISTY CARPETS continued...

Meteor	Action Bac	F3,F40	F40	-	F60,F66
Metro	Action Bac	F3,F40	F40	-	F60,F66
Mono	Action Bac	F3,F40	F40	-	F60,F66
On Track	Action Bac	F3,F40	F40	-	F60,F66
Opera	Action Bac	F3,F40	F40	-	F60,F66
Platform	Action Bac	F3,F40	F40	-	F60,F66
Plaza	Action Bac	F3,F40	F40	-	F60,F66
Plush	Action Bac	F3,F40	F40	-	F60,F66
Rock	Action Bac	F3,F40	F40	-	F60,F66
Shaggy	Action Bac	F3,F40	F40	-	F60,F66
Shimmer	Action Bac	F3,F40	F40	-	F60,F66
Spice Route	Action Bac	F3,F40	F40	-	F60,F66
Striation	Action Bac	F3,F40	F40	-	F60,F66
Terrain	Action Bac	F3,F40	F40	-	F60,F66
Tram	Action Bac	F3,F40	F40	-	F60,F66
Vista	Action Bac	F3,F40	F40	-	F60,F66
Aviator Tile	Bitumen	F3	F4I	-	F66
Coastland Tile	Bitumen	F3	F4I	-	F66
Grande Terrace Tile	Bitumen	F3	F4I	-	F66
Monet Tile	Bitumen	F3	F4I	-	F66
Relax Tile	Bitumen	F3	F4I	-	F66
Sidewalk Tile	Bitumen	F3	F4I	-	F66
Straight & Narrow Tile	Bitumen	F3	F4I	-	F66
Stressed Out Tile	Bitumen	F3	F4I	-	F66
Subway Tile	Bitumen	F3	F4I	-	F66
Raw Silk Tile	PVC	-	F4I	-	-
Metro	Polyester/Fleece	F3	-	-	F60,F66
Tamarisk Tile	TEXtiles	F3	F4I	-	F60,F66

### CMS DANSKIN ACOUSTICS Tel: 01925 577711 Email: info@cmsdansk.co.uk Web: www.cmsdansk.co.uk

Regupol® EPDM/ Stoneline	EPDM Rubber	F3,F44,F60	-	F73 PLUS,F74,F81	-
Variofoam E215/E260	PU Foam	F3	-	F73 PLUS,F74,F81,F84	F66
Regupol® 3912	PUR	F3,F44	-	F73 PLUS,F74,F81	-
Regupol® 4515 Multi	PUR/Cork	F3,F44	-	F73 PLUS,F74,F81	-
Regufoam Vibration 150 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 190 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 220 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 270 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 300 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>CMS DANSKIN ACOUSTICS continued...</b>					
Regufoam Vibration 400 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 510 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 570 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 680 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 740 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 810 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 990 Plus	Polyurethane foam	F46	F4I	F73 PLUS,F81,F84	-
Regufoam Vibration 150 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 190 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 220 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 270 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 300 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 400 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 510 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 570 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 680 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 740 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 810 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regufoam Vibration 990 Plus	Polyurethane foam (with skin)	F46	F4I	F73 PLUS,F81	-
Regupol® Everroll	Rubber	F3,F44	-	F73 PLUS,F74,F81	-
Regupol® High Impact Mat	Rubber	F3,F44	-	F73 PLUS,F74,F81	-
7210C	Rubber Crumb	-	-	F73 PLUS,F74,F81,F84	-
Regupol® Vibration 1000/MF	Rubber Crumb	-	-	F73 PLUS,F74,F81,F84	-
Regupol® Vibration 400	Rubber Crumb	F44	-	F73 PLUS,F74,F81,F84	F66
Regupol® Vibration 450/PL	Rubber Crumb	-	-	F73 PLUS,F74,F81,F84	-
Regupol® Vibration 480/SH	Rubber Crumb	-	-	F73 PLUS,F74,F81,F84	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>CMS DANSKIN ACOUSTICS continued...</b>					
Regupol® Vibration 550/HT	Rubber Crumb	-	-	F73 PLUS,F74,F81,F84	-
Regupol® Vibration 800/XHT	Rubber Crumb	-	-	F73 PLUS,F74,F81,F84	-
Regupol® 4515 Eco	Rubber/Cork	F3,F44	-	F73 PLUS,F74,F81	-
Regupol® Comfort 5	Rubber/Cork	F3,F44	-	F73 PLUS,F74,F81,F84	-
<b>COBA FLOORING</b> Tel: 0116 2401161 Email: <a href="mailto:contact@cobaflooring.com">contact@cobaflooring.com</a> Web: <a href="http://www.cobaflooring.com">www.cobaflooring.com</a> Fax: 0116 2404068					
Pathmaster <sup>3</sup>	Bitumen	F3	-	F73 PLUS,F74,F81,F84	-
Toughrib Diagonal	Duo Rubber	F3	-	F73 PLUS,F74,F81,F84	-
Cobagrip	GRP Sheet	-	-	F73 PLUS,F74,F81,F84	-
Toughrib Contract	Gel Foam	F3	-	F73 PLUS,F74,F81,F84	-
Pathmaster	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Pathmaster Duo	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Alba	PVC	F45	F4I	F73 PLUS,F81,F84	-
Coir Matting	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Logomat – Precision Loop	PVC	-	-	F73 PLUS,F81,F84	-
Logomat – Precision Nib	PVC	-	-	F73 PLUS,F81,F84	-
Tough Lock Eco 5mm	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Vynaplush	PVC	-	F4I	F73 PLUS,F74,F81,F84	-
Premier Surface Tiles	PVC Cavity	-	-	F73 PLUS,F74,F81,F84	-
Orthomat	PVC Foam	F44,F58 PLUS	F4I	F73 PLUS,F74,F81,F84	-
Premier Surface Carpet Tiles	PVC Solid and Cavity	-	-	F73 PLUS,F74,F81,F84	-
Needlepunch	Polypropylene	-	-	F74,F81,F84	-
Treadwell	Recycled Rubber	-	-	F73 PLUS,F74,F81	-
Studded Tile	Rubber	-	-	-	F61
<b>CONDOR CARPETS</b> Tel: 0031 384778911 Email: <a href="mailto:info@condorgrass.com">info@condorgrass.com</a> Web: <a href="http://www.condorgrass.com">www.condorgrass.com</a>					
Carbon	Actionback	F3	-	-	F60,F66
Classic	Actionback	F3	-	-	F60,F66
Crown	Actionback	F3	-	-	F60,F66
Diamond	Actionback	F3	-	-	F60,F66
Dynamic	Actionback	F3	-	-	F60,F66
Magic	Actionback	F3	-	-	F60,F66
Miracle	Actionback	F3	-	-	F60,F66
New-Minnesota	Actionback	F3	-	-	F60,F66
Ocean	Actionback	F3	-	-	F60,F66
Touareg	Actionback	F3	-	-	F60,F66
Graphic-Ambition	Bitumen	F3	F4I	-	F66
Graphic-Emotion	Bitumen	F3	F4I	-	F66
Graphic-Essential	Bitumen	F3	F4I	-	F66
Graphic-Evolution	Bitumen	F3	F4I	-	F66
Graphic-Imagination	Bitumen	F3	F4I	-	F66
Graphic-Marble	Bitumen	F3	F4I	-	F66
Graphic-Unique	Bitumen	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**CONDOR CARPETS continued...**

Graphic-Vapour	Bitumen	F3	F4I	-	F66
Montreal-New-Tiles	Bitumen	F3	F4I	-	F66
Mustang	Bitumen	F3	F4I	-	F66
Salsa-Tiles	Bitumen	F3	F4I	-	F66
Solid Stripe	Bitumen	F3	F4I	-	F66
Apollo 25	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Apollo 30	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Apollo 38	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Arizona	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Launch 15	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Launch 18	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Launch 25	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Launch 30	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Launch 30XL	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Launch 38	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Megan 30	Latex	F3	-	F73 PLUS,F74,F81,F84	-
Megan 38	Latex	F3	-	F73 PLUS,F74,F81,F84	-

**COURISTAN CARPETS (UK) LTD** Tel: 01744 730016 Email: sales@couristancontracts.com Web: www.couristan.com Fax: 01744 451172

Custom Range	Jute/ Polypropylene	F3,F40	F40	-	-
--------------	------------------------	--------	-----	---	---

**CRUCIAL TRADING** Tel: 01675 433505 Email: sales@crucial-trading.com Web: www.crucial-trading.com

Wool Collection	Action	F3	-	-	F60,F66
Sisool Collection	Jute	F3,F52	-	-	-
Wool	Jute	F3,F52	-	-	-
Coir Collection	Latex	F3,F52	-	-	-
Jute Collection	Latex	F3,F52	-	-	-
Seagrass Collection	Latex	F3,F52	-	-	-
Sisal Collection	Latex	F3,F52	-	-	-
Sisool Collection	Latex	F3,F52	-	-	-
Wool	Polypropylene	F3	-	-	F60,F66

**DALHAUS** Tel: 01278 727727 Email: info@dalhaus.co.uk Web: www.dalhaus.co.uk Fax: 01278 727766

Dal Choc 4mm	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Choc 8mm	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Omni	Rubber	-	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Omni Outdoor	Rubber	-	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Rollazzo	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Rollo Satin	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61
Dal Werk Classic	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Werk Rib	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61,F66
Dal Zone	Rubber	-	-	F73 PLUS,F74,F81,F84	F60,F61,F66

**DANFLOOR (UK) LIMITED** Tel: 0333 0143132 Email: sales@danfloor.co.uk Web: www.danfloor.co.uk Fax: 0333 0143134

Equinox	Aqua Bac Impervious	F3,F40	-	-	F60,F66
---------	------------------------	--------	---	---	---------

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**DANFLOOR (UK) LIMITED continued...**

Equinox Evolve	Aqua Bac Impervious	F3,F40	-	-	F60,F66
Equinox Stripe	Aqua Bac Impervious	F3,F40	-	-	F60,F66
Equinox Tones	Aqua Bac Impervious	F3,F40	-	-	F60,F66
Trin Step	Bitumen	-	F4I	-	-
Portland	Jute	F3,F40	F40	-	F60,F66
Classic Collection	Latex KT Bac/ Textile TD Bac	F3,F40	-	-	F60,F66
Eco Weave	Latex KT Bac/ Textile TD Bac	F3,F40	-	-	F60,F66
Eton Basic	Latex KT Bac/ Textile TD Bac	F3,F40	-	-	F60,F66
Loft	Polyflex	F3	F4I	-	F66
Merida	Polyflex	F3	F4I	-	F66
Sonar	Polyflex	F3	F4I	-	F66
Strong	Polyflex	F3	F4I	-	F66
Wool Collection	Textile TD Bac	F3,F40	-	-	F60,F66
Economix	Ti Bac (Textile Impervious)	F3,F40	F40	-	F60,F66
Evolution	Ti Bac (Textile Impervious)	F3,F40	F40	-	F60,F66

**DENIS RAWLINS LTD T/A MATS4U** Tel: 0121 3136748 Email: sales@mats4u.co.uk Web: www.mats4u.co.uk Fax: 0121 3511991

Waterhog Classic Tile	Non Thermoplastic Rubber	-	-	F73 PLUS,F81,F84	-
Waterhog Forklift Mats	Non Thermoplastic Rubber	-	-	F73 PLUS,F81,F84	-

**DESSO** Tel: 01235 554848 Email: service.uk@tarkett.com Web: www.desso.com Fax: 01235 553583

See entry for TARKETT COMMERCIAL

**DISTINCTIVE FLOORING** Tel: 01562 749300 Email: sales@myvictoria.co.uk Web: www.myvictoria.co.uk

See entry for VICTORIA DESIGN FLOORS

**DLW TECHFLOOR** Tel: 01254 200999 Email: info@techfloor.co.uk Web: www.techfloor.co.uk/dlw.html

Colorette LPX	Jute	F52,F54	-	-	F60,F66
Colorette PUR	Jute	F52,F54	-	-	F60,F66
Lino Art LPX	Jute	F52,F54	-	-	F60,F66
Linodur LCH	Jute	F52,F54	-	-	F60,F66
Linodur LPX	Jute	F52,F54	-	-	F60,F66
Marmorette Acoustic LPX PUR	Jute	F52,F54	-	-	F60,F66
Marmorette LCH	Jute	F52,F54	-	-	F60,F66
Marmorette LPX	Jute	F52,F54	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**DLW TECHFLOOR** *continued...*

Marmorette PUR	Jute	F52,F54	-	-	F60,F66
Uni Walton LPX	Jute	F52,F54	-	-	F60,F66

**DURAFLOOR** Tel: 01592 630030 Email: uksales@durafloor.com Web: www.durafloor.com Fax: 01592 630070

Checkpoint Matting Tile	Bitumen	F3	F4I	-	F66
Agility Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Aspect Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Blizzard Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Bright Ideas Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Checkstar Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Checkstat Extra Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Checkstat Two Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Cubism Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Freedom Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Frontline Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Hextile Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Location Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Magnitude Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Migration Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Natural Terrain Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Nebula Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Progression Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Robust Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Strategy Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Trend Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Visualise Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Workplace Carpet Tile	Bitumen/Felt	F3	F4I	-	F66
Axis LVT	Loose Lay	-	F4I	-	-
Expressa LVT	Loose Lay	-	F4I	-	-
Ascerta LVT	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Eleganza LVT	PVC	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Momenta LVT	PVC	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Cienna Sheet	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Duragrip Sheet	PVC	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Galahad Sheet	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Resolute Sheet	PVC	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Tonaltile	Vinyl to EN649	F44,F46,F48 PLUS,F58 PLUS	-	-	F60,F66

**DURALAY LIMITED** Tel: 01706 213131 Email: technical@interfloor.com Fax: 01706 224915

See entry for INTERFLOOR LTD



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**EARTHWERKS** Tel: +44 1618 18 7047 Email: sales@earthwerks.co.uk Web: www.earthwerks.co.uk Fax: +44 1925 52 0225

Lagoon 2mm	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tempo	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Wood Classic Plus RWC	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
db 22 underlayment	Polyester	F3,F44,F48 PLUS,F49,F58 PLUS	-	-	-

**ECOLOC** Tel: +442892625899 Email: sales@ecolocflooring.com Web: www.ecolocflooring.com Fax: +442892625616

Apollo Mini – Hidden Interlock : 5mm	PVC	F45	-	F73 PLUS,F74,F84	-
Granite	PVC	F45	-	F73 PLUS,F74,F84	-
Incafloor 5 : 5mm	PVC	F45	-	F73 PLUS,F74,F84	-
Incafloor 10 : 10mm	PVC	F45	-	F73 PLUS,F74,F84	-
Lock-Tile : 7mm	PVC	F45	-	F73 PLUS,F74,F84	-
Multi-Tile : 5mm	PVC	F45	-	F73 PLUS,F74,F84	-

**ECOTILE FLOORING LIMITED** Tel: 01582 788232 Email: info@ecotileflooring.com Web: www.eco-tile.net Fax: 0208 9299150

Stair Nosings	GRP	-	-	F73 PLUS,F81,F84	-
5mm Multitile	PVC	-	-	F73 PLUS,F74,F84	-
6mm Hidden Joint Tile	PVC	-	-	F73 PLUS,F84	-
7mm Ecotile	PVC	-	-	F73 PLUS,F74,F81,F84	-
Tactile	Rubber *	-	-	F73 PLUS,F74,F81,F84	-

F73 PLUS\* F74\* F81\* F84\* backing must be solvent wiped prior to bonding.  
Stair Nosings must also be mechanically fixed.

**EDEL CARPETS** Tel: +31 383852124 Email: verkoop@edelcarpets.com Web: www.edelcarpets.com

Affection	Action Bac	F3	-	-	F60,F66
Bakerloo	Action Bac	F3	-	-	F60,F66
Barbican	Action Bac	F3	-	-	F60,F66
Burford Bridge	Action Bac	F3	-	-	F60,F66
Centre Point	Action Bac	F3	-	-	F60,F66
Charisma	Action Bac	F3	-	-	F60,F66
Chelsea	Action Bac	F3	-	-	F60,F66
Cormo	Action Bac	F3	-	-	F60,F66
Diversity	Action Bac	F3	-	-	F60,F66
Gallery Antique	Action Bac	F3	-	-	F60,F66
Gallery Bonita	Action Bac	F3	-	-	F60,F66
Gallery Kasuri	Action Bac	F3	-	-	F60,F66
Gloss	Action Bac	F3	-	-	F60,F66
Helsinki	Action Bac	F3	-	-	F60,F66
Hoxton	Action Bac	F3	-	-	F60,F66
King's Cross	Action Bac	F3	-	-	F60,F66
Lawrence	Action Bac	F3	-	-	F60,F66
Lima	Action Bac	F3	-	-	F60,F66
London Bridge	Action Bac	F3	-	-	F60,F66
Mainline	Action Bac	F3	-	-	F60,F66
Mars	Action Bac	F3	-	-	F60,F66
Paddington	Action Bac	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**EDEL CARPETS continued...**

Primrose Hill	Action Bac	F3	-	-	F60,F66
Rya	Action Bac	F3	-	-	F60,F66
Vanity	Action Bac	F3	-	-	F60,F66
Vivaldi	Action Bac	F3	-	-	F60,F66
Whoop	Action Bac	F3	-	-	F60,F66
Wild Romance	Action Bac	F3	-	-	F60,F66
Adoration	Starback	F3	-	-	F60,F66
Ambition	Starback	F3	-	-	F60,F66
Aurelius	Starback	F3	-	-	F60,F66
Breeze	Starback	F3	-	-	F60,F66
Cloud	Starback	F3	-	-	F60,F66
Diamond Aspiration	Starback	F3	-	-	F60,F66
Gala	Starback	F3	-	-	F60,F66
Honesty	Starback	F3	-	-	F60,F66
Luna	Starback	F3	-	-	F60,F66
Mirage	Starback	F3	-	-	F60,F66
Serene	Starback	F3	-	-	F60,F66
Tamino	Starback	F3	-	-	F60,F66
Twister	Starback	F3	-	-	F60,F66
Vintage Aspiration	Starback	F3	-	-	F60,F66
Whisper	Starback	F3	-	-	F60,F66
Zeal	Starback	F3	-	-	F60,F66

**EGE CARPETS LTD** Tel: +44 1257 239000 Email: info@egecarpets.com Web: www.egecarpets.com

ECT350	Felt	F3	F41	-	F66
Epoca Classic cl	HD Latex	F3,F40	-	-	-
Texturecare Express	Impervious	F3,F40	F40	-	-
Carre Broadloom wt	Secondary	F3,F40	-	-	-
Epoca Compact wt	Secondary	F3,F40	-	-	-
Epoca Pro wt	Secondary	F3,F40	-	-	-
Epoca Silky Contract wt	Secondary	F3,F40	-	-	-
Epoca Structure	Secondary	F3,F40	-	-	-
Epoca Texture 2000	Secondary	F3,F40	-	-	-
Epoca Texture wt	Secondary	F3,F40	-	-	-
Highline 1100 wt	Secondary	F3,F40	-	-	-
Highline 1100gm 80/20 wt	Secondary	F3,F40	-	-	-
Highline 1400gm 80/20 wt	Secondary	F3,F40	-	-	-
Highline 1900gm 80/20 wt	Secondary	F3,F40	-	-	-
Highline 630 wt	Secondary	F3,F40	-	-	-
Highline 750 wt	Secondary	F3,F40	-	-	-
Highline 910 wt	Secondary	F3,F40	-	-	-
Highline Loop wt	Secondary	F3,F40	-	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**EGE CARPETS LTD continued...**

ReForm Artworks wt	Secondary	F3,F40	-	-	-
ReForm Calico wt	Secondary	F3,F40	-	-	-
ReForm Flux wt	Secondary	F3,F40	-	-	-
ReForm Legend	Secondary	F3,F40	-	-	-
Broadloom wt					
ReForm Memory	Secondary	F3,F40	-	-	-
Broadloom wt					
<b>BROADLOOM WT</b>					
Una Ground Control	Impervious	F3,F40	F40	-	-
Una Casa	Secondary	F3,F40	-	-	-
Una Micro	Secondary	F3,F40	-	-	-
Una Mineral wt	Secondary	F3,F40	-	-	-
Una Tempo Broadloom	Secondary	F3,F40	-	-	-
Una Tempo Stripe Broadloom	Secondary	F3,F40	-	-	-

**EGGER HOLZWERKSTOFFE WISMAR GMBH & CO.KG** Tel: +49 3841 301 21913 Email: Stephan.steinhausen@egger.com Web: www.egger.com Fax: +49 3841 301 61913

EGGER Design Green Tec Floor	Cork	F3,F46,F49,B95	-	-	F49,F60,F66
EGGER Aqua+	Melamine impregnated paper	F44,F45,F46,F48 PLUS,F49, F58 PLUS	-	F74,F81,F84	-
EGGER Home Design	Primed Balancer (PP)	F44,F45,F58 PLUS	-	-	F60
EGGER Pro Design	Primed Balancer (PP)	F44,F45,F58 PLUS	-	-	F60

**EMCO UK LTD** Tel: 01952 256446 Email: enquiries@emcouk.co.uk Web: www.emcouk.co.uk Fax: 01952 262940

Conform Tiles	Bitumen	F3	F41	-	F66
Contura	EVA	F3	-	-	F60,F66
Care	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Color Plus	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Conform	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Favorit	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Innova	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Linea	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Maximus	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Maximus Image	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Outdoor	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Prestige	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Royal	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Scratch	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Attache	Synthetic Latex	F3	-	-	F60,F66
Conform SE	Synthetic Latex	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**FATRA UK LTD** Tel: 02920 487954 Email: sales@fatra.co.uk Web: www.fatra.co.uk Fax: 02920 489226

**LUXURY VINYL TILES**

Imperio	PVC	F44,F46,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Thermofix	PVC	F44,F46,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**STATIC CONTROL VINYL**

Dynamik	PVC	F57	-	-	F60,F66
Elektrostatik	PVC	F57	-	-	F60,F66

**FIBRE** Tel: 0844 4142177 Email: warehouse@fibreflooring.com Web: www.fibreflooring.com Fax: 0844 4145767

Wool Arcadian	Action Back	F3	-	-	F60,F66
Wool Artisan	Action Back	F3	-	-	F60,F66
Wool Devonian	Action Back	F3	-	-	F60,F66
Wool Faroe	Action Back	F3	-	-	F60,F66
Wool Herringbone	Action Back	F3	-	-	F60,F66
Wool Holland Park	Action Back	F3	-	-	F60,F66
Wool Horizon	Action Back	F3	-	-	F60,F66
Wool Longitude	Action Back	F3	-	-	F60,F66
Wool Maldives	Action Back	F3	-	-	F60,F66
Wool Paragon	Action Back	F3	-	-	F60,F66
Wool Serenity	Action Back	F3	-	-	F60,F66
Wool Seychelles	Action Back	F3	-	-	F60,F66
Wool Verbier	Action Back	F3	-	-	F60,F66
Wool Zurich	Action Back	F3	-	-	F60,F66
Seagrass	Latex	F3,F52	-	-	-
Sisal	Latex	F3,F52	-	-	-
Wool Longitude	Latex	F3	-	-	F60,F66
Wool Herringfine	Latex & Jute Hybrid	F3	-	-	F60,F66
Wool Varsity	Latex & Jute Hybrid	F3	-	-	F60,F66
Wool Exmoor	PP Fabric	F3,F40	F40	-	F60,F66
Wool Helios	PP Fabric	F3,F40	F40	-	F60,F66
Flatweave Classic Big Boucle	Recycled PP Fabric	F3,F40	F40	-	F60,F66
Flatweave Classic Diamond	Recycled PP Fabric	F3,F40	F40	-	F60,F66
Flatweave Classic Herringbone	Recycled PP Fabric	F3,F40	F40	-	F60,F66
Flatweave Classic Linear	Recycled PP Fabric	F3,F40	F40	-	F60,F66
Flatweave Classic Panama	Recycled PP Fabric	F3,F40	F40	-	F60,F66
Flatweave Classic Small Boucle	Recycled PP Fabric	F3,F40	F40	-	F60,F66
Sisal Easyfit Antilles	Recycled PP Fabric	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**FIBRE continued...**

Sisal Easyfit Borneo	Recycled PP Fabric	F3,F40	F40	-	F60,F66
----------------------	--------------------	--------	-----	---	---------

**FIRTH CARPETS & FLOORINGS LTD** Tel: 01484 721529 Email: sales@firthcarpets.co.uk Web: www.firthcarpets.co.uk

Beverley 40	Action Bac	F3	F40	-	F60,F66
Beverley 50	Action Bac	F3	F40	-	F60,F66
Beverley 60	Action Bac	F3	F40	-	F60,F66
Bretton	Action Bac	F3	F40	-	F60,F66
Clayton II	Action Bac	F3	F40	-	F60,F66
Crofton	Action Bac	F3	F40	-	F60,F66
Denby Point	Action Bac	F3	F40	-	F60,F66
Hemsworth	Action Bac	F3	F40	-	F60,F66
Norton 40	Action Bac	F3	F40	-	F60,F66
Norton 50	Action Bac	F3	F40	-	F60,F66
Norton 65	Action Bac	F3	F40	-	F60,F66
Walton	Action Bac	F3	F40	-	F60,F66
Denby Point Tile	Bitumen	F3	F41	-	F66

**FLEXI-TILE** Tel: +442892625899 Email: info@flexi-tile.com Web: www.flexi-tile.com Fax: +442892625616

Diamond 5	PVC	F45	-	F73 PLUS,F74,F84	-
Diamond 7	PVC	F45	-	F73 PLUS,F74,F84	-
Eclipse HD	PVC	F45	-	F73 PLUS,F74,F84	-
Eclipse Mini	PVC	F45	-	F73 PLUS,F74,F84	-
Flexi-tile 5	PVC	F45	-	F73 PLUS,F74,F84	-
Flexi-tile 7	PVC	F45	-	F73 PLUS,F74,F84	-
Granite	PVC	F45	-	F73 PLUS,F74,F84	-

**FLORPROTEC LTD** Tel: 01827 831440 Email: sales@florprotec.co.uk Web: www.floorprotection.co.uk Fax: 01827 831441

700 Series	PVC	F60,F66	-	-	-
Roppe SBR Rubber Skirting	Rubber	F60,F66	-	-	-

**FOOTFALL FLOORING LTD** Tel: 03333234570 Email: sales@footfalluk.co.uk Web: www.footfalluk.co.uk Fax: 03333234572

SoundSense Ultra	Cork/PUR	F44	-	F73 PLUS,F74,F81,F84	-
SoundSense CC 3.0 & 4.5	Cork/Rubber	F44,F45	-	F73 PLUS,F74,F81,F84	-
SoundSense LVT 1.6	EVA/Cork	F44	-	F73 PLUS,F74,F81,F84	-
SoundSense dB 200	PE Foam	Stycco Flex	-	-	-
SoundSense dB 300	PVC	F45,Stycco Flex	-	-	-
DS 50 ECO	Rubber Crumb	-	F40	-	-
DS 65 PREMIUM	Rubber Crumb	-	F40	-	-
DS 65 STANDARD	Rubber Crumb	-	F40	-	-
DS 90 COMFORT	Rubber Crumb	-	F40	-	-
Endura	Rubber Crumb	-	F40	-	-
Optima	Rubber Crumb	-	F40	-	-

Not all carpets are suitable for installation on a release bond underlay system. Please consult the carpet manufacturer before proceeding.



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**FORBO FLOORING UK LTD** Tel: 01773 744121 Email: info.flooring.uk@forbo.com Web: www.forbo-flooring.co.uk

#### ENTRANCE FLOORING

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Coral Classic Tile	PVC	F45	F41	-	-	-
Coral Brush	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Brush Tile	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Classic	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Duo	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Grip	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Logo	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Interior	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Welcome	PVC Everfort	F45,F61	-	F73 PLUS,F74	F61	-
Coral Brush FR	Synthetic Rubber	F3,F40	-	F73 PLUS,F74,F81	F60,F66	-
Coral Classic FR	Synthetic Rubber	F3,F40	-	F73 PLUS,F74,F81	F60,F66	-
Coral Duo FR	Synthetic Rubber	F3,F40	-	F73 PLUS,F74,F81	F60,F66	-
Coral Welcome FR	Synthetic Rubber	F3,F40	-	F73 PLUS,F74,F81	F60,F66	-

#### LINOLEUM

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Marmoleum Linear	Hessian	F52,F54	-	-	-	F60,F66
Marmoleum Marbled	Hessian	F52,F54	-	-	-	F60,F66
Marmoleum Solids	Hessian	F52,F54	-	-	-	F60,F66
Marmoleum Modular (tiles and planks)	Polyester	F54	-	-	-	F60,F66
Marmoleum Decibel	Polyolefin Foam	F49,F54	-	F73 PLUS,F84	-	-
Marmoleum Acoustic	Hessian	F52,F54	-	-	-	F60,F66
Marmoleum Aquajet	Hessian	F52,F54	-	-	-	F60,F66
Marmoform S Coving	Fibre Glass/Hessian	F60,F66	-	-	-	F60,F66
HemingwayDesign (Marmoleum)	Hessian	F52,F54	-	-	-	F60,F66
Furniture	Felt Paper	F3,F54,F60,F66	-	-	-	-
Bulletin Board	Hessian	-	-	-	-	F3,F60,F66
Corkment Underlay	Hessian	F52,F54	-	-	-	F60,F66
Linoflex	Hessian	F52,F54	-	-	-	F60,F66

#### PROJECT VINYL

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Fabsrap	100% New Vinyl	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F66	-
Sphera Element	100% New Vinyl	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F66	-
Sphera Energetic	100% New Vinyl	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F66	-
Sphera Evolution	100% New Vinyl	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F66	-
Allura	PVC	F48 PLUS,F49	-	F73 PLUS,F81,F84	F49,F60,F66	-
Allura Flex	PVC	-	F41	F73 PLUS,F84	F49,F60,F66	-
Allura Stripping	PVC	F48 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66	-
Eternal	PVC	F44,F46	-	F73 PLUS,F74,F81	-	-
Eternal De Luxe	PVC	F44,F46	-	F73 PLUS,F74,F81	-	-
Eternal Digitally Printed	PVC	F44,F46	-	F73 PLUS,F74,F81	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

#### FORBO FLOORING UK LTD continued...

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Eternal Original	PVC	F44,F46	-	F73 PLUS,F74,F81	-	-
Onyx + (Wall Vinyl)	PVC	-	-	-	-	F44,F46,F47,F66
SafeStep R11	PVC	F44,F46,F49	-	F73 PLUS,F74,F81	F49,F61,F66	-
SafeStep R12	PVC	F44,F46,F49	-	F73 PLUS,F74,F81	F49,F61,F66	-
Sarlon Compact	PVC	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F61,F66	-
Solidstep	PVC	F44,F46,F49	-	F73 PLUS,F84	F49,F60,F66	-
Surestep Original	PVC	F44,F46	-	F73 PLUS,F74,F81	F49,F66	-
Surestep R10	PVC	F44,F46,F49	-	F73 PLUS,F74,F81	F49,F61,F66	-
Wetroom R10 (Aqua, Laguna & Star barefoot)	PVC	F44,F46,F49	-	F73 PLUS,F74,F81	F49,F61,F66	-
Colorex EC	PVC Conductive	F57	-	-	-	-
Colorex SD	PVC Dissipative	F57	-	F73 PLUS,F74,F81	F49,F60,F66	-
Sarlon 15dB	PVC Foam	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F61,F66	-
Sarlon 19dB	PVC Foam	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F61,F66	-
Surestep Decibel R10	PVC Foam	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F61,F66	-

#### FLOCKED FLOORING

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Flotex Tiles	PVC	F44	F41	-	-	-
Flotex Borders	PVC Foam	F44,F46,F49	F41	F73 PLUS,F74,F81	F49,F60,F66	-
Flotex Sheet	PVC Foam	F44,F46,F49	F41	F73 PLUS,F74,F81	F49,F60,F66	-

#### TESSERA CARPET TILES

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Alignment	Bitumen	F3	F41	-	-	F66
Arran	Bitumen	F3	F41	-	-	F66
Barcode	Bitumen	F3	F41	-	-	F66
Chroma	Bitumen	F3	F41	-	-	F66
Cloudscape	Bitumen	F3	F41	-	-	F66
Contour	Bitumen	F3	F41	-	-	F66
Create Space I	Bitumen	F3	F41	-	-	F66
Diffusion	Bitumen	F3	F41	-	-	F66
Earthscape	Bitumen	F3	F41	-	-	F66
HemingwayDesign mid century weave	Bitumen	F3	F41	-	-	F66
In-touch planks	Bitumen	F3	F41	-	-	F66
Inline	Bitumen	F3	F41	-	-	F66
Layout & Outline (Tiles & Planks)	Bitumen	F3	F41	-	-	F66
Mix	Bitumen	F3	F41	-	-	F66
Nexus	Bitumen	F3	F41	-	-	F66
Perspective	Bitumen	F3	F41	-	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**FORBO FLOORING UK LTD continued...**

Seagrass planks	Bitumen	F3	F4I	-	F66
Teviot	Bitumen	F3	F4I	-	F66
Alignment	Softbac	F3	F40	-	F66
Arran	Softbac	F3	F40	-	F66
Barcode	Softbac	F3	F40	-	F66
Contour	Softbac	F3	F40	-	F66
Create Space 1 and 2	Softbac	F3	F40	-	F66
Diffusion	Softbac	F3	F40	-	F66
Inline	Softbac	F3	F40	-	F66
Mix	Softbac	F3	F40	-	F66
Teviot	Softbac	F3	F40	-	F66

**RESIDENTIAL**

Flotex Tiles	PVC	F44	F4I	-	-
Flotex Borders	PVC Foam	F44,F46,F49	F4I	-	F49,F66
Flotex Sheet	PVC Foam	F44,F46,F49	F4I	-	F49,F66
Novilon Classic	PVC Foam	F44,F46,F49	-	-	F49,F66
Novilon Viva Cool Wood	PVC Foam	F44,F46,F49	-	-	F49,F66
Novilon Viva Warm Wood	PVC Foam	F44,F46,F49	-	-	F49,F66
Novilon Viva Fusion	PVC Foam	F44,F46,F49	-	-	F49,F66
Novilon Viva Stone	PVC Foam	F44,F46,F49	-	-	F49,F66
Novilon Viva Tile	PVC Foam	F44,F46,F49	-	-	F49,F66

**FORBO IRELAND LIMITED** Tel: 00353 1 2898898 Email: info.ireland@forbo.com Web: www.forbo-flooring.ie Fax: 00353 1 2898177

See entry for FORBO FLOORING UK LTD

**FRL FLOORING** Tel: +44 (0) 1282 478222 Email: sales@flexr.co.uk Web: www.frlflooring.co.uk Fax: +44 (0) 1282 478210

Athena	PVC *	F44,F46,F48 PLUS,F49,F58 PLUS	F4I	F73 PLUS,F74,F81,F84	F49,F66
--------	-------	-------------------------------	-----	----------------------	---------

\* Release bond for tiles only.

**GAAS FLOORING LTD** Tel: 01234 334694 Email: sales@gaasflooring.co.uk Web: www.gaasflooring.co.uk Trade Counter: 01234 341043

**CARPET TILES**

Baltic	Bitumen	F3	F4I	-	F66
Bedford Rib	Bitumen	F3	F4I	-	F66
Boulevard 5000 (Tile)	Bitumen	F3	F4I	-	F66
Boulevard 6000 (Tile)	Bitumen	F3	F4I	-	F66
Developer II	Bitumen	F3	F4I	-	F66
Diversity	Bitumen	F3	F4I	-	F66
Diversity Groove	Bitumen	F3	F4I	-	F66
Gaas Rib	Bitumen	F3	F4I	-	F66
Gaas Velour	Bitumen	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**GAAS FLOORING LTD continued...**

Lafite Connect Plain/Stripes/Design/Space (Tile)	Bitumen	F3	F4I	-	F66
Lafite Connect Space (Plank)	Bitumen	F3	F4I	-	F66
Latour <sup>2</sup>	Bitumen	F3	F4I	-	F66
Latour <sup>2</sup> Stripe	Bitumen	F3	F4I	-	F66
Macaw	Bitumen	F3	F4I	-	F66
Macaw Stripe	Bitumen	F3	F4I	-	F66
Mainstay	Bitumen	F3	F4I	-	F66
Predator	Bitumen	F3	F4I	-	F66
Prima Velour	Bitumen	F3	F4I	-	F66
Rimini	Bitumen	F3	F4I	-	F66
SqMile Exec	Bitumen	F3	F4I	-	F66
Stratus Tile	Bitumen	F3	F4I	-	F66
Streetwise Design	Bitumen	F3	F4I	-	F66
Streetwise Style	Bitumen	F3	F4I	-	F66
Supacord	Bitumen	F3	F4I	-	F66
Vapour	Bitumen	F3	F4I	-	F66
Vienna	Bitumen	F3	F4I	-	F66
Vital	Bitumen	F3	F4I	-	F66
Wellington	Bitumen	F3	F4I	-	F66
530 Quantum XL	Graphlex	F3	F4I	-	F66
580 Olympic	Graphlex	F3	F4I	-	F66
Composure	Graphlex	F3	F4I	-	F66
Composure Edge	Graphlex	F3	F4I	-	F66
Employ Dimensions (Plank)	Graphlex	F3	F4I	-	F66
Employ Lines	Graphlex	F3	F4I	-	F66
Employ Loop	Graphlex	F3	F4I	-	F66
Heuga 727	Graphlex	F3	F4I	-	F66
Transformation	Graphlex	F3	F4I	-	F66
Works Balance	Graphlex	F3	F4I	-	F66
Works Dash	Graphlex	F3	F4I	-	F66
Works Flow	Graphlex	F3	F4I	-	F66
Works Fluid	Graphlex	F3	F4I	-	F66
Works Freestyle	Graphlex	F3	F4I	-	F66
Works Geometry	Graphlex	F3	F4I	-	F66
Works Hype	Graphlex	F3	F4I	-	F66
Yuton 104	Graphlex	F3	F4I	-	F66
Yuton 105	Graphlex	F3	F4I	-	F66
Times Square	Polyurethane Cushion	F3,F44,F58 PLUS	F40,F4I	-	F60,F61



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### GAAS FLOORING LTD *continued...*

#### SHEET MATERIAL

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Gala	Action Back	F3,F40	F40	-	-	F60,F66
Gala	Felt *	F3,F40	F40	-	-	F60,F66
Battleship	Fibre Bonded	F3,F52	-	-	-	F60,F66
Broadrib Sheet	Fibre Bonded	F3,F52	-	-	-	F60,F66
Iron Duke	Fibre Bonded	F3,F52	-	-	-	F60,F66
Supacord Sheet	Fibre Bonded	F3,F52	-	-	-	F60,F66
Ultracord	Fibre Bonded	F3,F52	-	-	-	F60,F66
Bedford Rib Gel	Gel Rubber Foam	F3,F40	-	-	-	F60,F66
Gaas Rib Gel	Gel Rubber Foam	F3,F40	-	-	-	F60,F66
Gaas Velour Gel	Gel Rubber Foam	F3,F40	-	-	-	F60,F66
Magnum Gel	Gel Rubber Foam	F3	-	-	-	F60,F66
Prima Velour Gel	Gel Rubber Foam	F3,F40	-	-	-	F60,F66
Scala Solutions	Rubber Foam (Emb)	F3,F40	-	-	-	F60,F66
Dreadnought Sheet	Rubber Waffle	F3	-	-	F73 PLUS,F74,F81	F60,F66
Hippo Cord	Rubber Waffle	F3	-	-	F73 PLUS,F74,F81	F60,F66
Vanquisher	Rubber Waffle	F3	-	-	F73 PLUS,F74,F81	F60,F66
Gladiator Gel	Waterproof Gel Foam	F3	-	-	-	F60,F66

F40\* to be applied by roller for release bond.

### GASKELL MACKAY CARPETS LTD Tel: 01429 892525 Email: info@gaskell.co.uk Web: www.gaskell.co.uk Fax: 01429 892530

#### AXMINSTER

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Designer Collection Naturals	Woven Cotton/ Jute	F3	-	-	-	F60,F66
Durham Cathedral Naturals	Woven Cotton/ Jute	F3	-	-	-	F60,F66
Broadloom Ranges	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Coniston	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Derwent	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Designer Collection	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Durham Cathedral	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Grasmere	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### GASKELL MACKAY CARPETS LTD *continued...*

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Hotel Bedroom Collection	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Infinity Eden	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Infinity Esk	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Infinity Gowan	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Infinity Leven	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Inn Stock	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Liberty	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Moda	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Tartan	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Ullswater	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Vogue	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66
Windermere	Woven Polypropylene/ Polyester	F3	-	-	-	F60,F66

#### TUFTED RANGES

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Custom Tufted	Felt	F3	-	-	-	F60,F66
Custom Tufted	Hessian	F3,F40	-	F40	-	F60,F66
Durham Edition	Hessian	F3,F40	-	F40	-	F60,F66
Metro Stripe	Synthetic	F3	-	-	-	F60,F66

#### TILE RANGES

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Colorado Tile	Bitumen	F3	-	F41	-	F66
Infinity Tile	Bitumen/Felt	F3	-	F41	-	F66

### GELASTA BV Tel: 0031 38 3855800 Email: adriaan@gelasta.nl Web: www.gelasta.nl Fax: 0031 38 3855683

Trade Mark	Backing	Type of Bond	Permanent	Release	Heavy-Duty / Wet Areas	Vertical
Arizona	PVC	F44,F46,F47,F48 PLUS,F58 PLUS	-	-	F73 PLUS,F74,F81,F84	F66
City	PVC	F44,F46,F47,F48 PLUS,F58 PLUS	-	-	F73 PLUS,F74,F81,F84	F66
City Register	PVC	F44,F46,F47,F48 PLUS,F58 PLUS	-	-	F73 PLUS,F74,F81,F84	F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>GENESIS GLOBAL SYSTEMS LIMITED</b> Tel: 01642 713000 Email: info@genesis-gs.com Web: www.genesis-gs.com Fax: 01642 710777					
Aluminator™ Nosing	Aluminium	Stycco Flex	-	-	-
Aluminium Floor Trim	Aluminium	Stycco Flex	-	-	-
Aluminium Nosing	Aluminium	Stycco Flex	-	-	-
Aluminium Skirting	Aluminium	Stycco Flex	-	-	-
Vision Nosing	Aluminium	Stycco Flex	-	-	-
PVC Capping	PVC	F49,F66,Stycco Flex	-	-	-
PVC Cove Former	PVC	F49,F66,Stycco Flex	-	-	-
PVC Skirting	PVC	F49,F66,Stycco Flex	-	-	-
uPVC Nosing	uPVC	Stycco Flex	-	-	-

**GERFLOR LIMITED** Tel: 01926 622600 Email: contractuk@gerflor.com Web: www.gerflor.co.uk Fax: 01926 401647

#### CONTRACT HOMOGENEOUS

Mipolam Accord	PVC	F44,F46,F49,F58 PLUS	-	-	F49,F60
Mipolam Affinity	PVC	F44,F46,F49,F58 PLUS	-	-	F49,F60
Mipolam Classic 1.5	PVC	F44,F46,F49,F58 PLUS	-	-	F49,F60
Mipolam Classic 2.0	PVC	F44,F46,F49,F58 PLUS	-	-	F49,F60
Mipolam Elegance	PVC	F44,F46,F49,F58 PLUS	-	-	F49,F60
Mipolam Esprit	PVC	F44,F46,F49,F58 PLUS	-	-	F49,F60
Symbioz	PVC	F45,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Mipolam EVO	Non PVC	F48 PLUS	-	F81	F60,F66
Mipolam Cosmo	Vinyl to EN649	F44,F46,F47,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60
Mipolam Troplan	Vinyl to EN649	F44,F46,F47,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60

#### MULTILAYERED FLOORING

Taralay Impression Compact	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F84	-
Taralay Premium Compact	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F84	-
Taralay Comfort Uni	PVC Foam	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F81	F49,F60,F61,F66
Taralay Element	PVC Foam	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F81	F49,F60,F61,F66
Taralay Impression Comfort	PVC Foam	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F81	F49,F60,F61,F66
Taralay Initial Comfort	PVC Foam	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F81	F49,F60,F61,F66
Taralay Premium Comfort	PVC Foam	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F81	F49,F60,F61,F66

#### SAFETY FLOORING

Taralay Element	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Taralay Impression Control	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Taralay Initial	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tarasafe Geo	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tarasafe H20	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>GERFLOR LIMITED continued...</b>					
Tarasafe Plus	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tarasafe Standard PU	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F60,F66
Tarasafe Style	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tarasafe Super	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F60,F66
Tarasafe Ultra Sparclean	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Timberline	PVC	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tarasafe Ultra Comfort	PVC Foam	F44,F45,F47,F48 PLUS,F49,F58 PLUS	-	-	F49,F61

#### DLW LINOLEUM

Marmorette Acoustic 4mm	Cork/Hessian	F49,F54	-	-	F60,F66
Colorette PUR	Jute	F52,F54	-	-	F60,F66
Granette PUR	Jute	F52,F54	-	-	F60,F66
Lino Art LPX	Jute	F52,F54	-	-	F60,F66
Linodur LCH	Jute	F52,F54	-	-	F60,F66
Linodur LPX	Jute	F52,F54	-	-	F60,F66
Marmorette A+ I9db	Jute	F54	-	-	F60,F66
Marmorette Acoustic LPX	Jute	F52,F54	-	-	F60,F66
Marmorette LCH	Jute	F52,F54	-	-	F60,F66
Marmorette LPX	Jute	F52,F54	-	-	F60,F66
Marmorette PUR	Jute	F52,F54	-	-	F60,F66
Uni Walton PUR	Jute	F52,F54	-	-	F60,F66

#### SHOWER SYSTEM & WALL COVERINGS

Brazilia SD	PVC	F44,F46,F58 PLUS	-	-	-
Elegance SD	PVC	F44,F46,F58 PLUS	-	-	-
Mipolam Biocontrol	PVC	F46,F58 PLUS	-	F73 PLUS,F81,F84	F66
Mipolam Biocontrol performance	PVC	F45,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Mipolam Planet	PVC	F46,F58 PLUS	-	F73 PLUS,F81,F84	F66
Mural Calypso	PVC	F44,F46,F58 PLUS	-	-	-
Mural Club	PVC	F44,F46,F58 PLUS	-	-	-
Mural Ultra	PVC	F44,F46,F58 PLUS	-	-	-

#### STATIC CONTROL FLOORINGS

GTI Cleantech EL5	PVC	F57	-	-	-
GTI Connect EL5	PVC	F57	-	-	-
Mipolam Accord EL7	PVC	F57	-	-	-
Mipolam Affinity EL7	PVC	F57	-	-	-
Mipolam Cleantech EL5	PVC	F57	-	-	-
Mipolam Elegance EL5	PVC	F57	-	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**GERFLOR LIMITED continued...**

Mipolam Robust EL7	PVC	F57	-	-	-
Mipolam Technic EL5	PVC	F57	-	-	-

**LVT**

Creation 30	PVC	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F60
Creation 55	PVC	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F60
Creation 70	PVC	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F60

**SPORTS FLOORING**

Surface	PVC	F44,F45,F47,F58 PLUS	-	F73 PLUS,F84	-
Recreation 45	PVC Foam	F44,F45,F47,F58 PLUS	-	F73 PLUS,F84	-
Recreation 60	PVC Foam	F44,F45,F47,F58 PLUS	-	F73 PLUS,F84	-
Taraflex Comfort	PVC Foam	F46,F58 PLUS	-	-	-
Taraflex Evolution	PVC Foam	F44,F45,F47,F58 PLUS	-	F73 PLUS,F84	-
Taraflex Multi Use 6.2	PVC Foam	F44,F45,F47,F58 PLUS	-	F73 PLUS,F84	-
Taraflex Performance	PVC Foam	F44,F45,F47,F58 PLUS	-	F73 PLUS,F84	-

**LOOSE LAY TILES**

Attraction	PVC	F44,F46,F58 PLUS	F41	-	-
Creation Clic	PVC	F44,F46,F58 PLUS	F41	-	-
GTI	PVC	F44,F46,F49,Stycco Flex,F58 PLUS	F41	F73 PLUS	-
Saga 2	PVC	F44,F46,F58 PLUS	F41	-	-
Saga 2 Connect	PVC	F44,F46,F58 PLUS	F41	-	-

**RESIDENTIAL**

Aggripa	Acoustic Foam	F44,F46,F49,F58 PLUS	-	-	F49,F60,F66
Transiflex Plus	Acoustic Foam	F44,F46,F49,F58 PLUS	-	-	F49,F60,F66
Transit Acoustic Wood	Acoustic Foam	F44,F46,F49,F58 PLUS	-	-	F49,F60,F66
Transit Plus	Acoustic Foam	F44,F46,F49,F58 PLUS	-	-	F49,F60,F66
Ceromitex	Textile	F44,F49,F58 PLUS	-	-	F49,F60
Easitex	Textile	F44,F49,F58 PLUS	-	-	F49,F60
Griptex	Textile	F44,F49,F58 PLUS	-	-	F49,F60
Texline	Textile	F44,F49,F58 PLUS	-	-	F49,F60
Timbertex	Textile	F44,F49,F58 PLUS	-	-	F49,F60

**GERFLOR TRANSPORT FLOORING** Tel: 033 47405 4000 Email: streamo@gerflor.com Web: www.streamobygerflor.com  
 Fax: 033 47405 0683

Streamo Karavel NG	PVC LVT	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Streamo Clipper RT	Rubber	F58 PLUS	-	F81	-
Streamo Cruiser NG	Vinyl to EN649	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Streamo Explorer	Vinyl to EN649	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Streamo Mariner	Vinyl to EN649	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Streamo Sailer	Vinyl to EN649	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Streamo Seacrosser	Vinyl to EN649	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Streamo Steamer	Vinyl to EN649	F44,F46,F49,F58 PLUS	-	F81	F49,F66

**GOODING ALUMINIUM LIMITED** Tel: +44 (0) 208 692 2255 Email: sales@goodingalum.com Fax: +44 (0) 208 469 0031

Eco Stair Nosing	Aluminium	Stycco Flex	-	-	-
Premium Stair Nosing	Aluminium	Stycco Flex	-	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**GOODING ALUMINIUM LIMITED continued...**

Step-Up Stair Nosing	Aluminium	Stycco Flex	-	-	-
----------------------	-----------	-------------	---	---	---

**GRABOPLAST ZRT** Tel: 0036 96506308 Email: ildiko.ladosne@graboplast.hu Web: www.graboplast.hu Fax: 0036 96506218
**CONTRACT FLOORS**

Grabo Soundtex 5.0	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
GraboSafe Silver Knight	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Stop 20 JSK	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Acoustic Standard Legend	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
EcoSafe	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Conducto S	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Domino	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Fortis	PVC	F44,F46,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Grabo Fortis 1,5	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Ideal	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Plankit	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Grabo Plois	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Robust	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Triumph	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Silver Knight Diamond Tech	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Silver Knight Natural Diamond Tech	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Standart Evolution	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Standart Evolution Natural	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Standart Forte	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Standart Fresh	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Standart Plaza	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Standart TECH Metal	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
TOP	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
AURA	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Acoustic NEO	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Acoustic PRO	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Astral Color	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
GraboAcoustic 43Uni	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
GraboAcoustic 43 Color	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
GraboAcoustic 43 Natural	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Silver Knight Acoustic 7	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Silver Knight Acoustic 9	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**PERFORMANCE FLOORS**

Broadway 17 (Grabolett Balett)	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Broadway 20	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
EXPO	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Evidence 25	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Duett	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**GRABOPLAST ZRT continued...**

Plié	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Evidence 60	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Evidence 60 Premium	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Salon	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Unifloor 030/I	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Unifloor 030/I Las Vegas Lux	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**TRANSPORT FLOORINGS**

Grabiol JP 03	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol JP25	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop 20 JSC	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop 22 JSC/K	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop Color 20	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop Ecotech	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop Ecotech Dragon	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Graboflex Stop Acoustic 6 Tex	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop 20 JSC	Glass grid	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop Color 20 NV	Glass grid	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Stop F 2.5	Glass grid	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Stop F 3.0	Glass grid	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol Stop JSC	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Stop F 3.0	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabiol JSC E	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Graboflex Stop JSC 35	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**SPORTS FLOORS**

Elite	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Extreme	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Gymfit 50	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Gymfit 60	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Mega	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Prima	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
RocketSport	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Stamina	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Start	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Supreme	PVC	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**RESIDENTIAL FLOORINGS**

Grabo Soundtex 2.0	Flexiback/PES	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Astral Color	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Chips Astral	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Grabo Sound	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Silver Knight Tempo	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Terrana 01/Eco	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**GRABOPLAST ZRT continued...**

Terrana 16	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Terrana 22	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Terrana Viva	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66

**WALLCOVERING**

Muravyl	PVC Foam	-	-	-	F48 PLUS
Silver Knight Wall	PVC Foam	-	-	-	F48 PLUS

**GRADUS LTD** Tel: 01625 428922 Email: sales@gradus.com Fax: 01625 433949**ACCESSORIES****STAIR EDGINGS**

Stair Edging: (Traditional) Chrome	Stycco Flex	-	-	-
Stair Edging: (XT, Traditional, Elite) Bronze	Stycco Flex	-	-	-
Stair Edging: Flexible PVC	Stycco Flex	-	-	-
Stair Edging: (XT, Traditional, Elite, Trans Edge, Basics) Aluminium *	Stycco Flex	-	-	-
Stair Edging: (XT, Traditional) Hardnose PVC-u **	Stycco Flex	-	-	-

\* Excludes CXT, ELA91150 &amp; ELA93150 stair edgings

\*\* Excludes R75XT11, R75XT51, R95XT11, R95XT51 Stair Edgings

**SIDE TRIMS FOR STAIRS**

Side Trim/Welded Corner: Aluminium (TA)	Stycco Flex	-	-	-
Side Trim/Welded Corner: Bronze (BT)	Stycco Flex	-	-	-
Side Trim/Welded Corner: Chrome (TAC)	Stycco Flex	-	-	-
Side Trim/Welded Corner: PVC-u (HT)	Stycco Flex	-	-	-
Side Trim: PVC (TP)	F49,F60,F66	-	-	-

**SKIRTING, COVING AND CAPPING**

Capping Seal: PVC	F49,F60,F66	-	-	-
Carpet Cap: Aluminium	Stycco Flex	-	-	-
Carpet Cap: PVC-u	Stycco Flex	-	-	-
Carpet Tile Edge: PVC	F49,F60,F66	-	-	-
Cove Former: PVC	F49,F60,F66	-	-	-
Skirting – Flat: PVC	F49,F60,F66	-	-	-
Skirting – Set In: PVC	F49,F60,F66	-	-	-
Skirting – Sit On: Metal	Stycco Flex	-	-	-
Skirting – Sit On: PVC	F49,F60,F66	-	-	-
Tile Cap: PVC-u	Stycco Flex	-	-	-
Stratum Coving PVC	Stycco Flex	-	-	-

**FLOOR TRIMS**

Bevelled Underlay PVC	F49,F60,F66	-	-	-
Clip-Top Base: Aluminium	Stycco Flex	-	-	-
Clip-Top Base: PVC-u	Stycco Flex	-	-	-
Contour Edge: Galvanised Steel	Stycco Flex	-	-	-
Dual Trim: PVC-u	Stycco Flex	-	-	-
ELAR Trans Edge Floor Trim: Aluminium	Stycco Flex	-	-	-
Euro-Clip: Aluminium	Stycco Flex	-	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>GRADUS LTD continued...</b>					
Extruded Joint Cover: PVC		F49,F60,F61	-	-	-
Feather Edge Strip: PVC		F49,F60,F66	-	-	-
Floor Trims: Aluminium		Stycco Flex	-	-	-
Floor Trims: Bronze		Stycco Flex	-	-	-
Floor Trims: PVC-u		Stycco Flex	-	-	-
PPS System: Aluminium		Stycco Flex	-	-	-
Ramp Edge: PVC		F49,F60,F66	-	-	-
<b>MISCELLANEOUS</b>					
Cable Duct: PVC-u		Stycco Flex	-	-	-
Stairtile	Compound Rubber	Stycco Flex,F60,F66	-	-	F74,F81
SureProtect Endure Sheet	uPVC	-	-	-	F46
<b>CARPETS</b>					
Bodega (Impervious)	Aquabac	F3	-	-	F60,F66
Carezone (Impervious)	Aquabac	F3	-	-	F60,F66
Carezone Genus (Impervious)	Aquabac	F3	-	-	F60,F66
Adventurer (Tile)	Bitumen	F3	F41	-	F66
Bodega (Tile)	Bitumen	F3	F41	-	F66
Brickworks (Tile)	Bitumen	F3	F41	-	F66
Cityscene (Tile)	Bitumen	F3	F41	-	F66
Emphasis Cut & Loop (Tile)	Bitumen	F3	F41	-	F66
Genus (Tile)	Bitumen	F3	F41	-	F66
Lafite Connect Space (Plank)	Bitumen	F3	F41	-	F66
Lafite Connect – Plains/Stripes/Design/Space (Tile)	Bitumen	F3	F41	-	F66
Lafite – Plains/Stripes (Tile)	Bitumen	F3	F41	-	F66
Latour <sup>2</sup> – Plains/Stripes (Tile)	Bitumen	F3	F41	-	F66
Predator (Tile)	Bitumen	F3	F41	-	F66
SqMile Exec – Plains/Stripes (Tile)	Bitumen	F3	F41	-	F66
Stratus (Tile)	Bitumen	F3	F41	-	F66
Stratus Stripe (Tile)	Bitumen	F3	F41	-	F66
Streetwise Design – Originals/Brights (Tile)	Bitumen	F3	F41	-	F66
Streetwise Style – Flair/Trend (Tile)	Bitumen	F3	F41	-	F66
Urban Myth (Plank)	Bitumen	F3	F41	-	F66
Urban Myth (Tile)	Bitumen	F3	F41	-	F66
Volnay (Tile)	Bitumen	F3	F41	-	F66
Adventurer (Impervious)	PVC	F45	-	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>GRADUS LTD continued...</b>					
Genus (Impervious)	PVC	F45	-	-	-
Volnay (Impervious)	PVC	F45	-	-	-
Times Square (Tile)	Polyurethane Cushion	F3,F44,F58 PLUS	F40,F41	-	F60,F66
Bodega (Broadloom)	Woven Polypropylene	F3,F40	F40	-	F60,F66
Genus (Broadloom)	Woven Polypropylene	F3,F40	F40	-	F60,F66
Volnay (Broadloom)	Woven Polypropylene	F3,F40	F40	-	F60,F66
<b>SECONDARY BARRIER MATTING</b>					
Boulevard 5000 (Tile)	Bitumen	F3	F41	-	F66
Boulevard 6000 (Tile)	Bitumen	F3	F41	-	F66
Boulevard 5000 (Impervious Sheet)	PVC	F45	-	-	-
Boulevard 6000 (Impervious Sheet)	PVC	F45	-	-	-
Boulevard 7000 (Impervious Sheet)	PVC	F45	-	-	-
Boulevard Stripe (Impervious Sheet)	PVC	F45	-	-	-
Boulevard 1500 (Impervious Sheet)	Rubber	-	-	F73 PLUS,F74,F81,F84	-
<b>GRANORTE UK LTD</b> Tel: 01785 711131 Email: granorteuk@btconnect.com Web: www.granorte.com Fax: 01785 711141					
Sealed Cork Tile	Cork	F66	-	-	-
<b>GREENFLOR BY DERSIMO</b> Tel: (010) 591 40 70 Email: verkoop@dersimo.nl Web: www.dersimo.nl Fax: (010) 591 77 77					
Grand Class	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Master Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Master Trend Collection	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Modern Vintage	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Modern Vintage Chic	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Nature Living	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
New Square	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
New Square Piazza	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Royal Touch	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Stylish Grid	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
True Spirit	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Young Living	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Pure Character	PVC Free	F46,F48 PLUS,F49,F58 PLUS	-	-	F49,F60,F66
<b>GREENWOOD &amp; COOPE LIMITED CORMAR CARPETS (CORMAR CARPETS)</b> Tel: 01204 881234 Email: claire.taylor@cormarcarpets.co.uk Web: www.cormarcarpets.co.uk Fax: 01204 887722					
Apollo Comfort	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Apollo Elite	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>GREENWOOD &amp; COOPE LIMITED CORMAR CARPETS (CORMAR CARPETS) continued...</b>					
Apollo Plus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Avebury/Avebury Stripe	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Boucle Neutrals/ Boucle Stripe	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Gemini	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Home Counties Plains 42/50	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Inglewood Saxony	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Malabar Two Fold	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Natural Berber Twist Deluxe	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Natural Berber Twist Elite	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Oaklands Collection 32/42	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Oaklands Collection 50oz	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Choice Elite (recoloured range)	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Choice Super (recoloured range)	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Grande	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Naturals	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Plus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Ultra	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Feeling	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Heathers	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Original	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Twist	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Southwold	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Woodland Heather Deluxe	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Woodland Heather Elite	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>HALBMOND TEPPICHWERKE GMBH / Mr. Eric Seliger</b> Tel: 0049 37421 42 326 Email: info@halbmond.de Web: www.halbmond.de Fax: 0049 37421 42 571					
<b>TILES</b>					
AP 1050 PA6	Easylift	-	F41	-	-
AP 1250 PA6	Easylift	-	F41	-	-
AP 1400 PA6	Easylift	-	F41	-	-
Arcade PA6	Easylift	-	F41	-	-
Arcade Spezial PA6	Easylift	-	F41	-	-
Art PA 6 Plus	Easylift	-	F41	-	-
Art 1050 PA 6 Plus	Easylift	-	F41	-	-
Art 1150 PA 6 Plus	Easylift	-	F41	-	-
Art 1250 PA 6 Plus	Easylift	-	F41	-	-
Art 1400 PA 6 Plus	Easylift	-	F41	-	-
Artemis 1050 80/20 Wo/PA	Easylift	-	F41	-	-
Artemis 1250 80/20 Wo/PA	Easylift	-	F41	-	-
Artemis 1400 80/20 Wo/PA	Easylift	-	F41	-	-
Artemis 1850 80/20 Wo/PA	Easylift	-	F41	-	-
<b>BROADLOOM</b>					
AP 1000GS PA6	Actionbac	F3,F40	F40	-	F60,F66
AP 750 PA6	Actionbac	F3,F40	F40	-	F60,F66
AP 900 PA6	Actionbac	F3,F40	F40	-	F60,F66
AP 1050 PA6	Actionbac	F3,F40	F40	-	F60,F66
AP 1250 PA6	Actionbac	F3,F40	F40	-	F60,F66
AP 1400 PA6	Actionbac	F3,F40	F40	-	F60,F66
Arcade PA6	Actionbac	F3,F40	F40	-	F60,F66
Arcade Spezial PA6	Actionbac	F3,F40	F40	-	F60,F66
Art PA 6 Plus	Actionbac	F3,F40	F40	-	F60,F66
Art 1050 PA 6 Plus	Actionbac	F3,F40	F40	-	F60,F66
Art 1150 PA 6 Plus	Actionbac	F3,F40	F40	-	F60,F66
Art 1250 PA 6 Plus	Actionbac	F3,F40	F40	-	F60,F66
Art 1400 PA 6 Plus	Actionbac	F3,F40	F40	-	F60,F66
Artemis 1050 80/20 Wo/PA	Actionbac	F3,F40	F40	-	F60,F66
Artemis 1250 80/20 Wo/PA	Actionbac	F3,F40	F40	-	F60,F66
Artemis 1400 80/20 Wo/PA	Actionbac	F3,F40	F40	-	F60,F66
Artemis 1550 80/20 Wo/PA	Actionbac	F3,F40	F40	-	F60,F66
Artemis 1850 80/20 Wo/PA	Actionbac	F3,F40	F40	-	F60,F66
AP 016SM	Felt *	F3,F40	F40	-	F60,F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### HALBMOND TEPPICHWERKE GMBH / Mr. Eric Seliger *continued...*

AP 750 PA6	Felt *	F3,F40	F40	-	F60,F66
AP 900 PA6	Felt *	F3,F40	F40	-	F60,F66
AP 1050 PA6	Felt *	F3,F40	F40	-	F60,F66
AP 1250 PA6	Felt *	F3,F40	F40	-	F60,F66
AP 1400 PA6	Felt *	F3,F40	F40	-	F60,F66
Arcade PA6	Felt *	F3,F40	F40	-	F60,F66
Arcade Spezial PA6	Felt *	F3,F40	F40	-	F60,F66
Art PA 6 Plus	Felt *	F3,F40	F40	-	F60,F66
Art 1050 PA 6 Plus	Felt *	F3,F40	F40	-	F60,F66
Art 1150 PA 6 Plus	Felt *	F3,F40	F40	-	F60,F66
Art 1250 PA 6 Plus	Felt *	F3,F40	F40	-	F60,F66
Art 1400 PA 6 Plus	Felt *	F3,F40	F40	-	F60,F66
Artemis 1050 80/20 Wo/PA	Felt *	F3,F40	F40	-	F60,F66
Artemis 1250 80/20 Wo/PA	Felt *	F3,F40	F40	-	F60,F66
Artemis 1400 80/20 Wo/PA	Felt *	F3,F40	F40	-	F60,F66
Artemis 1550 80/20 Wo/PA	Felt *	F3,F40	F40	-	F60,F66
Artemis 1850 80/20 Wo/PA	Felt *	F3,F40	F40	-	F60,F66

F40\* to be applied by roller for release bond.

### HAMAT B.V. Tel: 0031 38 3855528 Email: verkoop@hamat.com Fax: 0031 38 3855843

Comfort 2.5mm	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Realistic 2mm	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

### HAMMERCARPETS UK Tel: +45 64402000 Email: ush@bentzon.dk Web: www.domestic.hammercarpets.co.uk Fax: 0845 6449191

Colortec	Felt *	F3,F40	F40	-	F60,F66
Graphic	Felt *	F3,F40	F40	-	F60,F66
Prestige	Latex	F3	-	-	F60,F66
Sisal Berber	Latex	F3	-	-	F60,F66
Sisal Boucle	Latex	F3	-	-	F60,F66
Stella	Latex	F3	-	-	F60,F66
Thor	Latex	F3	-	-	F60,F66
Thor Sisal	Latex	F3	-	-	F60,F66
Colortec	Textile	F3	-	-	F60,F66
Diamond Weave	Textile	F3	-	-	F60,F66
Graphic	Textile	F3	-	-	F60,F66
Jacs	Textile	F3	-	-	F60,F66
Memphis	Textile	F3	-	-	F60,F66
Natural Line	Textile	F3	-	-	F60,F66
Natural Weave	Textile	F3	-	-	F60,F66
Ritz & Carlton	Textile	F3	-	-	F60,F66
Scandic Weave	Textile	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### HAMMERCARPETS UK *continued...*

Skagen	Textile	F3	-	-	F60,F66
Sloane Square	Textile	F3	-	-	F60,F66
Supreme Boucle	Textile	F3	-	-	F60,F66
Supreme Design	Textile	F3	-	-	F60,F66

F40\* to be applied by roller for release bond.

### HARLEQUIN (BRITISH HARLEQUIN PLC) Tel: 01892 514888 Email: enquiries@harlequinfloors.com Web: www.harlequinfloors.com Fax: 01892 514222

Harlequin Cascade	PVC	F44,F45,F46	-	-	F60,F66
Harlequin Clarity	PVC	F46,F47,F49	-	-	F49
Harlequin Fiesta	PVC	F45,F46	-	-	F60,F66
Harlequin Hi-Shine	PVC	F44,F45,F46	-	-	F60,F66
Harlequin Marine	PVC	F44,F45,F46	-	F81	-
Harlequin Reversible	PVC	F44,F45,F46	-	-	F60,F66
Harlequin Reversible Pro	PVC	F44,F45,F46	-	-	F60,F66
Harlequin Standfast	PVC	F44,F46	-	-	F60
Harlequin Allegro	PVC Foam	F44,F46	-	-	F60,F66
Harlequin Freestyle	PVC Foam	F44,F46	-	-	F60
Harlequin Studio	PVC Foam	F44,F46	-	-	F60,F66
Rocksure	Phenolic	-	-	F73 PLUS,F81,F84, Stycco Flex	-

### HARVEY MARIA Tel: 0330 330 1231 Email: info@harveymaria.com Web: www.harveymaria.com

Check Collection (NC)	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Colours Collection	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Cow Hide	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Dovetail Collection (NC)	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Galaxy Colours (Sparkle)	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Heritage Colours	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Little Bricks					
Heritage Colours Squares	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LSI	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Lattice Collection (DH)	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Leather Look	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Lifestyle Collection	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Natural Oak Collection	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Natural Plank Collection	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Northmore Collection	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parquet Collection (NC)	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Pattern Collection (DH)	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Premium Wood	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Rusted Steel	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tadao Ando	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Tread Plate	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**HARVEY MARIA continued...**

Urban Colours Collection	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Rubber Dimples	Rubber	F58 PLUS	-	-	-
Smooth Rubber	Rubber	F58 PLUS	-	-	-

**HEADLAM SCOTLAND** Tel: 01698 831031 Email: contract.sales@headlamscotland.co.uk Web: www.headlamscotland.co.uk Fax: 01698 831310

Contract Twilight	Actionbac	F3,F40	F40	-	F60,F66
Budapest	Bitumen	F3	F41	-	F66
Primavera Rib	Bitumen	F3	F41	-	F66
Primavera Velour	Bitumen	F3	F41	-	F66
Vienna	Bitumen	F3	F41	-	F66
Minivera Rib	Gel	F3	-	-	F60,F66
Minivera Velour	Gel	F3	-	-	F60,F66
Solid Stuff	Gel Back	F3	-	-	F60,F66
Strong Stuff	Gel Back	F3	-	-	F60,F66
Tough Stuff	Gel Back	F3	-	-	F60,F66
Contract Twilight	Gelbac	F3	-	-	F60,F66
Primavera Chevron	Gelbac	F3	-	-	F60,F66
Primavera Entrance	Gelbac	F3	-	-	F60,F66
Primavera Linear	Gelbac	F3	-	-	F60,F66
Primavera Rib	Gelbac	F3	-	-	F60,F66
Primavera Velour	Gelbac	F3	-	-	F60,F66
Primus Velour	Latex	F3	-	-	F60,F66
Contract Twist	Rubber Foam	F3,F40	-	-	F60,F66
Heavy Tread Chevron	Rubber Waffle *	F3,F40	-	-	F60,F66
Heavy Tread Rib	Rubber Waffle *	F3,F40	-	-	F60,F66
Gladiator	Waterproof Gel Foam	F3	-	-	F60,F66
Clan Contract	Woven *	F3	-	-	F60,F66

\*Adhesives to be applied using a 3mm x 6mm 'V' notched trowel.

**HEBETA TAPIJTEN B.V** Tel: 0031 (0)38 3855234 Email: info@hebeta.nl Web: www.hebeta.nl

Beton Montinique Design	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66
Design collection	PVC	F44,F46,F49	-	F73 PLUS,F81,F84	F49,F66

**HECKMONDWIKE FB** Tel: 01924 406161 / 410544 Email: sales@heckmondwike-fb.co.uk Web: www.heckmondwike-fb.co.uk Fax: 01924 413600

Array Plank	Bitumen	F3	F41	-	F66
Array Tile	Bitumen	F3	F41	-	F66
Broadrib Plank	Bitumen	F3	F41	-	F66
Broadrib Tile	Bitumen	F3	F41	-	F66
Diamond Tile	Bitumen	F3	F41	-	F66
Dreadnought Tile	Bitumen	F3	F41	-	F66
Hobnail Tile	Bitumen	F3	F41	-	F66
Iron Duke Plank	Bitumen	F3	F41	-	F66
Odyssey	Bitumen	F3	F41	-	F66
Sticks + Stones Tile	Bitumen	F3	F41	-	F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**HECKMONDWIKE FB continued...**

Supacord Plank	Bitumen	F3	F41	-	F66
Supacord Tile	Bitumen	F3	F41	-	F66
Wellington Tile	Bitumen	F3	F41	-	F66
Zephyr Tile	Bitumen	F3	F41	-	F66
Battleship	Fibre Bonded	F3,F52	-	F73 PLUS,F74,F81	F60,F66
Broadrib	Fibre Bonded	F3,F52	F40	-	F60,F66
Dreadnought Sheet UB	Fibre Bonded	F3	-	-	F60,F66
Hobnail	Fibre Bonded	F3,F52	F40	-	F60,F66
Iron Duke	Fibre Bonded	F3,F52	-	-	F60,F66
Supacord	Fibre Bonded	F3,F52	F40	-	F60,F66
Vanquisher UB	Fibre Bonded	F3	-	-	F60,F66
Wellington	Fibre Bonded	F3,F52	-	-	F60,F66
Zephyr	Fibre Bonded	F3	-	F73 PLUS,F74,F81	F60,F66
Total Care	Impervious Rubber Foam	F3	-	-	F60,F66
Diamond	Rubber Crumb	F3	-	F73 PLUS,F74,F81	F60,F66
Hippo	Rubber Waffle *	F3	-	F73 PLUS,F74,F81	F60,F66

\*F3 applied using a 3mm x 6mm 'V' notched trowel.

**HERITAGE CARPETS SINGAPORE** Tel: 0065 6458 2334 Email: mail@uacarpets.com.sg Web: www.uacarpets.com.sg Fax: 0065 6454 6012**CARPET TILES**

Magical Tiles	Bitumen Felt	-	F41	-	-
Mandate 1	Bitumen Felt	-	F41	-	-
Mandate 2	Bitumen Felt	-	F41	-	-
Mandate 3	Bitumen Felt	-	F41	-	-
Mandate 4	Bitumen Felt	-	F41	-	-
Mandate 5	Bitumen Felt	-	F41	-	-
Mandate 6	Bitumen Felt	-	F41	-	-
Mandate 7	Bitumen Felt	-	F41	-	-
Mandate 8	Bitumen Felt	-	F41	-	-
Mandate 9	Bitumen Felt	-	F41	-	-
Mandate 10	Bitumen Felt	-	F41	-	-
Mandate 11	Bitumen Felt	-	F41	-	-
Mandate 12	Bitumen Felt	-	F41	-	-
Mandate 13	Bitumen Felt	-	F41	-	-
Melody 1	Bitumen Felt	-	F41	-	-
Melody 2	Bitumen Felt	-	F41	-	-
Melody 3	Bitumen Felt	-	F41	-	-
Melody 4	Bitumen Felt	-	F41	-	-
Melody 5	Bitumen Felt	-	F41	-	-
Melody 6	Bitumen Felt	-	F41	-	-
Melody 7	Bitumen Felt	-	F41	-	-
Miko Air	Bitumen Felt	-	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### HERITAGE CARPETS SINGAPORE *continued...*

Modulyss DSGN Collection	Bitumen Felt	-	F4I	-	-
Modulyss First Absolute	Bitumen Felt	-	F4I	-	-
Modulyss First Lines	Bitumen Felt	-	F4I	-	-
Modulyss In Groove	Bitumen Felt	-	F4I	-	-
Modulyss Line Up	Bitumen Felt	-	F4I	-	-
Modulyss Mozaik	Bitumen Felt	-	F4I	-	-
Modulyss Opposite Collection	Bitumen Felt	-	F4I	-	-
Modulyss Vintage Collection	Bitumen Felt	-	F4I	-	-
Modus 1	Bitumen Felt	-	F4I	-	-
Modus 2	Bitumen Felt	-	F4I	-	-
Modus 4	Bitumen Felt	-	F4I	-	-
Moodsetter	Bitumen Felt	-	F4I	-	-
Mystic 1	Bitumen Felt	-	F4I	-	-
Mystic 2	Bitumen Felt	-	F4I	-	-
Mystic 3	Bitumen Felt	-	F4I	-	-
Mystic 4	Bitumen Felt	-	F4I	-	-
Topaz 1	Bitumen Felt	-	F4I	-	-
Topaz 2	Bitumen Felt	-	F4I	-	-
Topaz 3	Bitumen Felt	-	F4I	-	-
Topaz 4	Bitumen Felt	-	F4I	-	-
Topaz 5	Bitumen Felt	-	F4I	-	-
Topaz 6	Bitumen Felt	-	F4I	-	-
Topaz 7	Bitumen Felt	-	F4I	-	-
Topaz 8	Bitumen Felt	-	F4I	-	-
Topaz 9	Bitumen Felt	-	F4I	-	-
Topaz 10	Bitumen Felt	-	F4I	-	-
Topaz 11	Bitumen Felt	-	F4I	-	-
Traffic 1	Bitumen Felt	-	F4I	-	-
Traffic 2	Bitumen Felt	-	F4I	-	-
Trend	Cushion	-	F4I	-	-
T-Hex	Eco Cushion	-	F4I	-	-
TRF Series	Eco Cushion	-	F4I	-	-
Trendsetter	PVC	-	F4I	-	-

### ARTIFICIAL GRASS

Lawn Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66
Luxury Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66
Meadow Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66
Patio Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66
Tropicana Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66
Ultrafine Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66
Ultraturf Grass	Latex	F3	-	F73 PLUS,F74,F81,F84	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

### HERITAGE CARPETS SINGAPORE *continued...*

#### BROADLOOM CARPETS

Sisal Weave	Flat Weave	F3,F40	F40	-	F60,F66
AC5- Horizon	Secondary	F3,F40	F40	-	F60,F66
Excel 24	Secondary	F3,F40	F40	-	F60,F66
Excel Plus	Secondary	F3,F40	F40	-	F60,F66
Labelle	Secondary	F3,F40	F40	-	F60,F66
Labelle II	Secondary	F3,F40	F40	-	F60,F66
Lakewood	Secondary	F3,F40	F40	-	F60,F66
Lancelot	Secondary	F3,F40	F40	-	F60,F66
Las Vegas	Secondary	F3,F40	F40	-	F60,F66
Lavette	Secondary	F3,F40	F40	-	F60,F66
Legacy	Secondary	F3,F40	F40	-	F60,F66
Leonara	Secondary	F3,F40	F40	-	F60,F66
Livingstone	Secondary	F3,F40	F40	-	F60,F66
London	Secondary	F3,F40	F40	-	F60,F66
Lucerne	Secondary	F3,F40	F40	-	F60,F66
New York	Secondary	F3,F40	F40	-	F60,F66
Royal Comfort	Secondary	F3,F40	F40	-	F60,F66
Royal Feel	Secondary	F3,F40	F40	-	F60,F66
Royal Mosque	Secondary	F3,F40	F40	-	F60,F66
Royal Mosque 2	Secondary	F3,F40	F40	-	F60,F66
Royal Mosque 3	Secondary	F3,F40	F40	-	F60,F66
Royal Splendour	Secondary	F3,F40	F40	-	F60,F66
Royal Touch	Secondary	F3,F40	F40	-	F60,F66
Royal Welcome	Secondary	F3,F40	F40	-	F60,F66
Royal Wilton	Secondary	F3,F40	F40	-	F60,F66
Imperial Axminster	Woven	F3,F40	F40	-	F60,F66
Luxury Shaggy	Woven	F3,F40	F40	-	F60,F66
Royal Axminster	Woven	F3,F40	F40	-	F60,F66

### HUGH MACKAY CARPETS Tel: 01429 892525 Email: info@gaskell.co.uk Fax: 01429 892530

#### TUFTED RANGE

Deco Stripe	Action	F3	-	-	F60,F66
Durham Dunelm Loop	Action	F3	-	-	F60,F66
Durham Elite Twist 60	Action	F3	-	-	F60,F66
Durham Elvet Loop	Action	F3	-	-	F60,F66
Durham Super Twist 40	Action	F3	-	-	F60,F66
Durham Supreme Twist 50	Action	F3	-	-	F60,F66
Riverside Twist	Action	F3	-	-	F60,F66
Swaledale	Action	F3	-	-	F60,F66

#### AXMINSTER

Tartan Collection	Woven	F3	-	-	F60,F66
Designer Collection Naturals	Woven Cotton/Jute	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**HUGH MACKAY CARPETS continued...**

Durham Cathedral Naturals	Woven Cotton/ Jute	F3	-	-	F60,F66
Designer Collection	Woven Polypropylene/ Polyester	F3	-	-	F60,F66
Durham Cathedral	Woven Polypropylene/ Polyester	F3	-	-	F60,F66
Moda	Woven Polypropylene/ Polyester	F3	-	-	F60,F66

**I-FLOOR LTD** Tel: 01933 679058 Email: info@i-floor.org.uk Web: www.i-floor.org.uk Fax: 01933 674589

**CARPET TILES**

Colorplan Tile	Bitumen/Felt	F3	F4I	-	F66
Contract 48 Tile	Bitumen/Felt	F3	F4I	-	F66
Corporate Image Tile	Bitumen/Felt	F3	F4I	-	F66
Defender Tile	Bitumen/Felt	F3	F4I	-	F66
Editor Tile	Bitumen/Felt	F3	F4I	-	F66
FB Rib Tile	Bitumen/Felt	F3	F4I	-	F66
FB Velour Tile	Bitumen/Felt	F3	F4I	-	F66
Guidelines Tile	Bitumen/Felt	F3	F4I	-	F66
Image Tile	Bitumen/Felt	F3	F4I	-	F66
Majestic Stripe Tile	Bitumen/Felt	F3	F4I	-	F66
Nemesis Tile	Bitumen/Felt	F3	F4I	-	F66
Producer Tile	Bitumen/Felt	F3	F4I	-	F66
Rendition Tile	Bitumen/Felt	F3	F4I	-	F66
Rio Tile	Bitumen/Felt	F3	F4I	-	F66
Silver/Stone	Bitumen/Felt	F3	F4I	-	F66
Stardust Tile	Bitumen/Felt	F3	F4I	-	F66
Symphony Tile	Bitumen/Felt	F3	F4I	-	F66
Changes Tile	Graphlex	F3	F4I	-	F66

**BROADLOOMS**

Centuary 2000	Action-Bac	F3	-	-	F60,F66
Editor	Action-Bac	F3	-	-	F60,F66
Guidelines	Action-Bac	F3,F40	F40	-	F60,F66
Nemesis	Action-Bac	F3,F40	F40	-	F60,F66
Rendition	Action-Bac	F3,F40	F40	-	F60,F66
Stardust	Action-Bac	F3	-	-	F60,F66
Symphony	Action-Bac	F3	-	-	F60,F66
Wearmaster Xp	Action-Bac	F3,F40	F40	-	F60,F66
FB Rib 4mt Sheet	Embossed Gel-bac	F3	-	-	F60,F66
FB Velour 4mt Sheet	Embossed Gel-bac	F3	-	-	F60,F66
FB Rib 2mt Sheet	Fibrebonded	F3,F52	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**I-FLOOR LTD continued...**

FB Velour 2mt Sheet	Fibrebonded	F3,F52	-	-	F60,F66
Diamond Crest	Impervious	F3	-	-	F60,F66
Excellence	Impervious	F3	-	-	F60,F66
Wearmaster Xp	Impervious	F3	-	-	F60,F66
Rio	Textile	F3	-	-	F60,F66

**IDEAL part of B.I.G FLOORCOVERINGS NV** Tel: 0032 56 674831 Email: sales@bintg.com Web: www.bintg.com Fax: 0032 56 674830

**TUFT DIVISION**

Ambassador	Actionback	F3,F40	F40	-	F60,F66
Atomic Twist	Actionback	F3,F40	F40	-	F60,F66
Caresse	Actionback	F3,F40	F40	-	F60,F66
Carlton Elite	Actionback	F3,F40	F40	-	F60,F66
Dublin Heather	Actionback	F3,F40	F40	-	F60,F66
Dublin Twist	Actionback	F3,F40	F40	-	F60,F66
Endurance	Actionback	F3,F40	F40	-	F60,F66
Excellence	Actionback	F3,F40	F40	-	F60,F66
Fizz	Actionback	F3,F40	F40	-	F60,F66
Imagination	Actionback	F3,F40	F40	-	F60,F66
Marathon	Actionback	F3,F40	F40	-	F60,F66
Monsoon	Actionback	F3,F40	F40	-	F60,F66
Monza	Actionback	F3,F40	F40	-	F60,F66
Noblesse	Actionback	F3,F40	F40	-	F60,F66
Optimize	Actionback	F3,F40	F40	-	F60,F66
Rocca	Actionback	F3,F40	F40	-	F60,F66
Skyline	Actionback	F3,F40	F40	-	F60,F66
Sussex Twist Elite	Actionback	F3,F40	F40	-	F60,F66
Sussex Twist Supreme	Actionback	F3,F40	F40	-	F60,F66
Sweet Home	Actionback	F3,F40	F40	-	F60,F66
Wessex Twist Elite	Actionback	F3,F40	F40	-	F60,F66
Wessex Twist Supreme	Actionback	F3,F40	F40	-	F60,F66
Blush Inspirations	Cosyback	F3	-	-	F60,F66
Faye	Cosyback	F3	-	-	F60,F66
Mayfair	Cosyback	F3	-	-	F60,F66
Royale	Cosyback	F3	-	-	F60,F66
Capri	Easyback Felt *	F3,F40	F40	-	F60,F66
City Life	Easyback Felt *	F3,F40	F40	-	F60,F66
Dalton	Easyback Felt *	F3,F40	F40	-	F60,F66
Easy Living	Easyback Felt *	F3,F40	F40	-	F60,F66
Hero	Easyback Felt *	F3,F40	F40	-	F60,F66
Pegasus	Easyback Felt *	F3,F40	F40	-	F60,F66
Rocca	Easyback Felt *	F3,F40	F40	-	F60,F66
Trafalgar	Easyback Felt *	F3,F40	F40	-	F60,F66
Zorba	Easyback Felt *	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**IDEAL part of B.I.G FLOORCOVERINGS NV continued...**

City Life	Gel	F3	-	-	F60,F66
Endurance	Impervious Gel	F3	-	-	F60,F66
Marathon	Impervious Gel	F3	-	-	F60,F66
Skyline	Impervious Gel	F3	-	-	F60,F66
Duchesse Deluxe	Masterback *	F3,F40	F40	-	F60,F66
Sweet Home	Masterback Felt *	F3,F40	F40	-	F60,F66
Ambassador	Premiumback Felt *	F3,F40	F40	-	F60,F66
Atomic Twist	Premiumback Felt *	F3,F40	F40	-	F60,F66
Dublin Heather	Premiumback Felt *	F3,F40	F40	-	F60,F66
Dublin Twist	Premiumback Felt *	F3,F40	F40	-	F60,F66
Excellence	Premiumback Felt *	F3,F40	F40	-	F60,F66
Faye	Premiumback Felt *	F3,F40	F40	-	F60,F66
Monsoon	Premiumback Felt *	F3,F40	F40	-	F60,F66
Optimize	Premiumback Felt *	F3,F40	F40	-	F60,F66
Perfection	Premiumback Felt *	F3,F40	F40	-	F60,F66
Ranger	Premiumback Felt *	F3,F40	F40	-	F60,F66
Corato	Weaveback	F3,F40	F40	-	F60,F66
NY Broadway	Weaveback	F3,F40	F40	-	F60,F66
Seoul	Weaveback	F3,F40	F40	-	F60,F66
Volcano	Weaveback	F3,F40	F40	-	F60,F66

F40\* to be applied by roller for release bond.

**IKOUSTIC LTD** Tel: 01937 588226 Email: sales@ikoustic.com Web: www.ikoustic.co.uk

MuteMat® OSF 750-03	Crumb Rubber	F3,F46,F58 PLUS,B95	-	-	-
MuteMat® OSF 750-05	Crumb Rubber	F3,F46,F58 PLUS,B95	-	-	-
MuteMat® OSF 750-10	Crumb Rubber	F3,F46,F58 PLUS,B95	-	-	-
MuteMat®2	PE Foam	F3	-	-	-
MuteMat®3	PVC	F45	-	-	-
MuteMat®Gym32	Rubber *	-	-	F73 PLUS,F74,F81 ,F84	-
MuteMat®Gym51	Rubber *	-	-	F73 PLUS,F74,F81 ,F84	-
MuteMat®Gym70	Rubber *	-	-	F73 PLUS,F74,F81 ,F84	-
MuteMat®Gym 15	Rubber Crumb	-	-	F73 PLUS	-
MuteMat®Gym B34	Rubber Crumb	-	-	F73 PLUS	-

\*Applied using a 3mm x 6mm 'V' notched trowel.



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**INSTAFLOOR** Tel: 0118 9739560 Email: sales@instafloor.co.uk Web: www.instafloor.co.uk Fax: 0118 9739547

Insta Tile	Rubber Crumb *	-	-	F73 PLUS,F74,F81	-
InstaLay 25	Rubber Crumb *	F3	-	-	-
InstaLay 25hg	Rubber Crumb *	F3	-	-	-
InstaLay 30	Rubber Crumb *	F3	-	-	-
InstaLay 30c	Rubber Crumb *	F3,F40	F40	-	-
InstaLay 30hg	Rubber Crumb *	F3	-	-	-
InstaLay 30lg	Rubber Crumb *	F3	-	-	-
InstaLay 50hg	Rubber Crumb *	F3	-	-	-
InstaLay 50lg	Rubber Crumb *	F3	-	-	-
InstaLay 65	Rubber Crumb *	F3	-	F73 PLUS,F84	-

F74\* applied using a 2mm x 6mm 'V' notched trowel.

Not all carpets are suitable for installation on a release bond underlay system. Please consult the carpet manufacturer before proceeding.

**INTERFACE** Tel: 0800 3134465 Email: interface.uk@interface.com Web: www.interface.com

Barricade	CQuest®Bio	F3	F41	-	F66
Barricade Two	CQuest®Bio	F3	F41	-	F66
Collins Cottage	CQuest®Bio	F3	F41	-	F66
Common Ground: Unity	CQuest®Bio	F3	F41	-	F66
Composure	CQuest®Bio	F3	F41	-	F66
Composure Edge	CQuest®Bio	F3	F41	-	F66
Conscient	CQuest®Bio	F3	F41	-	F66
Contemplation	CQuest®Bio	F3	F41	-	F66
Dolomite	CQuest®Bio	F3	F41	-	F66
Duet	CQuest®Bio	F3	F41	-	F66
Elevations III	CQuest®Bio	F3	F41	-	F66
Employ Dimensions	CQuest®Bio	F3	F41	-	F66
Employ Lines	CQuest®Bio	F3	F41	-	F66
Employ Loop	CQuest®Bio	F3	F41	-	F66
Equal Measure 551	CQuest®Bio	F3	F41	-	F66
Equal Measure 552	CQuest®Bio	F3	F41	-	F66
Equal Measure 553	CQuest®Bio	F3	F41	-	F66
Equilibrium	CQuest®Bio	F3	F41	-	F66
Heuga 530 II	CQuest®Bio	F3	F41	-	F66
Heuga 580	CQuest®Bio	F3	F41	-	F66
Heuga 725	CQuest®Bio	F3	F41	-	F66
Heuga 727	CQuest®Bio	F3	F41	-	F66
Human Connections – Flagstone	CQuest®Bio	F3	F41	-	F66
Human Connections – Kerbstone	CQuest®Bio	F3	F41	-	F66
Human Connections – Moss	CQuest®Bio	F3	F41	-	F66
Human Connections – Moss in Stone	CQuest®Bio	F3	F41	-	F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**INTERFACE continued...**

Human Connections – Paver	CQuest®Bio	F3	F4I	-	F66
Human Connections – Rue	CQuest®Bio	F3	F4I	-	F66
Human Connections – Sett in Stone	CQuest®Bio	F3	F4I	-	F66
Human Connections – Stone Course	CQuest®Bio	F3	F4I	-	F66
Human Nature 810	CQuest®Bio	F3	F4I	-	F66
Human Nature 820	CQuest®Bio	F3	F4I	-	F66
Human Nature 830	CQuest®Bio	F3	F4I	-	F66
Human Nature 840	CQuest®Bio	F3	F4I	-	F66
Human Nature 850	CQuest®Bio	F3	F4I	-	F66
Ice Breaker	CQuest®Bio	F3	F4I	-	F66
Luxury Living II	CQuest®Bio	F3	F4I	-	F66
Monochrome	CQuest®Bio	F3	F4I	-	F66
Multichrome	CQuest®Bio	F3	F4I	-	F66
Near & Far 400	CQuest®Bio	F3	F4I	-	F66
Near & Far 401	CQuest®Bio	F3	F4I	-	F66
Net Effect B601	CQuest®Bio	F3	F4I	-	F66
Net Effect B602	CQuest®Bio	F3	F4I	-	F66
Net Effect B603	CQuest®Bio	F3	F4I	-	F66
Off Line	CQuest®Bio	F3	F4I	-	F66
On Line	CQuest®Bio	F3	F4I	-	F66
Output Lines	CQuest®Bio	F3	F4I	-	F66
Output Loop	CQuest®Bio	F3	F4I	-	F66
Output Micro	CQuest®Bio	F3	F4I	-	F66
Polichrome Solid	CQuest®Bio	F3	F4I	-	F66
Polichrome Stipple	CQuest®Bio	F3	F4I	-	F66
Series. I Textured	CQuest®Bio	F3	F4I	-	F66
Straightforward II	CQuest®Bio	F3	F4I	-	F66
The Scandinavian Collection	CQuest®Bio	F3	F4I	-	F66
Touch & Tones 101	CQuest®Bio	F3	F4I	-	F66
Touch & Tones 102	CQuest®Bio	F3	F4I	-	F66
Touch & Tones 103	CQuest®Bio	F3	F4I	-	F66
Touch of Timber	CQuest®Bio	F3	F4I	-	F66
Transformation	CQuest®Bio	F3	F4I	-	F66
UR101	CQuest®Bio	F3	F4I	-	F66
UR102	CQuest®Bio	F3	F4I	-	F66
UR103	CQuest®Bio	F3	F4I	-	F66
UR202	CQuest®Bio	F3	F4I	-	F66
UR301	CQuest®Bio	F3	F4I	-	F66
UR303	CQuest®Bio	F3	F4I	-	F66
UR501	CQuest®Bio	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**INTERFACE continued...**

WW860	CQuest®Bio	F3	F4I	-	F66
WW865	CQuest®Bio	F3	F4I	-	F66
WW870	CQuest®Bio	F3	F4I	-	F66
WW880	CQuest®Bio	F3	F4I	-	F66
WW890	CQuest®Bio	F3	F4I	-	F66
WW895	CQuest®Bio	F3	F4I	-	F66
Works Balance	CQuest®Bio	F3	F4I	-	F66
Works Flow	CQuest®Bio	F3	F4I	-	F66
Works Fluid	CQuest®Bio	F3	F4I	-	F66
Works Freestyle	CQuest®Bio	F3	F4I	-	F66
Works Geometry	CQuest®Bio	F3	F4I	-	F66
Works Hype	CQuest®Bio	F3	F4I	-	F66
Yuton 104	CQuest®Bio	F3	F4I	-	F66
Yuton 105	CQuest®Bio	F3	F4I	-	F66
Yuton 106	CQuest®Bio	F3	F4I	-	F66
Flash Line	CQuest®BioX	F3	F4I	-	F66
SuperFlor	Graphlar®	F3	F4I	-	F66

**LVT**

Boundary Metallics	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Brushed Lines	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Drawn Lines	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Iridescence	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Level Set Collection Natural Stones	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Level Set Collection Natural Woodgrains	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Level Set Collection Textured Stones	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Level Set Collection Textured Woodgrains	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Native Fabric	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49
Studio Set	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F49

**LOOK BOTH WAYS COLLECTION**

Step Aside	CQuest®Bio	F3	F4I	-	F66
Step in Time	CQuest®Bio	F3	F4I	-	F66
Step it Up	CQuest®Bio	F3	F4I	-	F66
Step this Way	CQuest®Bio	F3	F4I	-	F66
Walk About	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F66
Walk of Life	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F66
Walk on By	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F66
Walk the Aisle	Sound Choice	F46,F58 PLUS	F4I	F73 PLUS,F74,F84	F66

**NY+LON STREETS COLLECTION**

Broome Street	CQuest®Bio	F3	F4I	-	F66
Dover Street	CQuest®Bio	F3	F4I	-	F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**INTERFACE continued...**

Mercer Street	CQuest®Bio	F3	F4I	-	F66
Old Street	CQuest®Bio	F3	F4I	-	F66
Reade Street	CQuest®Bio	F3	F4I	-	F66
Wheler Street	CQuest®Bio	F3	F4I	-	F66

**EMBODIED BEAUTY COLLECTION**

Geisha Gather	CQuest®Bio	F3	F4I	-	F66
Sashiki Stitch	CQuest®Bio	F3	F4I	-	F66
Simple Sash	CQuest®Bio	F3	F4I	-	F66
Vintage Kimono	CQuest®Bio	F3	F4I	-	F66
Shishu Stitch	CQuest®BioX	F3	F4I	-	F66
Tokyo Texture	CQuest®BioX	F3	F4I	-	F66
Zen Stitch	CQuest®BioX	F3	F4I	-	F66
Interlay	*	-	-	-	-

\*Contact manufacturer for installation guidelines.

**INTERFLOOR LIMITED** Tel: 01706 213131 Email: [chris.mcgilvray@interfloor.com](mailto:chris.mcgilvray@interfloor.com) Web: [www.interfloor.com](http://www.interfloor.com) Fax: 01706 224915

Duralay Durafit 500 & 650		F3	F40	-	-
Duralay System 10		F3	F40	-	-
Duralay Technics 5 & 6		F3	F40	-	-
Tredaire FR7		F3	F40	-	-
Tredaire Titanium		F3	F40	-	-
Counterflame	Latex Foam	F3	-	-	-
Multi-Fit LVT Underlay	Polyester Scrim (Marix)	F3,F44,F58 PLUS	-	F73 PLUS,F84	-
Flame Check	Polyethylene Scrim	F3	-	-	-
Palladium	Polyethylene Scrim	F3	F40	-	-
Titanium	Polyethylene Scrim	F3	F40	-	-

Not all LVT's are suitable for installation on an underlay system. Please consult the LVT manufacturer.

**INTERNATIONAL DECORATIVE SURFACES** Tel: 01782 567222 Email: [stokesales@idsurfaces.co.uk](mailto:stokesales@idsurfaces.co.uk) Web: [www.idsurfaces.co.uk](http://www.idsurfaces.co.uk)

Malmö	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
-------	-----	-------------------------------	---	----------------------	-------------

**INTRASYSTEMS** Tel: 01425 472000 Email: [info@intrasystems.co.uk](mailto:info@intrasystems.co.uk) Web: [www.intrasystems.co.uk](http://www.intrasystems.co.uk) Fax: 01425 481981

INTRAlux Premier Tile	Bitumen/Felt	F3	F4I	-	F66
INTRAlux Linear	Latex Gel	F3	-	-	F60,F66
INTRAlux Ultimate with PureBack backing	PU	-	-	F73 PLUS,F74,F81,F84	-
INTRAlux Elite	PVC	F45	-	F73 PLUS,F74,F81,F84	-
INTRAlux Prestige	PVC	F45	-	F73 PLUS,F74,F81,F84	-
INTRAlux Select	PVC	F45	-	F73 PLUS,F74,F81,F84	-
INTRAlux Ultimate	PVC	F45	-	F73 PLUS,F74,F81,F84	-

**INVICTUS FLOORING** Tel: 01422 431100 Email: [enquiries@invictus.co.uk](mailto:enquiries@invictus.co.uk) Web: [www.invictus.co.uk](http://www.invictus.co.uk) Fax: 01422 431105

Invictus Maximus	dryback	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Invictus Optimus	dryback	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Invictus Primus	dryback	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**IVC COMMERCIAL & ISAFE** Tel: 0032 56 653211 Email: [info@ivc-commercial.com](mailto:info@ivc-commercial.com) Web: [www.ivc-commercial.com](http://www.ivc-commercial.com) Fax: 0032 56 653229

Concept 70	PVC	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Isafe 70	PVC	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Isafe One	PVC	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Optimise 50	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Optimise 70	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Planet	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Silento 50	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66
Tirreno 70	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F66

**JCW ACOUSTIC SUPPLIES LTD** Tel: 01204 548400 Email: [sales@acoustic-supplies.com](mailto:sales@acoustic-supplies.com) Web: [www.acoustic-supplies.com](http://www.acoustic-supplies.com) Fax: 01204 366960

JCW Impacta 455I	PUR/Cork	F3	-	F73 PLUS,F74,F81,F84	F60,F66
------------------	----------	----	---	----------------------	---------

**JAYMART RUBBER & PLASTICS LTD.** Tel: 01985 218994 Email: [sales@jaymart.co.uk](mailto:sales@jaymart.co.uk) Web: [www.jaymart.co.uk](http://www.jaymart.co.uk) Fax: 01985 217417

**RUBBER FLOORINGS**

Blade Runner	Rubber	F3,F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Kinetics K2 Konvex Tile	Rubber	F58 PLUS,F60,F66	-	F73 PLUS,F74,F81	F60,F66
Kinetics K6 Konvex Tile	Rubber	F58 PLUS,F60,F66	-	F73 PLUS,F74,F81	F60,F66
Kinetics T4 Trek Tile	Rubber	F58 PLUS,F60,F66	-	F73 PLUS,F74,F81	F60,F66
Kinetics T5 Trek Tile	Rubber	F58 PLUS,F60,F66	-	F73 PLUS,F74,F81	F60,F66
Prialpas Central	Rubber	F58 PLUS,F60,F66	-	F73 PLUS,F74,F81	F60,F66
Remp Hammer Unifloor/Terrazzo	Rubber	-	-	F73 PLUS,F74,F81	F60
Remp Slate/Slate Terrazzo	Rubber	-	-	F73 PLUS,F74,F81	F60
Remp Smooth Terrazzo	Rubber	-	-	F73 PLUS,F74,F81	F60
Remp Smooth Uni	Rubber	-	-	F73 PLUS,F74,F81	F60
Remp Zero	Rubber	-	-	F73 PLUS,F74,F81	F60

**VINYL FLOORINGS**

Ezyclean	PVC	-	-	F73 PLUS,F74,F81	-
Limontamoquette – Vinylfloor 2000	PVC	F44,F45,F58 PLUS	-	F73 PLUS,F74,F81	F61
Plaza Safe-T-Decor	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Plaza Safe-T-Floor	PVC	F44,F46,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Plaza Safe-T-Wood	PVC	F44,F48 PLUS,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Smart Textured Vinyl	PVC	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Safe Deko	PVC/Cotton Scrim	F44,F45,F58 PLUS	-	F73 PLUS,F74,F81	F60

**RUBBER MATTINGS**

Broadrib	Rubber	F60,F66	-	F73 PLUS,F74,F81	-
Mainstay	Rubber	F61	-	F73 PLUS,F74	-
Mandalay	Rubber	F60,F66	-	-	-
Matkandu	Rubber	F60	-	F73 PLUS,F74,F81	F60
Mayday	Rubber	F61	-	F73 PLUS,F74	-
Pacemaker	Rubber	F60,F66	-	F73 PLUS,F74,F81	F60,F66
Ridgeway	Rubber	F60,F66	-	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**JAYMART RUBBER & PLASTICS LTD. continued...**

Safe-T-Check	Rubber	F60	-	-	-
Trendsetter	Rubber	F60	-	-	-

**ENTRANCE MATTING / FOYER CARPETING**

Polyrib	Latex	F3	-	F73 PLUS,F74	-
Textra	Latex	F3	-	F73 PLUS,F74	-
Warcord	Latex	F3	-	F73 PLUS,F74,F81	-
Zigazaga	Latex	F3	-	F73 PLUS,F74	-
Apachestat	PVC	F45	-	F73 PLUS,F74	-
Brush Well Coir	PVC	F45	-	-	F61
Rainchek Nylon Barrier Mat	PVC	F45	-	F73 PLUS,F74,F81	-
Contract King II	Rubber	F3	-	F73 PLUS,F74,F81	-
Ingenius	Rubber	F3	-	F73 PLUS,F74,F81	-

**CARPETING / ARTIFICIAL GRASS**

Astroturf CH4	Fibre	F3,F44,F58 PLUS	-	F73 PLUS,F74,F81	-
Boma Rips	Fibre Bonded	F3,F52	-	-	F60,F66
Tufturf	Fibre Bonded	F3,F52	-	F73 PLUS,F74,F81	F60,F66
Grasshopper	Latex	F3	-	F73 PLUS,F74,F81	F60,F66
Mountain Grass	Latex	F3	-	-	-
Rushtik	Latex	F3	-	-	-
Sisal Boucle	Latex	F3	-	-	-
Poligras Decora	Latex *	F3	-	F73 PLUS,F74,F81	-
Matrel Range of coir/ sisal carpets	Rubber Foam	F3,F52	-	-	-

\*F3 applied using a 3mm x 6mm 'V' notched trowel.

**JOHN PALMER CARPETS** Tel: 01329 221933 Email: sales@palmers.uk.net Web: www.palmers.uk.net Fax: 01329 230780

**BROADLOOM CARPETS**

Addiction	Action back	F3,F40	F40	-	F60,F66
Belluno	Action back	F3,F40	F40	-	F60,F66
Blenheim	Action back	F3,F40	F40	-	F60,F66
Calgary	Action back	F3,F40	F40	-	F60,F66
Carnival Twist	Action back	F3,F40	F40	-	F60,F66
Endless Charm	Action back	F3,F40	F40	-	F60,F66
Feeling	Action back	F3,F40	F40	-	F60,F66
Gala	Action back	F3,F40	F40	-	F60,F66
Genius	Action back	F3,F40	F40	-	F60,F66
Hampton Bays	Action back	F3,F40	F40	-	F60,F66
Heathers Luxury	Action back	F3,F40	F40	-	F60,F66
Luxury Twist	Action back	F3,F40	F40	-	F60,F66
Marathon	Action back	F3,F40	F40	-	F60,F66
Moorland	Action back	F3,F40	F40	-	F60,F66
Newport	Action back	F3,F40	F40	-	F60,F66
Noble Dreams	Action back	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**JOHN PALMER CARPETS continued...**

Pembridge Heathers	Action back	F3,F40	F40	-	F60,F66
Revolution Heathers	Action back	F3,F40	F40	-	F60,F66
Sandringham	Action back	F3,F40	F40	-	F60,F66
Saxon King	Action back	F3,F40	F40	-	F60,F66
Soft Noble	Action back	F3,F40	F40	-	F60,F66
Stainsafe Heritage	Action back	F3,F40	F40	-	F60,F66
Super Noble Twist	Action back	F3,F40	F40	-	F60,F66
Super Twist	Action back	F3,F40	F40	-	F60,F66
Sweet Home	Action back	F3,F40	F40	-	F60,F66
Titchfield	Action back	F3,F40	F40	-	F60,F66
Toronto	Action back	F3,F40	F40	-	F60,F66
Traffic	Action back	F3,F40	F40	-	F60,F66
Windsor Velvet	Action back	F3,F40	F40	-	F60,F66
Big Hit	Felt	F3	-	-	F60,F66
Bounty	Felt	F3	-	-	F60,F66
Gala	Felt	F3	-	-	F60,F66
Moorland	Felt	F3	-	-	F60,F66
Noble Collection	Felt	F3	-	-	F66,F60
Spirit	Felt	F3	-	-	F60,F66
Super Noble	Felt	F3	-	-	F60,F66
Superstar	Felt	F3	-	-	F60,F66
Sweet Home	Felt	F3	-	-	F60,F66
Belluno	Gel	F3	-	-	F60,F66
Marathon	Gel	F3	-	-	F60,F66
Scala Solutions	Gel	F3	-	-	F60,F66
Trafalgar	Gel	F3	-	-	F60,F66
Victory Cord	Gel	F3	-	-	F60,F66
Scala Twist	Rubber Foam	F3,F40	-	-	F60,F66
Gentle Touch	Twinback	F3	-	-	F60,F66
Sarabi	Twinback	F3	-	-	F60,F66
Aviomore	Woven	F3	-	-	F60,F66

**JOSEPH, HAMILTON & SEATON** Tel: 01827 831400 Email: sales@jhs carpets.com Web: www.jhs carpets.com Fax: 01827 831401

**CUT PILE COLLECTION**

Andaman	Action Back	F3	-	-	F60,F66
Edmonton	Action Back	F3	-	-	F60,F66
Hospi Charm	Action Back	F3	-	-	F60,F66
Modern Living	Action Back	F3	-	-	F60,F66
Universal Heathers	Action Back	F3	-	-	F60,F66
Epsom SD	Secondary	F3	-	-	F60,F66
Freelance	Secondary	F3	-	-	F60,F66

**HOTEL AND LEISURE COLLECTION**

Chepstow	Woven	F3	-	-	F60,F66
Finsbury Park	Woven	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**JOSEPH, HAMILTON & SEATON continued...**
**TRET福德 INTERLIFE**

Tretford Interlife Tiles	Ecoback	-	F41	-	-	-
Tretford Interlife	Hessian	F3	-	-	-	F60,F66

**PREMIER COLLECTION**

Belmont	Action Back	F3	-	-	-	F60,F66
Albany	Secondary	F3	-	-	-	F60,F66
Baccarat	Secondary	F3	-	-	-	F60,F66
Highfields	Secondary	F3	-	-	-	F60,F66
Prime Contender	Secondary	F3	-	-	-	F60,F66
Rossmore	Secondary	F3	-	-	-	F60,F66

**LOOP PILE COLLECTION**

Amalfi	Secondary	F3	-	-	-	F60,F66
Epsom SD Loop	Secondary	F3	-	-	-	F60,F66
Hawthorn II	Secondary	F3	-	-	-	F60,F66
Loch Tay	Secondary	F3	-	-	-	F60,F66
Milestone	Secondary	F3	-	-	-	F60,F66
Tweed	Secondary	F3	-	-	-	F60,F66

**HOUSE BUILDER COLLECTION**

Ambience	Secondary	F3	-	-	-	F60,F66
Bromley Twist	Secondary	F3	-	-	-	F60,F66
Drayton Heathers	Secondary	F3	-	-	-	F60,F66
Drayton Twist	Secondary	F3	-	-	-	F60,F66
Haywood Twist	Secondary	F3	-	-	-	F60,F66
Modern Living	Secondary	F3	-	-	-	F60,F66
New Eford	Secondary	F3	-	-	-	F60,F66

**IMPERVIOUS COLLECTION**

Universal Lite	Impervious Foam	F3	-	-	-	F60,F66
Hospi Charm	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Hospi Classic Heathers	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Hospi Excel	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Hospi Select	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Hospi-Classic Plus	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Hospi-Elegance	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Hospi-Style Plus	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Universal Heathers	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Universal Plus	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66
Universal Tones	Impervious Gel	F3,F40,F44,F58 PLUS	-	-	-	F60,F66

**ENTRANCE MATTING COLLECTION**

Brossmat	Compact Gran. Rubber/Latex	F3	-	F73 PLUS,F74,F81	-	F60,F66
Trio Mat	Latex	F3	-	F73 PLUS,F74,F81,F84	-	F60,F66
Zermatt Hobnail	Latex Waffle	F3	-	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**JOSEPH, HAMILTON & SEATON continued...**

Zermatt Wave	Latex Waffle	F3	-	-	-	F60,F66
Arizona II	PVC	F45	-	F73 PLUS,F74,F81	-	-
Geneva	Waffle	F3	-	-	-	F60,F66

**FIBREBONDED SHEET COLLECTION**

Roma Cord	Gel	F3	-	-	-	F60,F66
Fast Track Cord	Latex	F3,F52	-	-	-	F60,F66

**CARPET TILE COLLECTION**

Arizona Tile	Bitumen	F3	F41	-	-	F66
Colour Foundation	Bitumen	F3	F41	-	-	F66
Glastonbury Tile	Bitumen	F3	F41	-	-	F66
Mainstay	Bitumen	F3	F41	-	-	F66
Mutual II	Bitumen	F3	F41	-	-	F66
OutLine	Bitumen	F3	F41	-	-	F66
Overlay	Bitumen	F3	F41	-	-	F66
Rimini	Bitumen	F3	F41	-	-	F66
Rimini Stripe	Bitumen	F3	F41	-	-	F66
Sprint	Bitumen	F3	F41	-	-	F66
Triumph Cut Pile	Bitumen	F3	F41	-	-	F66
Triumph Loop	Bitumen	F3	F41	-	-	F66
Triumph Random	Bitumen	F3	F41	-	-	F66
Urban Lines	Bitumen	F3	F41	-	-	F66
Wave length	Bitumen	F3	F41	-	-	F66
Novara	Silent Back	F3	F41	-	-	F66

**SPIKE PROOF COLLECTION**

Finsbury Park	Secondary	F3	-	-	-	F60,F66
---------------	-----------	----	---	---	---	---------

**RESILIENT COLLECTION**

Design works	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	-	F49,F60,F66
Supa Lock Tile	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	-	F49
Safety Alpha Eco	PVC Foam	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	-	F49,F60,F66
Safety Alpha Ecochip	PVC Foam	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	-	F49,F60,F66
Safety Alpha Timber	PVC Foam	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	-	F49,F60,F66
Endurance	Vinyl Sheet	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	-	F49,F60,F66

\*F3 applied using a 3mm x 6mm 'V' notched trowel.

**KERRYJOHNS MARINE CARPET & FLOORING** Tel: 01225 768802 Email: [marine@kerryjohns.co.uk](mailto:marine@kerryjohns.co.uk) Web: [www.kerryjohns.co.uk](http://www.kerryjohns.co.uk)

MarineSpec Carpet Tiles	ETC350	-	F41	-	-	-
MarineSpec Luxury Vinyl Tiles	LVT	F44,F46,F49,F58 PLUS	-	F81	-	F49
MarineSpec Mat	Latex	F3	-	F81	-	-
MarineSpec 6mm IMO Certified Underlay	Poly laminate	-	F40	-	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**KERSAINT COBB & COMPANY LTD** Tel: 01675 430430 Email: sales@kersaintcobb.co.uk Web: www.kersaintcobb.co.uk

<b>SISALS</b>					
Sisal Big Boucle	Latex	F3	-	-	F60,F66
Sisal Boucle Artist	Latex	F3	-	-	F60,F66
Sisal Elite Herringbone	Latex	F3	-	-	F60,F66
Sisal Herringbone	Latex	F3	-	-	F60,F66
Sisal Mini Boucle	Latex	F3	-	-	F60,F66
Sisal Panama	Latex	F3	-	-	F60,F66
Sisal Tigers Eye	Latex	F3	-	-	F60,F66
<b>SISAL RUNNERS</b>					
Morocco Runners	Latex	F3	-	-	F60,F66
<b>SEAGRASS</b>					
Fine Seagrass Basketweave	Latex	F3	-	-	F60,F66
Fine Seagrass Herringbone	Latex	F3	-	-	F60,F66
Fine Seagrass Standard	Latex	F3	-	-	F60,F66
Seagrass Basketweave	Latex	F3	-	-	F60,F66
Seagrass Herringbone	Latex	F3	-	-	F60,F66
Seagrass Standard	Latex	F3	-	-	F60,F66
<b>COIR LUXURY</b>					
Coir Boucle Natural	Latex	F3	-	-	F60,F66
Coir Herringbone Natural	Latex	F3	-	-	F60,F66
Coir Panama Natural	Latex	F3	-	-	F60,F66
<b>JUTE</b>					
Jute Herringbone Natural	Latex	F3	-	-	F60,F66
Jute Medium Boucle	Latex	F3	-	-	F60,F66
Jute Panama Natural	Latex	F3	-	-	F60,F66
<b>BARRIER MATTING</b>					
Coir Matting Coloured	PVC	F45	-	F73 PLUS,F74	F61,F66
Coir Matting Natural	PVC	F45	-	F73 PLUS,F74	F61,F66
<b>WOOL COLLECTION</b>					
Belmond	Action	F3	-	-	F60,F66
Country Herbs	Action	F3	-	-	F60,F66
Couture	Action	F3	-	-	F60,F66
Hera	Action	F3	-	-	F60,F66
Indiana	Action	F3	-	-	F60,F66
South Pacific	Action	F3	-	-	F60,F66
Wool Aurora	Action	F3	-	-	F60,F66
Wool Capella	Action	F3	-	-	F60,F66
Wool Cascade	Action	F3	-	-	F60,F66
Wool Celeste	Action	F3	-	-	F60,F66
Wool Eden	Action	F3	-	-	F60,F66
Wool Odyssey	Action	F3	-	-	F60,F66
Wool Piccolo	Action	F3	-	-	F60,F66
Pampas Nordic	Fleece	F3	-	-	F60,F66
Pampas Nordic Elite	Fleece	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**KERSAINT COBB & COMPANY LTD continued...**

Pampas Nordic Multistripe Fleece		F3	-	-	F60,F66
Pampas Nordic Stripe Fleece		F3	-	-	F60,F66
Elegance	Jute	F3	-	-	F60,F66
Exquisite	Jute	F3	-	-	F60,F66
Grandeur	Jute	F3	-	-	F60,F66
Pampas Berber Loop	Jute	F3	-	-	F60,F66
Pampas Boucle	Jute	F3	-	-	F60,F66
Pampas Highlands	Jute	F3	-	-	F60,F66
Wool Luna	Jute	F3	-	-	F60,F66

**KINGSMEAD CARPETS incorporating GEORGIAN CARPETS & STODDARD CARPETS** Tel: 01827 831424 Email: info@kingsmead-sales.co.uk Web: www.kingsmeadcarpets.co.uk Fax: 01827 831425

Kaledoscope	Jute	F3	-	-	F60,F66
Kaledoscope Extra	Jute	F3	-	-	F60,F66
Adore	Synthetic	F3,F40	F40	-	F60,F66
Amazing	Synthetic	F3,F40	F40	-	F60,F66
Artwork	Synthetic	F3,F40	F40	-	F60,F66
Artwork Stripe	Synthetic	F3,F40	F40	-	F60,F66
Awesome	Synthetic	F3,F40	F40	-	F60,F66
Berber Seasons	Synthetic	F3,F40	F40	-	F60,F66
Berber Traditions	Synthetic	F3,F40	F40	-	F60,F66
Berber Trio	Synthetic	F3,F40	F40	-	F60,F66
Blaydon	Synthetic	F3,F40	F40	-	F60,F66
Bliss	Synthetic	F3,F40	F40	-	F60,F66
Book of Stripes	Synthetic	F3,F40	F40	-	F60,F66
Breathtaking	Synthetic	F3,F40	F40	-	F60,F66
Brecon	Synthetic	F3,F40	F40	-	F60,F66
Devotion	Synthetic	F3,F40	F40	-	F60,F66
Elegant	Synthetic	F3,F40	F40	-	F60,F66
Mineral	Synthetic	F3,F40	F40	-	F60,F66
New Ayrshire	Synthetic	F3,F40	F40	-	F60,F66
New Berber Attraction	Synthetic	F3,F40	F40	-	F60,F66
New Hockley Twist	Synthetic	F3,F40	F40	-	F60,F66
New Majesty	Synthetic	F3,F40	F40	-	F60,F66
Peerless	Synthetic	F3,F40	F40	-	F60,F66
Pennine Twist	Synthetic	F3,F40	F40	-	F60,F66
Remarkable	Synthetic	F3,F40	F40	-	F60,F66
Serenity	Synthetic	F3,F40	F40	-	F60,F66
Shades of Grey Loop	Synthetic	F3,F40	F40	-	F60,F66
Shades of Grey Stripe	Synthetic	F3,F40	F40	-	F60,F66
Shades of Grey Twist	Synthetic	F3,F40	F40	-	F60,F66
Signature Twist	Synthetic	F3,F40	F40	-	F60,F66
Snowdonia	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Artistry	Synthetic	F3,F40	F40	-	F60,F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>KINGSMEAD CARPETS incorporating GEORGIAN CARPETS &amp; STODDARD CARPETS continued...</b>					
Stoddard Fine Velvet	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Natural Rib	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Natural World	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Suffolk Berber	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Templeton	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Templeton Designs	Synthetic	F3,F40	F40	-	F60,F66
Stoddard Velluto	Synthetic	F3,F40	F40	-	F60,F66
Superb	Synthetic	F3,F40	F40	-	F60,F66
Temple Twist	Synthetic	F3,F40	F40	-	F60,F66
Temptation	Synthetic	F3,F40	F40	-	F60,F66
Tranquillity	Synthetic	F3,F40	F40	-	F60,F66
Tremendous	Synthetic	F3,F40	F40	-	F60,F66
Tweedy	Synthetic	F3,F40	F40	-	F60,F66
Vitronic Berber	Synthetic	F3,F40	F40	-	F60,F66
Vitronic Plains	Synthetic	F3,F40	F40	-	F60,F66
Weald Park	Synthetic	F3,F40	F40	-	F60,F66
Wonderful	Synthetic	F3,F40	F40	-	F60,F66
Fantastic	Synthetic & Felt *	F3,F40	F40	-	F60,F66

F40\* to be applied by roller for release bond.

**KIRCMAN & DOLMAN LTD** Tel: 01562 754917 Email: kircmananddolman@aol.co.uk Web: www.kircmananddolman.co.uk Fax: 01562 861473

#### CARPET TILES

Accord	Bitumen/Felt	F3	F41	-	F66
Advantage	Bitumen/Felt	F3	F41	-	F66
Alignment	Bitumen/Felt	F3	F41	-	F66
Artwork	Bitumen/Felt	F3	F41	-	F66
Borderline	Bitumen/Felt	F3	F41	-	F66
Boundary Plain	Bitumen/Felt	F3	F41	-	F66
Cirrus	Bitumen/Felt	F3	F41	-	F66
Defence	Bitumen/Felt	F3	F41	-	F66
Definition	Bitumen/Felt	F3	F41	-	F66
Frontier	Bitumen/Felt	F3	F41	-	F66
Illusion	Bitumen/Felt	F3	F41	-	F66
Imperial	Bitumen/Felt	F3	F41	-	F66
Integrity Plus	Bitumen/Felt	F3	F41	-	F66
Kempton SD	Bitumen/Felt	F3	F41	-	F66
Kempton SD Stripe	Bitumen/Felt	F3	F41	-	F66
Linkwork	Bitumen/Felt	F3	F41	-	F66
Medley	Bitumen/Felt	F3	F41	-	F66
Neapolitan	Bitumen/Felt	F3	F41	-	F66
Network	Bitumen/Felt	F3	F41	-	F66
Outline	Bitumen/Felt	F3	F41	-	F66
Sideline	Bitumen/Felt	F3	F41	-	F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>KIRCMAN &amp; DOLMAN LTD continued...</b>					
Strategy	Bitumen/Felt	F3	F41	-	F66
Structure	Bitumen/Felt	F3	F41	-	F66
Trecento	Bitumen/Felt	F3	F41	-	F66
Uniform	Bitumen/Felt	F3	F41	-	F66
Unite	Bitumen/Felt	F3	F41	-	F66
Warrior	Bitumen/Felt	F3	F41	-	F66

**KRAIBURG RELASTEC GMBH & CO KG** Tel: +49-(0)8572 9685 507 Email: Christoph.praebst@kraiburg-relastec.com  
Web: www.kraiburg-relastec.com

Damtec Black Uni 2mm	PUR/Cork	F3,F44	-	F73 PLUS,F74,F81,F84	-
Damtec Multi 4.5mm	Rubber	F3	-	F73 PLUS,F74,F81,F84	-
Damtec Standard 2mm	Rubber/Cork	F3,F44	-	F73 PLUS,F74,F81,F84	-

**LANO NV BELGIUM** Tel: 0032 56 654000 Email: marketing@lano.be Web: www.lano.com Fax: 0032 56 654009

Bloss	Felt *	F3,F40	F40	-	F60,F66
Carve	Felt *	F3,F40	F40	-	F60,F66
Fascination	Felt *	F3,F40	F40	-	F60,F66
Genius	Felt *	F3,F40	F40	-	F60,F66
Granit	Felt *	F3,F40	F40	-	F60,F66
Verve	Felt *	F3,F40	F40	-	F60,F66
Bella Donna	Komforttextil-back	F3	-	-	F60,F66
Bergamo	Komforttextil-back	F3	-	-	F60,F66
Godiva	Komforttextil-back	F3	-	-	F60,F66
Pleasure	Komforttextil-back	F3	-	-	F60,F66
Satine	Komforttextil-back	F3	-	-	F60,F66
Serenity	Komforttextil-back	F3	-	-	F60,F66
Verlaine	Komforttextil-back	F3	-	-	F60,F66
Scala Classic	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66
Scala STYLE	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66
Scala Twist	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66
Basalt Vintage	Woven Scrim	F3,F40	F40	-	F60,F66
Boheme	Woven Scrim	F3,F40	F40	-	F60,F66
Brezina	Woven Scrim	F3,F40	F40	-	F60,F66
Celeste	Woven Scrim	F3,F40	F40	-	F60,F66
Charisma	Woven Scrim	F3,F40	F40	-	F60,F66
Corindo	Woven Scrim	F3,F40	F40	-	F60,F66
Dream	Woven Scrim	F3,F40	F40	-	F60,F66
Eternal	Woven Scrim	F3,F40	F40	-	F60,F66
Euphoria	Woven Scrim	F3,F40	F40	-	F60,F66
Evita	Woven Scrim	F3,F40	F40	-	F60,F66
Fairfield Creations	Woven Scrim	F3,F40	F40	-	F60,F66
Fairfield Silk	Woven Scrim	F3,F40	F40	-	F60,F66
Fairfield Silk Elite	Woven Scrim	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LANO NV BELGIUM continued...**

Fairfield Supreme	Woven Scrim	F3,F40	F40	-	F60,F66
Fascination	Woven Scrim	F3,F40	F40	-	F60,F66
Flair Dune & Concrete	Woven Scrim	F3,F40	F40	-	F60,F66
Freedom	Woven Scrim	F3,F40	F40	-	F60,F66
Genius	Woven Scrim	F3,F40	F40	-	F60,F66
Granit	Woven Scrim	F3,F40	F40	-	F60,F66
Heathertwist Elite	Woven Scrim	F3,F40	F40	-	F60,F66
Heathertwist Supreme	Woven Scrim	F3,F40	F40	-	F60,F66
Incasa	Woven Scrim	F3,F40	F40	-	F60,F66
Inspiration	Woven Scrim	F3,F40	F40	-	F60,F66
Lior	Woven Scrim	F3,F40	F40	-	F60,F66
Loft Life	Woven Scrim	F3,F40	F40	-	F60,F66
Maccan	Woven Scrim	F3,F40	F40	-	F60,F66
Mambo	Woven Scrim	F3,F40	F40	-	F60,F66
Minerva	Woven Scrim	F3,F40	F40	-	F60,F66
Mirage	Woven Scrim	F3,F40	F40	-	F60,F66
Montreal	Woven Scrim	F3,F40	F40	-	F60,F66
Moon	Woven Scrim	F3,F40	F40	-	F60,F66
Oasis	Woven Scrim	F3,F40	F40	-	F60,F66
Omega	Woven Scrim	F3,F40	F40	-	F60,F66
Optima Essential	Woven Scrim	F3,F40	F40	-	F60,F66
Patina	Woven Scrim	F3,F40	F40	-	F60,F66
Pearl	Woven Scrim	F3,F40	F40	-	F60,F66
Pembridge Heathers	Woven Scrim	F3,F40	F40	-	F60,F66
Queens	Woven Scrim	F3,F40	F40	-	F60,F66
Romance	Woven Scrim	F3,F40	F40	-	F60,F66
Serenade	Woven Scrim	F3,F40	F40	-	F60,F66
Serenade Rustique	Woven Scrim	F3,F40	F40	-	F60,F66
Serenade Superb	Woven Scrim	F3,F40	F40	-	F60,F66
Soft Distinction	Woven Scrim	F3,F40	F40	-	F60,F66
Square	Woven Scrim	F3,F40	F40	-	F60,F66
Startwist Edition	Woven Scrim	F3,F40	F40	-	F60,F66
Startwist Elite	Woven Scrim	F3,F40	F40	-	F60,F66
Startwist Supreme	Woven Scrim	F3,F40	F40	-	F60,F66
Sweet Dreams	Woven Scrim	F3,F40	F40	-	F60,F66
Sweet Elegance	Woven Scrim	F3,F40	F40	-	F60,F66
Traviata	Woven Scrim	F3,F40	F40	-	F60,F66
Valentine	Woven Scrim	F3,F40	F40	-	F60,F66
Woolclass	Woven Scrim	F3,F40	F40	-	F60,F66
Zen	Woven Scrim	F3,F40	F40	-	F60,F66
Zen Fusion	Woven Scrim	F3,F40	F40	-	F60,F66

F40\* to be applied by roller for release bond.



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LECAFLOR LIMITED** Tel: 01845 577522 Email: sales@lecaflor.com Web: www.lecaflor.com Fax: 01845 577193

Guardian 2000	Action Bac	F3,F40	F40	-	F60,F66
Contract Interior	PVC	F44	-	F73 PLUS,F74,F81,F84	-
Sentry (Barrier Mat)	PVC	F45	-	F73 PLUS,F74,F81	-
Fascination I307	Polyester Felt	F3	-	-	F60,F66
Ambiance	Wood	B95	-	-	-

**LEIGH SPINNERS LTD** Tel: 01942 673232 Email: john.morrison@leighspinners.com Web: www.leighspinners.com Fax: 01942 261694

Atlas Tile	Bitumen	F3	F41	-	F66
Vulcan Contract Tile	Bitumen	F3	F41	-	F66
Canyon Entrance Matting	Embossed Gel Foam	F3	-	-	F60,F66
Samson Contract Rib	Embossed Gel Foam	F3	-	-	F60,F66
Samson Contract Velour	Embossed Gel Foam	F3	-	-	F60,F66
Atlas Rib	Fibrebonded	F3,F52	-	-	F60,F66
Atlas Velour	Fibrebonded	F3,F52	-	-	F60,F66
Ecocord	Fibrebonded	-	F40	-	-
Vulcan Rib	Fibrebonded	F3,F52	-	-	F60,F66
Vulcan Velour	Fibrebonded	F3,F52	-	-	F60,F66

**LEOLINE** Tel: 0032 56 653211 Email: info@ivcgroup.com Web: www.ivcgroup.com Fax: 0032 56 653229

Artesia	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Ceramica	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Luxury Classics	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Mercury XT	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Timberline	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81	F60
Comftex Deluxe	Textile	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**LG HAUSYS TECHFLOOR** Tel: 01254 200999 Email: info@techfloor.co.uk Web: www.techfloor.co.uk/lg-floors.html

Decotile	PVC	F44,F46,F58 PLUS	-	-	F60
Safedeko	PVC	F44,F46,F58 PLUS	-	-	F60
Supreme	PVC	F44,F46,F58 PLUS	-	-	F60

**LIFESTYLE FLOORS** Tel: 01675 433518 Email: Enquiries@lifestyle-floors.co.uk Web: www.lifestyle-floors.co.uk**CARPETS**

Bakewell	Action Bac	F3,F40	F40	-	F60,F66
Banquet	Action Bac	F3,F40	F40	-	F60,F66
California Dreams	Action Bac	F3,F40	F40	-	F60,F66
Canterbury	Action Bac	F3,F40	F40	-	F60,F66
Canterbury Extra	Action Bac	F3,F40	F40	-	F60,F66
Canterbury Plus	Action Bac	F3,F40	F40	-	F60,F66
Caress Exclusive	Action Bac	F3,F40	F40	-	F60,F66
Caress Luxury	Action Bac	F3,F40	F40	-	F60,F66
Chapter	Action Bac	F3,F40	F40	-	F60,F66
Cheltenham Stripe	Action Bac	F3,F40	F40	-	F60,F66
Conquest Saxony	Action Bac	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LIFESTYLE FLOORS continued...**

Cottage Berber	Action Bac	F3,F40	F40	-	F60,F66
Fairytale	Action Bac	F3,F40	F40	-	F60,F66
Firework	Action Bac	F3,F40	F40	-	F60,F66
Gloucester	Action Bac	F3,F40	F40	-	F60,F66
Gloucester Stripe	Action Bac	F3,F40	F40	-	F60,F66
Grantham	Action Bac	F3,F40	F40	-	F60,F66
Heavenly Exclusive	Action Bac	F3,F40	F40	-	F60,F66
Heavenly Luxury	Action Bac	F3,F40	F40	-	F60,F66
Hereford	Action Bac	F3,F40	F40	-	F60,F66
Homely	Action Bac	F3,F40	F40	-	F60,F66
Jupiter Twist Elite	Action Bac	F3,F40	F40	-	F60,F66
Jupiter Twist Exclusive	Action Bac	F3,F40	F40	-	F60,F66
Jupiter Twist Super	Action Bac	F3,F40	F40	-	F60,F66
Lakeside	Action Bac	F3,F40	F40	-	F60,F66
Literature Elite	Action Bac	F3,F40	F40	-	F60,F66
Literature Exclusive	Action Bac	F3,F40	F40	-	F60,F66
Lundy Bay	Action Bac	F3,F40	F40	-	F60,F66
Molto Bella Ultimate	Action Bac	F3,F40	F40	-	F60,F66
Norway	Action Bac	F3,F40	F40	-	F60,F66
Oakmont Plus Elite	Action Bac	F3,F40	F40	-	F60,F66
Oakmont Plus Super	Action Bac	F3,F40	F40	-	F60,F66
Pebble Beach Elite	Action Bac	F3,F40	F40	-	F60,F66
Pebble Beach Luxury	Action Bac	F3,F40	F40	-	F60,F66
Pebble Beach Super	Action Bac	F3,F40	F40	-	F60,F66
Riverside	Action Bac	F3,F40	F40	-	F60,F66
Sandy Springs	Action Bac	F3,F40	F40	-	F60,F66
Stainfree Hebrides	Action Bac	F3,F40	F40	-	F60,F66
Summit Twist Elite	Action Bac	F3,F40	F40	-	F60,F66
Summit Twist Exclusive	Action Bac	F3,F40	F40	-	F60,F66
Summit Twist Super	Action Bac	F3,F40	F40	-	F60,F66
Valentine	Action Bac	F3,F40	F40	-	F60,F66
Conquest Saxony	Felt Back *	F3,F40	F40	-	F60,F66
Firework	Felt Back *	F3,F40	F40	-	F60,F66
Pebble Beach Super	Felt Back *	F3,F40	F40	-	F60,F66
Delectable	Fusion Bac	F3,F40	F40	-	F60,F66
Delicious	Fusion Bac	F3,F40	F40	-	F60,F66
Enticing	Fusion Bac	F3,F40	F40	-	F60,F66
Flirtatious	Fusion Bac	F3,F40	F40	-	F60,F66
Intrigue	Fusion Bac	F3,F40	F40	-	F60,F66
Flotex Classic	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81	F60,F66
Flotex HD	PVC Foam	F44,F46,F58 PLUS	-	F73 PLUS,F74,F81	F60,F66
Decades	Woven	F3	-	-	F60,F66
Homely	Woven	F3	-	-	F60,F66
Maison Chic	Woven	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LIFESTYLE FLOORS continued...**

Stately Home	Woven	F3	-	-	F60,F66
<b>LVT</b>					
Colosseum XL	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Colosseum dryback	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Galleria dryback	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Palace dryback	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
<b>VINYL</b>					
Columbia	Felt Backing	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Baroque	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Essentials	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Harlem	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Harlem Iconic	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Kansas	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Lincoln	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Long Island	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Miami	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Nashville	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Pavillion	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Platinum Plus	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Platinum Plus AcousTex	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Queens	PVC Foam	F44,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
HarlemTex	Textile Back	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Protex	Textile Back	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
SilverTex	Textile Back	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
South BeachTex	Textile Back	F44,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

F40\* to be applied by roller for release bond.

**LIFESTYLE-INTERIOR by HEADLAM** Tel: +31 (0) 575 581822 Email: Sales@headlam.nl

LS Beton Tegel 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Beton Tegel Klein	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Beton Tegel VG	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Beton Tegel groot	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Beton plank 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Great Lengths 70	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Live with me 30	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LIFESTYLE-INTERIOR by HEADLAM continued...**

LS Live with me 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Marmer 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Marmer Klein	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Marmer groot	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Visgraat Klein 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Visgraat groot 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Walk over me 55	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
LS Walk over me 70	PVC	F44,F46,F47,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**HEADLAM CARPETS**

Arezzo 950	Actionback	F3	-	-	F60,F66
Arezzo 2100	Actionback	F3	-	-	F60,F66
Bellevue	Actionback	F3	-	-	F60,F66
Bling	Actionback	F3	-	-	F60,F66
Bologna	Actionback	F3	-	-	F60,F66
Buckingham	Actionback	F3	-	-	F60,F66
Candela	Actionback	F3	-	-	F60,F66
Chianti Clasico	Actionback	F3	-	-	F60,F66
Colourful	Actionback	F3	-	-	F60,F66
Donino	Actionback	F3	-	-	F60,F66
Fortemente SD	Actionback	F3	-	-	F60,F66
Freedom	Actionback	F3	-	-	F60,F66
Genua	Actionback	F3	-	-	F60,F66
Honey	Actionback	F3	-	-	F60,F66
Livorno	Actionback	F3	-	-	F60,F66
Office SD	Actionback	F3	-	-	F60,F66
Pescara	Actionback	F3	-	-	F60,F66
Sterk Werk	Actionback	F3	-	-	F60,F66
Superior	Actionback	F3	-	-	F60,F66
Survival	Actionback	F3	-	-	F60,F66
Vedette Silk	Actionback	F3	-	-	F60,F66
Donnavera	Resine	F3	-	-	F60
Goldrace 400cm	Resine	F3	-	-	F60
Primavera 400cm	Resine	F3	-	-	F60
Seaside 400cm	Secondary Back	F3	-	-	F60,F66
Seaside 500cm	Secondary Back	F3	-	-	F60,F66
Shetland 400cm	Secondary Back	F3	-	-	F60,F66
Shetland 500cm	Secondary Back	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LIFESTYLE-INTERIOR by HEADLAM continued...**

Amore	Twinback	F3	-	-	F60,F66
Cleopatra II	Twinback	F3	-	-	F60,F66
Fluweel	Twinback	F3	-	-	F60,F66

**HEADLAM VINYL**

Fancy Wood	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Birdie II	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Chips	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Deejay	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Novilon® Bella 400	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Novilon® Nova 400	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Novilon® Nova Luxe 400	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Novilon® Prima 400	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Novilon® VT-wonen 400	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Novilon® Viva (Hout & Steen) 400	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Tequila Wood II	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Tequila Wood III	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Victory Beton	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Victory Classic	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Victory Groove	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Victory Lino	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Victory Naturel	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Victory Parket	PVC Foam	F44,F46,F49,F58 PLUS	-	F73 PLUS	F49,F66
Chevron	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Porto	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Sherwood	Power Bac	F44,F46,F58 PLUS	-	-	F60,F66
Superfloor	Solid Bac	F44,F58 PLUS	-	-	F60
Beton Look II	Textile	F44,F58 PLUS	-	-	F60
Special Wood	Textile	F44,F58 PLUS	-	-	F60

**LIKELIKE MATTING** Tel: 01787 372988 Email: info@likewisematting.com Web: www.likewisematting.com Fax: 01787 379383

Fairisle	Compressed Rubber Foam	F3	-	F73 PLUS,F74,F81,F84	-
Hebrides	Compressed Rubber Foam	F3	-	F73 PLUS,F74,F81,F84	-
Mallin	Compressed Rubber Foam	F3	-	F73 PLUS,F74,F81,F84	-
Pentland	Compressed Rubber Foam	F3	-	F73 PLUS,F74,F81,F84	-
Deben	PVC	-	-	F73 PLUS,F74,F81,F84	-
Stour	PVC	F44,F45,F58 PLUS	-	F73 PLUS,F74	F61,F66
Supercoir	PVC	-	-	F73 PLUS,F74,F81,F84	-
Waveney	PVC	-	-	F73 PLUS,F74,F81,F84	-
Durasafe	PVC/Scrim	-	-	F73 PLUS,F74,F81,F84	-
Latex Backed Herringbone Rubber Latex		F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**LIKEWISE MATTING continued...**

Hebrides	Rubber Waffle	F3	-	F73 PLUS,F74,F81	F60,F66
----------	---------------	----	---	------------------	---------

**LITTNER HAMPTON LIMITED** Tel: 0208 520 8474 Email: littnerhampton@aol.com Fax: 0208 520 4464

Bombay	Action Bac	F3	-	-	F60,F66
Hampton Cord	Action Bac	F3	-	-	F60,F66
Hampton Supertwist	Action Bac	F3	-	-	F60,F66
Hampton Supremetwist	Action Bac	F3	-	-	F60,F66
Melbourne	Action Bac	F3	-	-	F60,F66
New Contract Cord	Action Bac	F3	-	-	F60,F66
Sydney	Action Bac	F3	-	-	F60,F66
Tailored Beauty	Action Bac	F3	-	-	F60,F66
Valencia	Action Bac	F3	-	-	F60,F66
Hampton Square	Felt *	F3,F40	F40	-	F60,F66
Regatta	Gel	F3	-	-	F60,F66
Monique	Jute	F3	-	-	F60,F66

F40\* to be applied by roller for release bond.

**LONSEAL INC** Tel: 001 800 832 7111 Email: technical@lonseal.com Web: www.lonseal.com Fax: 001 310 830 9986

Loncommodore	PVC/mesh scrim	F44,F46,F58 PLUS	-	F81	F66
Lonmarine Stone	PVC/mesh scrim	F44,F46,F58 PLUS	-	F81	F66
Lonmarine Wood	PVC/mesh scrim	F44,F46,F58 PLUS	-	F81	F66

**LOUIS DE POORTERE** Tel: 01992 642753 Email: w.nunn@btconnect.com Web: www.mid.nl Fax: 01992 642690

Haute Couture CP	Felt	F3	-	-	F60,F66
Haute Couture CW	Felt	F3	-	-	F60,F66
Haute Couture Illusion	Felt	F3	-	-	F60,F66
Haute Couture Vibration	Felt	F3	-	-	F60,F66
Haute Couture WW	Felt	F3	-	-	F60,F66
Cardinal	Secondary	F3	-	-	F60,F66
Color Full	Secondary	F3	-	-	F60,F66
Color Loop	Secondary	F3	-	-	F60,F66
Dune	Secondary	F3	-	-	F60,F66
Hermes	Secondary	F3	-	-	F60,F66
Move	Secondary	F3	-	-	F60,F66
Preference	Secondary	F3	-	-	F60,F66
President	Secondary	F3	-	-	F60,F66
Prince	Secondary	F3	-	-	F60,F66
Richelieu Velours	Secondary	F3	-	-	F60,F66

**M.I.D. CARPETS BV** Tel: 01992 642753 Email: w.nunn@btconnect.com Web: www.mid.nl Fax: 01992 642690

Boucle 4024	Jute	F3	-	-	F60,F66
Cardino 9M	Jute	F3,F40	F40	-	F60,F66
Carole 9M	Jute	F3,F40	F40	-	F60,F66
Charon 4026	Jute	F3,F40	F40	-	F60,F66
Charon 9M	Jute	F3,F40	F40	-	F60,F66
Deventer Frise 26	Jute	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**M.I.D. CARPETS BV continued...**

Frise 4026	Jute	F3,F40	F40	-	F60,F66
Frise 4226	Jute	F3	-	-	F60,F66
Futura 9M	Jute	F3,F40	F40	-	F60,F66
Marillo	Jute	F3	-	-	F60,F66
Marillo 4024	Jute	F3,F40	F40	-	F60,F66
Marillo 4025/3	Jute	F3,F40	F40	-	F60,F66
Moquette 4024	Jute	F3,F40	F40	-	F60,F66
Moquette 4224	Jute	F3,F40	F40	-	F60,F66
Ormea 4024	Jute	F3,F40	F40	-	F60,F66
Ormea Boucle 23S	Jute	F3,F40	F40	-	F60,F66
Ormea Boucle 4024	Jute	F3,F40	F40	-	F60,F66
Ormea Velours 9MS	Jute	F3,F40	F40	-	F60,F66
Quadro 4026	Jute	F3,F40	F40	-	F60,F66
Ribble Loop 23	Jute	F3,F40	F40	-	F60,F66
Saga Boucle 15M	Jute	F3,F40	F40	-	F60,F66
Soie de Velour	Jute	F3,F40	F40	-	F60,F66
Tristar Frise 26S	Jute	F3,F40	F40	-	F60,F66
Wave 10M	Jute	F3,F40	F40	-	F60,F66
Wolboucle 23	Jute	F3,F40	F40	-	F60,F66
Wolmoquette 28S	Jute	F3,F40	F40	-	F60,F66

**MARLINGS LTD** Tel: 01453 821800 Email: sales@marlings.co.uk Web: www.marlings.co.uk Fax: 01453 791167

Chedworth Sheet	Action Bac	F3,F40	F40	-	F60,F66
Elton Twist	Action Bac	F3,F40	F40	-	F60,F66
Wychwood 2000	Action Bac	F3,F40	F40	-	F60,F66
Amberley Tile	Bitumen/Felt	F3	F41	-	F66
Anywhichway Tile	Bitumen/Felt	F3	F41	-	F66
Atlanta Plus Tile	Bitumen/Felt	F3	F41	-	F66
Atria Extra	Bitumen/Felt	F3	F41	-	F66
Authentic Tile	Bitumen/Felt	F3	F41	-	F66
Barrington Tile	Bitumen/Felt	F3	F41	-	F66
Berkeley Eco	Bitumen/Felt	F3	F41	-	F66
Berkeley Stripe Tile	Bitumen/Felt	F3	F41	-	F66
Berkeley Tile	Bitumen/Felt	F3	F41	-	F66
Brimscombe Tile	Bitumen/Felt	F3	F41	-	F66
Burbury/Burbury Stripe	Bitumen/Felt	F3	F41	-	F66
Burbury Tile	Bitumen/Felt	F3	F41	-	F66
Burford Tile	Bitumen/Felt	F3	F41	-	F66
Camouflage Tile	Bitumen/Felt	F3	F41	-	F66
Centurion Tile	Bitumen/Felt	F3	F41	-	F66
Chedworth Tile	Bitumen/Felt	F3	F41	-	F66
Clansman Tile	Bitumen/Felt	F3	F41	-	F66
Contour	Bitumen/Felt	F3	F41	-	F66
Delta Cord Tile	Bitumen/Felt	F3	F41	-	F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MARLINGS LTD continued...**

Form	Bitumen/Felt	F3	F4I	-	F66
Frome Tile	Bitumen/Felt	F3	F4I	-	F66
Glencoe Tile	Bitumen/Felt	F3	F4I	-	F66
Instyle Tile	Bitumen/Felt	F3	F4I	-	F66
Lateral Surfaces Tile	Bitumen/Felt	F3	F4I	-	F66
Livingstone Tile	Bitumen/Felt	F3	F4I	-	F66
Montrose Tile	Bitumen/Felt	F3	F4I	-	F66
Mystique Tile	Bitumen/Felt	F3	F4I	-	F66
Naturals Tile	Bitumen/Felt	F3	F4I	-	F66
Parade Tile	Bitumen/Felt	F3	F4I	-	F66
Plain & Simple Tile	Bitumen/Felt	F3	F4I	-	F66
Saxon Velours Tile	Bitumen/Felt	F3	F4I	-	F66
Seasons Tile	Bitumen/Felt	F3	F4I	-	F66
Sketch Tile	Bitumen/Felt	F3	F4I	-	F66
Solitaire Tile	Bitumen/Felt	F3	F4I	-	F66
Spirit Tile	Bitumen/Felt	F3	F4I	-	F66
Structure	Bitumen/Felt	F3	F4I	-	F66
Terrain	Bitumen/Felt	F3	F4I	-	F66
Trident Broadcord Tile	Bitumen/Felt	F3	F4I	-	F66
Twill Tile	Bitumen/Felt	F3	F4I	-	F66
Trident	Comfort Bac	F3	F4I	-	F66
Delta Cord Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Delta Plus Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Kannon	Fibre Bonded	F3,F52	-	-	F60,F66
Martred/Warlord Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Omega Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Saxon Velour Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Trident Broadcord Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Highgrove	Impervious Foam	F3	-	-	F60,F66
Orbis	Impervious Foam	F3	-	-	F60,F66
Livingstone Tile	PVC*	F45	F4I	-	-
Sumi Green Tile	PVC*	F45	F4I	-	-
Sumi Leaf Tile	PVC*	F45	F4I	-	-
Sumi Marine Tile	PVC*	F45	F4I	-	-
Fletco Weave	Textile	F3	F4I	-	F66

**MASLAND CARPETS** Tel: 01908 308777 Email: sales@christy-carpets.co.uk Fax: 01908 308775

Adagio	Action Bac	F3,F40	F40	-	F60,F66
Alexia	Action Bac	F3,F40	F40	-	F60,F66
Alhambra	Action Bac	F3,F40	F40	-	F60,F66
Americana	Action Bac	F3,F40	F40	-	F60,F66
Applause – Ovarions	Action Bac	F3,F40	F40	-	F60,F66
Aquinnah	Action Bac	F3,F40	F40	-	F60,F66
Argan II	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MASLAND CARPETS continued...**

Artistic Vision	Action Bac	F3,F40	F40	-	F60,F66
Balance	Action Bac	F3,F40	F40	-	F60,F66
Bandala	Action Bac	F3,F40	F40	-	F60,F66
Basis	Action Bac	F3,F40	F40	-	F60,F66
Beacon Hill	Action Bac	F3,F40	F40	-	F60,F66
Bedford Tweed	Action Bac	F3,F40	F40	-	F60,F66
Bellini	Action Bac	F3,F40	F40	-	F60,F66
Block Out	Action Bac	F3,F40	F40	-	F60,F66
Bombay	Action Bac	F3,F40	F40	-	F60,F66
Botanique	Action Bac	F3,F40	F40	-	F60,F66
Bottled Up	Action Bac	F3,F40	F40	-	F60,F66
Boxed In	Action Bac	F3,F40	F40	-	F60,F66
Bravo – Ovarions	Action Bac	F3,F40	F40	-	F60,F66
Buck The Trend	Action Bac	F3,F40	F40	-	F60,F66
Cabaret	Action Bac	F3,F40	F40	-	F60,F66
Cache	Action Bac	F3,F40	F40	-	F60,F66
Casa Grande	Action Bac	F3,F40	F40	-	F60,F66
Cha Cha	Action Bac	F3,F40	F40	-	F60,F66
Charmant	Action Bac	F3,F40	F40	-	F60,F66
Cheer – Ovarions	Action Bac	F3,F40	F40	-	F60,F66
Chesapeake	Action Bac	F3,F40	F40	-	F60,F66
Chrome Collection	Action Bac	F3,F40	F40	-	F60,F66
City Center	Action Bac	F3,F40	F40	-	F60,F66
Classique	Action Bac	F3,F40	F40	-	F60,F66
Collaboration	Action Bac	F3,F40	F40	-	F60,F66
Corniche	Action Bac	F3,F40	F40	-	F60,F66
Crochet Elegance	Action Bac	F3,F40	F40	-	F60,F66
Dublin	Action Bac	F3,F40	F40	-	F60,F66
Embrace	Action Bac	F3,F40	F40	-	F60,F66
Emit	Action Bac	F3,F40	F40	-	F60,F66
Emporium	Action Bac	F3,F40	F40	-	F60,F66
Encore – Ovarions	Action Bac	F3,F40	F40	-	F60,F66
Entourage	Action Bac	F3,F40	F40	-	F60,F66
Espirit	Action Bac	F3,F40	F40	-	F60,F66
Etchede Marble	Action Bac	F3,F40	F40	-	F60,F66
Etchings	Action Bac	F3,F40	F40	-	F60,F66
Falls	Action Bac	F3,F40	F40	-	F60,F66
Fanfare – Ovarions	Action Bac	F3,F40	F40	-	F60,F66
Firenze	Action Bac	F3,F40	F40	-	F60,F66
First Class	Action Bac	F3,F40	F40	-	F60,F66
First Mover	Action Bac	F3,F40	F40	-	F60,F66
Five Star	Action Bac	F3,F40	F40	-	F60,F66
Fleckstone	Action Bac	F3,F40	F40	-	F60,F66
Floor Plan Series	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MASLAND CARPETS *continued...***

Florentine	Action Bac	F3,F40	F40	-	F60,F66
Found Money	Action Bac	F3,F40	F40	-	F60,F66
Gallantry Too	Action Bac	F3,F40	F40	-	F60,F66
Galvanize	Action Bac	F3,F40	F40	-	F60,F66
Game Changer	Action Bac	F3,F40	F40	-	F60,F66
Glamorous	Action Bac	F3,F40	F40	-	F60,F66
Good Call	Action Bac	F3,F40	F40	-	F60,F66
Granique	Action Bac	F3,F40	F40	-	F60,F66
Groundwork	Action Bac	F3,F40	F40	-	F60,F66
Harmony	Action Bac	F3,F40	F40	-	F60,F66
Heather Glen	Action Bac	F3,F40	F40	-	F60,F66
Heatherpoint	Action Bac	F3,F40	F40	-	F60,F66
Hemingway	Action Bac	F3,F40	F40	-	F60,F66
Highland	Action Bac	F3,F40	F40	-	F60,F66
Hudson Valley	Action Bac	F3,F40	F40	-	F60,F66
Ibiza	Action Bac	F3,F40	F40	-	F60,F66
Imari	Action Bac	F3,F40	F40	-	F60,F66
In The Money	Action Bac	F3,F40	F40	-	F60,F66
Kathmandu	Action Bac	F3,F40	F40	-	F60,F66
Kensington Palace	Action Bac	F3,F40	F40	-	F60,F66
Keystone	Action Bac	F3,F40	F40	-	F60,F66
Keywest	Action Bac	F3,F40	F40	-	F60,F66
Londonderry	Action Bac	F3,F40	F40	-	F60,F66
Matisse	Action Bac	F3,F40	F40	-	F60,F66
Meandros	Action Bac	F3,F40	F40	-	F60,F66
Merge	Action Bac	F3,F40	F40	-	F60,F66
Mesa Verde	Action Bac	F3,F40	F40	-	F60,F66
Mesh	Action Bac	F3,F40	F40	-	F60,F66
Metro	Action Bac	F3,F40	F40	-	F60,F66
Metro Magic	Action Bac	F3,F40	F40	-	F60,F66
Miami	Action Bac	F3,F40	F40	-	F60,F66
Microchip	Action Bac	F3,F40	F40	-	F60,F66
Mingle	Action Bac	F3,F40	F40	-	F60,F66
Montauk	Action Bac	F3,F40	F40	-	F60,F66
Montego	Action Bac	F3,F40	F40	-	F60,F66
Moroccan Impression	Action Bac	F3,F40	F40	-	F60,F66
Motherboard	Action Bac	F3,F40	F40	-	F60,F66
Naples	Action Bac	F3,F40	F40	-	F60,F66
Natural Point	Action Bac	F3,F40	F40	-	F60,F66
Nature's Essence	Action Bac	F3,F40	F40	-	F60,F66
New Hope	Action Bac	F3,F40	F40	-	F60,F66
New Twist	Action Bac	F3,F40	F40	-	F60,F66
Notting Hill	Action Bac	F3,F40	F40	-	F60,F66
Notting Hill Too	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MASLAND CARPETS *continued...***

Novellino	Action Bac	F3,F40	F40	-	F60,F66
Oak Bluffs	Action Bac	F3,F40	F40	-	F60,F66
Oceano	Action Bac	F3,F40	F40	-	F60,F66
Oceanside	Action Bac	F3,F40	F40	-	F60,F66
On Track	Action Bac	F3,F40	F40	-	F60,F66
Opalesque	Action Bac	F3,F40	F40	-	F60,F66
Overtones	Action Bac	F3,F40	F40	-	F60,F66
Palmette	Action Bac	F3,F40	F40	-	F60,F66
Panache	Action Bac	F3,F40	F40	-	F60,F66
Parallel	Action Bac	F3,F40	F40	-	F60,F66
Payout	Action Bac	F3,F40	F40	-	F60,F66
Pinehurst	Action Bac	F3,F40	F40	-	F60,F66
Point Well Made	Action Bac	F3,F40	F40	-	F60,F66
Posh	Action Bac	F3,F40	F40	-	F60,F66
Punchcard	Action Bac	F3,F40	F40	-	F60,F66
Quadrate	Action Bac	F3,F40	F40	-	F60,F66
Quarry	Action Bac	F3,F40	F40	-	F60,F66
Radio Wave	Action Bac	F3,F40	F40	-	F60,F66
Rapids	Action Bac	F3,F40	F40	-	F60,F66
Record High	Action Bac	F3,F40	F40	-	F60,F66
Rendition	Action Bac	F3,F40	F40	-	F60,F66
Rest Assured	Action Bac	F3,F40	F40	-	F60,F66
Rhythm	Action Bac	F3,F40	F40	-	F60,F66
Rivulet	Action Bac	F3,F40	F40	-	F60,F66
Savile Row	Action Bac	F3,F40	F40	-	F60,F66
Serene	Action Bac	F3,F40	F40	-	F60,F66
Serigraph	Action Bac	F3,F40	F40	-	F60,F66
Seurat	Action Bac	F3,F40	F40	-	F60,F66
Shangri La	Action Bac	F3,F40	F40	-	F60,F66
Sicily	Action Bac	F3,F40	F40	-	F60,F66
Silk Touch	Action Bac	F3,F40	F40	-	F60,F66
Silkscreen	Action Bac	F3,F40	F40	-	F60,F66
Sisal Weave	Action Bac	F3,F40	F40	-	F60,F66
Sisaltex	Action Bac	F3,F40	F40	-	F60,F66
Skin In The Game	Action Bac	F3,F40	F40	-	F60,F66
Skyline	Action Bac	F3,F40	F40	-	F60,F66
Softly Stated	Action Bac	F3,F40	F40	-	F60,F66
Sotheby	Action Bac	F3,F40	F40	-	F60,F66
Southport	Action Bac	F3,F40	F40	-	F60,F66
Stonehenge	Action Bac	F3,F40	F40	-	F60,F66
Stratford	Action Bac	F3,F40	F40	-	F60,F66
Streams	Action Bac	F3,F40	F40	-	F60,F66
Street Lights	Action Bac	F3,F40	F40	-	F60,F66
Style Sense	Action Bac	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MASLAND CARPETS continued...**

Swing	Action Bac	F3,F40	F40	-	F60,F66
Tangier	Action Bac	F3,F40	F40	-	F60,F66
Tansu	Action Bac	F3,F40	F40	-	F60,F66
Tattersal	Action Bac	F3,F40	F40	-	F60,F66
Telluride	Action Bac	F3,F40	F40	-	F60,F66
Terrazzo	Action Bac	F3,F40	F40	-	F60,F66
Tip-top	Action Bac	F3,F40	F40	-	F60,F66
Tisbury	Action Bac	F3,F40	F40	-	F60,F66
Top-notch	Action Bac	F3,F40	F40	-	F60,F66
Top-shelf	Action Bac	F3,F40	F40	-	F60,F66
Trafalgar	Action Bac	F3,F40	F40	-	F60,F66
Tranquil	Action Bac	F3,F40	F40	-	F60,F66
Travertine	Action Bac	F3,F40	F40	-	F60,F66
Trends	Action Bac	F3,F40	F40	-	F60,F66
Tresor	Action Bac	F3,F40	F40	-	F60,F66
Trilogy	Action Bac	F3,F40	F40	-	F60,F66
Tristan	Action Bac	F3,F40	F40	-	F60,F66
Utopia	Action Bac	F3,F40	F40	-	F60,F66
Venetian	Action Bac	F3,F40	F40	-	F60,F66
Ventana	Action Bac	F3,F40	F40	-	F60,F66
Veritas	Action Bac	F3,F40	F40	-	F60,F66
Vibe	Action Bac	F3,F40	F40	-	F60,F66
Vineyard Haven	Action Bac	F3,F40	F40	-	F60,F66
Vitality	Action Bac	F3,F40	F40	-	F60,F66
Voluta	Action Bac	F3,F40	F40	-	F60,F66
Wexford	Action Bac	F3,F40	F40	-	F60,F66
Windsor Castle	Action Bac	F3,F40	F40	-	F60,F66
Woven Road	Action Bac	F3,F40	F40	-	F60,F66
Accentua	PVC	-	F41	-	-
Alluvion	PVC	-	F41	-	-
Amplify	PVC	-	F41	-	-
Aqueous	PVC	-	F41	-	-
Arroyo	PVC	-	F41	-	-
Artesian	PVC	-	F41	-	-
Articulate	PVC	-	F41	-	-
Buck The Trend tile	PVC	-	F41	-	-
Burst	PVC	-	F41	-	-
Cha Cha	PVC	-	F41	-	-
Concourse II	PVC	-	F41	-	-
Diffuse	PVC	-	F41	-	-
Echo	PVC	-	F41	-	-
Enigma	PVC	-	F41	-	-
Estuary	PVC	-	F41	-	-
Etched Marble	PVC	-	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MASLAND CARPETS continued...**

Feedback	PVC	-	F41	-	-
First Mover tile	PVC	-	F41	-	-
Flying Embers	PVC	-	F41	-	-
Found Money tile	PVC	-	F41	-	-
Galvanize	PVC	-	F41	-	-
Game Changer tile	PVC	-	F41	-	-
Good Call tile	PVC	-	F41	-	-
Harmony	PVC	-	F41	-	-
Ibiza	PVC	-	F41	-	-
In The Money tile	PVC	-	F41	-	-
Inside Scoop	PVC	-	F41	-	-
Lava	PVC	-	F41	-	-
Lingo	PVC	-	F41	-	-
Listen	PVC	-	F41	-	-
Merge	PVC	-	F41	-	-
Mesh	PVC	-	F41	-	-
Metro Magic	PVC	-	F41	-	-
Microchip	PVC	-	F41	-	-
Motherboard	PVC	-	F41	-	-
On Track tile	PVC	-	F41	-	-
Payout tile	PVC	-	F41	-	-
Pep Talk	PVC	-	F41	-	-
Punch Card	PVC	-	F41	-	-
Quarry	PVC	-	F41	-	-
Record High tile	PVC	-	F41	-	-
Resonate	PVC	-	F41	-	-
Revamp	PVC	-	F41	-	-
Revive	PVC	-	F41	-	-
Serene	PVC	-	F41	-	-
Serigraph	PVC	-	F41	-	-
Skin in the Game tile	PVC	-	F41	-	-
Skyline	PVC	-	F41	-	-
Sound Off	PVC	-	F41	-	-
Swing	PVC	-	F41	-	-
Tip-Top tile	PVC	-	F41	-	-
Top-Notch tile	PVC	-	F41	-	-
Top-Shelf tile	PVC	-	F41	-	-
Torque	PVC	-	F41	-	-
Tranquil	PVC	-	F41	-	-
Travertine	PVC	-	F41	-	-
Vibrato	PVC	-	F41	-	-
Vitality	PVC	-	F41	-	-
Zone	PVC	-	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MATRIX FLOORING SOLUTIONS** Tel: 01772 330033 Email: sales@matrixflooring.net Web: www.matrixflooring.net Fax: 01772 330053

ADEM Rib Matting	Latex	F49,Stycco Flex	-	-	-
Brush Matting	Latex	F49,Stycco Flex	-	F73 PLUS,F74,F84	-
Ox Matting	Latex	F49,Stycco Flex	-	-	-
ADEM Rib Matting	PVC	Stycco Flex	-	-	-
Coir Matting	PVC	-	-	F74,F84	-
Coloured Coir	PVC	F49,Stycco Flex	-	-	-
Logo Matting	PVC	-	-	F73 PLUS,F74,F84	-
Natural Coir	PVC	F49,Stycco Flex	-	-	-

**MATS DIRECT LTD** Tel: 0161 7976785 Email: sales@matsdirect.co.uk Web: www.matsdirect.co.uk Fax: 0161 7976349

Concourse	Rubber	-	F41	-	-
Diamond	Rubber	-	F41	-	-
Matrix	Rubber	-	F41	-	-
Suregrip	Rubber	-	-	F73 PLUS,F84	-
Suretred Fluted	Rubber	-	-	F73 PLUS,F84	-
Suretred Ribbed	Rubber	-	-	F73 PLUS,F84	-

**MELLAU SISAL** Tel: 0207 9934032 Email: info@mellau.co.uk Web: www.mellau-teppich.com Fax: 0207 6927988

Melcarter	Latex	F3	-	-	F60,F66
Mellcombi	Latex	F3	-	-	F60,F66
Mellon	Latex	F3	-	-	F60,F66
Melstar	Latex	F3	-	-	F60,F66
Multicolor Boucle	Latex	F3	-	-	F60,F66
Multicolor Schaft	Latex	F3	-	-	F60,F66
Sisal Boucle	Latex	F3	-	-	F60,F66
Sisal Décor	Latex	F3	-	-	F60,F66
Sisal Goliplast	Latex	F3	-	-	F60,F66
Sisal Schaft	Latex	F3	-	-	F60,F66
Sisal Structura	Latex	F3	-	-	F60,F66
Sisal Superboucle	Latex	F3	-	-	F60,F66

**MERCADO LTD** Tel: 0113 3802800 Email: sales@mercado.co.uk Web: www.mercado.co.uk Fax: 0113 3802828

Commerce Tile Rib	Bitumen Felt	-	F41	-	-
Commerce Tile Velour	Bitumen Felt	-	F41	-	-
Essential Contract	Gel	F3,F40	-	-	F60,F66
Can Can Rib	Gel Back	F3,F40	-	-	F60,F66
Cosmos Rib	Gel Back	F3,F40	-	-	F60,F66
Endurance	Gel Back	F3,F40	-	-	F60,F66
Galaxy Velour	Gel Back	F3,F40	-	-	F60,F66
Jazz Velour	Gel Back	F3,F40	-	-	F60,F66
Magnum	Gel Back	F3,F40	-	-	F60,F66
Magnus	Gel Back	F3,F40	-	-	F60,F66
Commerce Entrance	Gel Rubber Foam	F3,F40	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MERCADO LTD continued...**

Commerce Gel Rib	Gel Rubber Foam	F3,F40	-	-	F60,F66
Commerce Gel Velour	Gel Rubber Foam	F3,F40	-	-	F60,F66
Dorian	Gel Rubber Foam	F3,F40	-	-	F60,F66
Office Velour	Gel Rubber Foam	F3,F40	-	-	F60,F66
Ultracord	Resin	F3,F52	-	-	F60,F66
Samson Rib	Rubber Waffle	F3,F40	-	-	F60,F66
Samson Velour	Rubber Waffle	F3,F40	-	-	F60,F66

**BARRIER MATTING COLLECTION**

Alba	Gel Back	F3,F40	-	-	F60,F66
Alpina	Gel Back	F3,F40	-	-	F60,F66
Granati	Gel Back	F3,F40	-	-	F60,F66
Veco	Gel Back	F3,F40	-	-	F60,F66

**ENTRANCE MATTING COLLECTION**

Centaur	Gel Back	F3,F40	-	-	F60,F66
Meteor Entrance	Gel Back	F3,F40	-	-	F60,F66
Novadura	Gel Back	F3,F40	-	-	F60,F66
Novanop	Gel Back	F3,F40	-	-	F60,F66
Novaweave	Gel Back	F3,F40	-	-	F60,F66

**MFLOR** Tel: 0031 571 750600 Email: n.atkins@endesign.org Web: www.mflor.com

Abstract	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Argyll Fir	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Authentic Lake	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Authentic Oak +	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Authentic Oak XL	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Authentic Plank +	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Bramber Chestnut	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Broad Leaf	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
English Oak	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Estrich Stone	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Fonteyn	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Hokido Ash	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Nuance	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parva Broadleaf	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parva Oak	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parva Oak Chevron	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parva Parquet	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parva Plus	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Parva River Oak	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Woburn Woods	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MILLIKEN FLOORCOVERING** Tel: 01942 612777 Email: [carpetenquiries@milliken.com](mailto:carpetenquiries@milliken.com) Web: [www.millikencarpeteurope.com](http://www.millikencarpeteurope.com)  
Fax: 01942 826570

#### CARPET TILES

Milliken Comfort Comfort Plus Cushion Back	Cushion Back	F3	F4I	-	F60,F66
Milliken Function Plus Hard Back	Polymer modified bitumen/ fleece backing	F3	F4I	-	F60,F66

#### LOOSELAY LVT

Milliken Flexform Sound Acoustic	Loose Lay	F46,F48 PLUS,F49,F58 PLUS	F4I	F73 PLUS	F49
Original Collection	Loose Lay	F46,F49,F58 PLUS	F4I	-	F49,F60,F66

**MILLIKEN MATS** Tel: 0800 964569 Web: [www.millikencarpet.com](http://www.millikencarpet.com) Fax: 0800 964568

OBEX Tile	Bitumen Felt	F3	F4I	-	F66
OBEX Edge Strip	PVC	Stycco Flex	-	-	-
OBEX Grid 11 or 11C	PVC	-	-	F74,F81,F84	-
OBEX Grid 16	PVC	-	-	F74,F81,F84	-
OBEX Roll	PVC	-	-	F73 PLUS,F74,F81,F84	-

**MODULYSS** Tel: 0800 09 62 702 Email: [uk@modulyss.com](mailto:uk@modulyss.com) Web: [www.modulyss.com](http://www.modulyss.com) Fax: 0032 52 80 82 03

Step	Back2Back	F3	F4I	-	F66
Alpha	Back2Back, ecoBack	F3	F4I	-	F66
Alternative 100	Back2Back, ecoBack	F3	F4I	-	F66
Cambridge	Back2Back, ecoBack	F3	F4I	-	F66
Cobbles	Back2Back, ecoBack	F3	F4I	-	F66
DSGN Absolute	Back2Back, ecoBack	F3	F4I	-	F66
DSGN Cloud	Back2Back, ecoBack	F3	F4I	-	F66
DSGN Track	Back2Back, ecoBack	F3	F4I	-	F66
DSGN Tweed	Back2Back, ecoBack	F3	F4I	-	F66
Dawn	Back2Back, ecoBack	F3	F4I	-	F66
Dusk	Back2Back, ecoBack	F3	F40,F4I	-	F66
Fashion&	Back2Back, ecoBack	F3	F4I	-	F66
First	Back2Back, ecoBack	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

#### MODULYSS continued...

First Absolute	Back2Back, ecoBack	F3	F4I	-	F66
First Blocks	Back2Back, ecoBack	F3	F4I	-	F66
First Decode	Back2Back, ecoBack	F3	F4I	-	F66
First Define	Back2Back, ecoBack	F3	F4I	-	F66
First Foward	Back2Back, ecoBack	F3	F4I	-	F66
First Lines	Back2Back, ecoBack	F3	F4I	-	F66
First Radiant	Back2Back, ecoBack	F3	F4I	-	F66
First Straightline	Back2Back, ecoBack	F3	F4I	-	F66
First Streamline	Back2Back, ecoBack	F3	F4I	-	F66
First Stripes	Back2Back, ecoBack	F3	F4I	-	F66
First Waves	Back2Back, ecoBack	F3	F4I	-	F66
Fluid&	Back2Back, ecoBack	F3	F4I	-	F66
Gleam	Back2Back, ecoBack	F3	F4I	-	F66
Haze CP	Back2Back, ecoBack	F3	F4I	-	F66
Haze LP	Back2Back, ecoBack	F3	F4I	-	F66
In-Groove	Back2Back, ecoBack	F3	F4I	-	F66
Leaf	Back2Back, ecoBack	F3	F4I	-	F66
Line-up	Back2Back, ecoBack	F3	F4I	-	F66
Millennium Nxtgen	Back2Back, ecoBack	F3	F4I	-	F66
Moss	Back2Back, ecoBack	F3	F4I	-	F66
Motion	Back2Back, ecoBack	F3	F4I	-	F66
Mxture	Back2Back, ecoBack	F3	F4I	-	F66
New Normal	Back2Back, ecoBack	F3	F4I	-	F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MODULYSS continued...**

Normal	Back2Back, ecoBack	F3	F4I	-	F66
On-Line 1	Back2Back, ecoBack	F3	F4I	-	F66
On-Line 2	Back2Back, ecoBack	F3	F4I	-	F66
Opposite	Back2Back, ecoBack	F3	F4I	-	F66
Opposite Lines	Back2Back, ecoBack	F3	F4I	-	F66
Patchwork	Back2Back, ecoBack	F3	F4I	-	F66
Pattern	Back2Back, ecoBack	F3	F4I	-	F66
Perpetual	Back2Back, ecoBack	F3	F4I	-	F66
Pixel	Back2Back, ecoBack	F3	F4I	-	F66
PureAir 100	Back2Back, ecoBack	F3	F4I	-	F66
Spark	Back2Back, ecoBack	F3	F4I	-	F66
Txture	Back2Back, ecoBack	F3	F4I	-	F66
Velvet&	Back2Back, ecoBack	F3	F4I	-	F66
Vision	Back2Back, ecoBack	F3	F4I	-	F66
Willow	Back2Back, ecoBack	F3	F4I	-	F66
Alpha	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Alternative 100	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Cambridge	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Cobbles	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
DSGN Absolute	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
DSGN Cloud	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
DSGN Track	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
DSGN Tweed	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MODULYSS continued...**

Dawn	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Dusk	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Fashion&	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Absolute	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Blocks	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Decode	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Define	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Foward	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Lines	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Radiant	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Straightline	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Streamline	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Stripes	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
First Waves	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Fluid&	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Gleam	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Haze CP	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Haze LP	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
In-Groove	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Leaf	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Line-up	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66
Millennium Nxtgen	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MODULYSS continued...**

Moss	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Motion	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Mxture	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
New Normal	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Normal	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
On-Line 1	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
On-Line 2	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Patchwork	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Pattern	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Perpetual	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Pixel	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
PureAir 100	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Spark	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Txture	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Velvet&	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Vision	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Willow	comfortBack, comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Dune	comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Meadow	comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Ploder	comfortBack <sup>eco</sup>	F3	F40,F41	-	F66
Blaze	ecoBack	F3	F41	-	F66
Dune	ecoBack	F3	F41	-	F66
Grind	ecoBack	F3	F41	-	F66
Meadow	ecoBack	F3	F41	-	F66
Ploder	ecoBack	F3	F41	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL** Tel: 01453 821800 Email: sales@marlings.co.uk Web: www.mohawkgroup.com Fax: 01453 791167**THE MOHAWK GROUP**

Biosphere	Bitumen	-	F41	-	-
Caliber	Bitumen	-	F41	-	-
Datum	Bitumen	-	F41	-	-
Headlines	Bitumen	-	F41	-	-
Mountain Plains	Bitumen	-	F41	-	-
Newsroom	Bitumen	-	F41	-	-
Sector	Bitumen	-	F41	-	-
Trail Blazer	Bitumen	-	F41	-	-

**BIGELOW MODULAR**

Carmenere	EcoFlex™	-	F41	-	-
Coordination Mod	EcoFlex™	-	F41	-	-
Montclair	EcoFlex™	-	F41	-	-
One First	EcoFlex™	-	F41	-	-
Semillon	EcoFlex™	-	F41	-	-
Stati Tuft III	EcoFlex™	-	F41	-	-
Surreal	EcoFlex™	-	F41	-	-
Trax III	EcoFlex™	-	F41	-	-
Accountable 22	Ultra Set PVC	-	F41	-	-
Adapt	Ultra Set PVC	-	F41	-	-
Artist	Ultra Set PVC	-	F41	-	-
Artist QS	Ultra Set PVC	-	F41	-	-
At First Site	Ultra Set PVC	-	F41	-	-
Botanical Origin	Ultra Set PVC	-	F41	-	-
Buzz	Ultra Set PVC	-	F41	-	-
Caliber	Ultra Set PVC	-	F41	-	-
Ceo QS	Ultra Set PVC	-	F41	-	-
Charm	Ultra Set PVC	-	F41	-	-
Chengdu	Ultra Set PVC	-	F41	-	-
City Courage	Ultra Set PVC	-	F41	-	-
Connect	Ultra Set PVC	-	F41	-	-
Coordination	Ultra Set PVC	-	F41	-	-
Cross Country	Ultra Set PVC	-	F41	-	-
Datum	Ultra Set PVC	-	F41	-	-
Delhi	Ultra Set PVC	-	F41	-	-
Doctor	Ultra Set PVC	-	F41	-	-
Doctor QS	Ultra Set PVC	-	F41	-	-
Elemental Factor	Ultra Set PVC	-	F41	-	-
Fab	Ultra Set PVC	-	F41	-	-
First One Up	Ultra Set PVC	-	F41	-	-
Florentine Curve	Ultra Set PVC	-	F41	-	-
Fluid Form	Ultra Set PVC	-	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Funtions	Ultra Set PVC	-	F4I	-	-
Glittering Skyline	Ultra Set PVC	-	F4I	-	-
Heat	Ultra Set PVC	-	F4I	-	-
Junxtions	Ultra Set PVC	-	F4I	-	-
Laughter	Ultra Set PVC	-	F4I	-	-
On The Rise	Ultra Set PVC	-	F4I	-	-
One First	Ultra Set PVC	-	F4I	-	-
Palladian Piazza	Ultra Set PVC	-	F4I	-	-
Preserve	Ultra Set PVC	-	F4I	-	-
Rapid Transit	Ultra Set PVC	-	F4I	-	-
Remix	Ultra Set PVC	-	F4I	-	-
Revive	Ultra Set PVC	-	F4I	-	-
Sector	Ultra Set PVC	-	F4I	-	-
Seoul	Ultra Set PVC	-	F4I	-	-
Smiles	Ultra Set PVC	-	F4I	-	-
Spatial	Ultra Set PVC	-	F4I	-	-
Structured Motion	Ultra Set PVC	-	F4I	-	-
Take Flight	Ultra Set PVC	-	F4I	-	-
Technicolor Beat	Ultra Set PVC	-	F4I	-	-
The Original	Ultra Set PVC	-	F4I	-	-
Thrill	Ultra Set PVC	-	F4I	-	-
Varigated Grid	Ultra Set PVC	-	F4I	-	-
X Factor	Ultra Set PVC	-	F4I	-	-

**DURKAN MODULAR**

Complex	EcoFlex™	-	F4I	-	-
Discussion	EcoFlex™	-	F4I	-	-
Hypnotizing	EcoFlex™	-	F4I	-	-
Logical	EcoFlex™	-	F4I	-	-
Look At Me	EcoFlex™	-	F4I	-	-
Palladium	EcoFlex™	-	F4I	-	-
Sunset Strip	EcoFlex™	-	F4I	-	-
Atmospheric Loop	Ultra set PVC	-	F4I	-	-
Completely Charmed	Ultra set PVC	-	F4I	-	-
Complex	Ultra set PVC	-	F4I	-	-
Coordination	Ultra set PVC	-	F4I	-	-
Electric Strings	Ultra set PVC	-	F4I	-	-
Enlightened	Ultra set PVC	-	F4I	-	-
Fascinated	Ultra set PVC	-	F4I	-	-
First Meeting	Ultra set PVC	-	F4I	-	-
Forever Envy	Ultra set PVC	-	F4I	-	-
Idle Chatter	Ultra set PVC	-	F4I	-	-
Mesmerised	Ultra set PVC	-	F4I	-	-
Monologue	Ultra set PVC	-	F4I	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Say Again	Ultra set PVC	-	F4I	-	-
Sonata Chill	Ultra set PVC	-	F4I	-	-
Sonic Cadence	Ultra set PVC	-	F4I	-	-
Modern Appeal	Ultraset PVC	-	F4I	-	-
Stop Staring	Ultraset PVC	-	F4I	-	-
Studded	Ultraset PVC	-	F4I	-	-
Symphonic Pulse	Ultraset PVC	-	F4I	-	-
Tattooed	Ultraset PVC	-	F4I	-	-
Ultimate Temptation	Ultraset PVC	-	F4I	-	-
Warped	Ultraset PVC	-	F4I	-	-

**BIGELOW BROADLOOM**

Aero	ActionBac	F3	F40	-	F60,F66
Aero QS	ActionBac	F3	F40	-	F60,F66
Artist QS	ActionBac	F3	F40	-	F60,F66
Ceo QS	ActionBac	F3	F40	-	F60,F66
Chainstitch III	ActionBac	F3	F40	-	F60,F66
Chainstitch III QS	ActionBac	F3	F40	-	F60,F66
City Step QS	ActionBac	F3	F40	-	F60,F66
Connect	ActionBac	F3	F40	-	F60,F66
Connect QS	ActionBac	F3	F40	-	F60,F66
Cross Country	ActionBac	F3	F40	-	F60,F66
Cross Country QS	ActionBac	F3	F40	-	F60,F66
Doctor QS	ActionBac	F3	F40	-	F60,F66
Fairfield II	ActionBac	F3	F40	-	F60,F66
Florentine Curve	ActionBac	F3	F40	-	F60,F66
Florentine Curve QS	ActionBac	F3	F40	-	F60,F66
Get Real II	ActionBac	F3	F40	-	F60,F66
Grant Park 24	ActionBac	F3	F40	-	F60,F66
Grant Park 26	ActionBac	F3	F40	-	F60,F66
Gridworks III	ActionBac	F3	F40	-	F60,F66
Kudos	ActionBac	F3	F40	-	F60,F66
Kudos QS	ActionBac	F3	F40	-	F60,F66
Made to Move QS	ActionBac	F3	F40	-	F60,F66
Marche'	ActionBac	F3	F40	-	F60,F66
McCormick II	ActionBac	F3	F40	-	F60,F66
Moving Ahead QS	ActionBac	F3	F40	-	F60,F66
New Basics 22	ActionBac	F3	F40	-	F60,F66
New Basics 26	ActionBac	F3	F40	-	F60,F66
New Basics 28	ActionBac	F3	F40	-	F60,F66
Newbie II	ActionBac	F3	F40	-	F60,F66
Newbie QS II	ActionBac	F3	F40	-	F60,F66
On The Rise QS	ActionBac	F3	F40	-	F60,F66
Palladian Piazza	ActionBac	F3	F40	-	F60,F66
Point Of Interest QS	ActionBac	F3	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Preview II 30	ActionBac	F3	F40	-	F60,F66
Preview II 38	ActionBac	F3	F40	-	F60,F66
Rapid Transit	ActionBac	F3	F40	-	F60,F66
Rapid Transit QS	ActionBac	F3	F40	-	F60,F66
Spectrum V 30 QS	ActionBac	F3	F40	-	F60,F66
Spectrum V 36 QS	ActionBac	F3	F40	-	F60,F66
Take Flight	ActionBac	F3	F40	-	F60,F66
Take Flight QS	ActionBac	F3	F40	-	F60,F66
Teasel Everest	ActionBac	F3	F40	-	F60,F66
Thumbs Up	ActionBac	F3	F40	-	F60,F66
Uffizi	ActionBac	F3	F40	-	F60,F66
Uffizi QS	ActionBac	F3	F40	-	F60,F66
Urban Path QS	ActionBac	F3	F40	-	F60,F66
Way Cool	ActionBac	F3	F40	-	F60,F66
Way Cool QS	ActionBac	F3	F40	-	F60,F66
Art Room	UPS	F3	F40	-	F60,F66
Bizarre	UPS	F3	F40	-	F60,F66
Camenere	UPS	F3	F40	-	F60,F66
Charm	UPS	F3	F40	-	F60,F66
Dreamlike	UPS	F3	F40	-	F60,F66
Estancia	UPS	F3	F40	-	F60,F66
Graphic Edge III	UPS	F3	F40	-	F60,F66
Gridworks III	UPS	F3	F40	-	F60,F66
Heat	UPS	F3	F40	-	F60,F66
Laughter	UPS	F3	F40	-	F60,F66
Monteca	UPS	F3	F40	-	F60,F66
Municipality	UPS	F3	F40	-	F60,F66
Pavia	UPS	F3	F40	-	F60,F66
Semillon	UPS	F3	F40	-	F60,F66
Smiles	UPS	F3	F40	-	F60,F66
Spontaneous	UPS	F3	F40	-	F60,F66
Spring Break	UPS	F3	F40	-	F60,F66
Stati Tuft III	UPS	F3	F40	-	F60,F66
Surreal Everest	UPS	F3	F40	-	F60,F66
Teasel Two	UPS	F3	F40	-	F60,F66
Thrill	UPS	F3	F40	-	F60,F66
Trax III	UPS	F3	F40	-	F60,F66
Combinations	Unitary Plus	F3	F40	-	F60,F66
Fab	Unitary Plus	F3	F40	-	F60,F66
Fab QS	Unitary Plus	F3	F40	-	F60,F66
Mod	Unitary Plus	F3	F40	-	F60,F66
Stati Tuft III Bloc	Unitary Plus	F3	F40	-	F60,F66
Surreal Everest Bloc	Unitary Plus	F3	F40	-	F60,F66
Wabi Nubby	Unitary Plus	F3	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Wabi Nubby QS	Unitary Plus	F3	F40	-	F60,F66
Wow	Unitary Plus	F3	F40	-	F60,F66
Wow QS	Unitary Plus	F3	F40	-	F60,F66
Atalaya	Woven	F3	-	-	F60,F66
Barrier Island II	Woven	F3	-	-	F60,F66
Callanga	Woven	F3	-	-	F60,F66
Innovate	Woven	F3	-	-	F60,F66
Milan Plaza	Woven	F3	-	-	F60,F66
Natural Preservation	Woven	F3	-	-	F60,F66
Prominent Distinction	Woven	F3	-	-	F60,F66
Regents Row III	Woven	F3	-	-	F60,F66
Teacher's Choice	Woven	F3	-	-	F60,F66
<b>LEES BROADLOOM</b>					
Brera	Action Back	F3	F40	-	F60,F66
A Premonition	Unibond	F3	F40	-	F60,F66
Aspire III	Unibond	F3	F40	-	F60,F66
Attribute	Unibond	F3	F40	-	F60,F66
Basare III	Unibond	F3	F40	-	F60,F66
Bello III	Unibond	F3	F40	-	F60,F66
Bottega III	Unibond	F3	F40	-	F60,F66
Breve	Unibond	F3	F40	-	F60,F66
Buildingworks	Unibond	F3	F40	-	F60,F66
Buildingworks II QS	Unibond	F3	F40	-	F60,F66
By The Book	Unibond	F3	F40	-	F60,F66
Centrered	Unibond	F3	F40	-	F60,F66
Clairvoyance	Unibond	F3	F40	-	F60,F66
ColourPath	Unibond	F3	F40	-	F60,F66
Deauville	Unibond	F3	F40	-	F60,F66
Destination	Unibond	F3	F40	-	F60,F66
Emerging Lights	Unibond	F3	F40	-	F60,F66
Faculty Classics	Unibond	F3	F40	-	F60,F66
Faculty IV QS	Unibond	F3	F40	-	F60,F66
First Step	Unibond	F3	F40	-	F60,F66
Five/Faculty V	Unibond	F3	F40	-	F60,F66
Flamestitch II QS	Unibond	F3	F40	-	F60,F66
Focus	Unibond	F3	F40	-	F60,F66
Form	Unibond	F3	F40	-	F60,F66
Groundwork	Unibond	F3	F40	-	F60,F66
Heartland	Unibond	F3	F40	-	F60,F66
Horsepower	Unibond	F3	F40	-	F60,F66
Intown	Unibond	F3	F40	-	F60,F66
Notion III	Unibond	F3	F40	-	F60,F66
Paradigm III	Unibond	F3	F40	-	F60,F66
Photofinish	Unibond	F3	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Realization	Unibond	F3	F40	-	F60,F66
Seventh Avenue	Unibond	F3	F40	-	F60,F66
Sisal Craft II	Unibond	F3	F40	-	F60,F66
Truth in Color II	Unibond	F3	F40	-	F60,F66
Wisdom	Unibond	F3	F40	-	F60,F66

**KARASTAN & DURKAN**

Beaucoup De Boucle	UPS	F3,F40	F40	-	F60,F66
Beaucoup De Boucle – Quickship	UPS	F3,F40	F40	-	F60,F66
Electric Strings	UPS	F3,F40	F40	-	F60,F66
Enlightened	UPS	F3,F40	F40	-	F60,F66
Fascinated	UPS	F3,F40	F40	-	F60,F66
Groovin Too	UPS	F3,F40	F40	-	F60,F66
Hypnotizing	UPS	F3,F40	F40	-	F60,F66
La Boucle	UPS	F3,F40	F40	-	F60,F66
Laser Cut II	UPS	F3,F40	F40	-	F60,F66
Look At Me	UPS	F3,F40	F40	-	F60,F66
Marrakesh	UPS	F3,F40	F40	-	F60,F66
Massai	UPS	F3,F40	F40	-	F60,F66
Mesmerized	UPS	F3,F40	F40	-	F60,F66
Modern Appeal	UPS	F3,F40	F40	-	F60,F66
Morocco III	UPS	F3,F40	F40	-	F60,F66
Pin Scribed II	UPS	F3,F40	F40	-	F60,F66
Pointillism	UPS	F3,F40	F40	-	F60,F66
Rave	UPS	F3,F40	F40	-	F60,F66
Sonata Chill	UPS	F3,F40	F40	-	F60,F66
Sonic Cadence	UPS	F3,F40	F40	-	F60,F66
Spin	UPS	F3,F40	F40	-	F60,F66
Stop Staring	UPS	F3,F40	F40	-	F60,F66
Studded	UPS	F3,F40	F40	-	F60,F66
Sunset Strip	UPS	F3,F40	F40	-	F60,F66
Symphonic Pulse	UPS	F3,F40	F40	-	F60,F66
Tattooed	UPS	F3,F40	F40	-	F60,F66
Belgian Weave	Woven	F3	-	-	F60,F66
Brocatelle II	Woven	F3	-	-	F60,F66
Champlain II	Woven	F3	-	-	F60,F66
Complexions	Woven	F3	-	-	F60,F66
Contours	Woven	F3	-	-	F60,F66
Cool Serenade	Woven	F3	-	-	F60,F66
Euphoric	Woven	F3	-	-	F60,F66
Fabrique	Woven	F3	-	-	F60,F66
Fifi	Woven	F3	-	-	F60,F66
Fluidity	Woven	F3	-	-	F60,F66
Fortitude II	Woven	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Harmonic Vibe	Woven	F3	-	-	F60,F66
High Panel	Woven	F3	-	-	F60,F66
Highline	Woven	F3	-	-	F60,F66
Insatiable	Woven	F3	-	-	F60,F66
Jewel Cave	Woven	F3	-	-	F60,F66
Knotted Weave	Woven	F3	-	-	F60,F66
Lake Point	Woven	F3	-	-	F60,F66
Meditations	Woven	F3	-	-	F60,F66
New York NY II	Woven	F3	-	-	F60,F66
Nouveau III	Woven	F3	-	-	F60,F66
Quillen III	Woven	F3	-	-	F60,F66
Riva	Woven	F3	-	-	F60,F66
Sisal Tec II	Woven	F3	-	-	F60,F66
Striations	Woven	F3	-	-	F60,F66
Waffle Weave	Woven	F3	-	-	F60,F66

**LEES MODULAR**

A Premonition	ICT Thermoplastic Tile	-	F41	-	-
Above Average	ICT Thermoplastic Tile	-	F41	-	-
Arrival	ICT Thermoplastic Tile	-	F41	-	-
Artlink	ICT Thermoplastic Tile	-	F41	-	-
Artstone III	ICT Thermoplastic Tile	-	F41	-	-
Aspire III	ICT Thermoplastic Tile	-	F41	-	-
Attribute	ICT Thermoplastic Tile	-	F41	-	-
Autumn Harvest	ICT Thermoplastic Tile	-	F41	-	-
Braided Stream	ICT Thermoplastic Tile	-	F41	-	-
Building Works II	ICT Thermoplastic Tile	-	F41	-	-
Buildingworks II QS	ICT Thermoplastic Tile	-	F41	-	-
By The Book	ICT Thermoplastic Tile	-	F41	-	-
Centered	ICT Thermoplastic Tile	-	F41	-	-
Character Lines	ICT Thermoplastic Tile	-	F41	-	-
City Fragments	ICT Thermoplastic Tile	-	F41	-	-





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Clairvoyance	ICT Thermoplastic Tile	-	F4I	-	-
Clear Vision	ICT Thermoplastic Tile	-	F4I	-	-
ColorBlox	ICT Thermoplastic Tile	-	F4I	-	-
Connexion	ICT Thermoplastic Tile	-	F4I	-	-
Data Overload	ICT Thermoplastic Tile	-	F4I	-	-
Deauville	ICT Thermoplastic Tile	-	F4I	-	-
Departure	ICT Thermoplastic Tile	-	F4I	-	-
DesignConnect	ICT Thermoplastic Tile	-	F4I	-	-
DesignScene	ICT Thermoplastic Tile	-	F4I	-	-
Destination	ICT Thermoplastic Tile	-	F4I	-	-
Discovery	ICT Thermoplastic Tile	-	F4I	-	-
Emerging Lights	ICT Thermoplastic Tile	-	F4I	-	-
Faculty Classics	ICT Thermoplastic Tile	-	F4I	-	-
Faculty IV	ICT Thermoplastic Tile	-	F4I	-	-
First Step	ICT Thermoplastic Tile	-	F4I	-	-
Five/Faculty V	ICT Thermoplastic Tile	-	F4I	-	-
Flamestitch II	ICT Thermoplastic Tile	-	F4I	-	-
Flamestitch II QS	ICT Thermoplastic Tile	-	F4I	-	-
Focus	ICT Thermoplastic Tile	-	F4I	-	-
Form	ICT Thermoplastic Tile	-	F4I	-	-
Get Around	ICT Thermoplastic Tile	-	F4I	-	-
Glamorous Life	IICT Thermoplastic Tile	-	F4I	-	-
Glaze	ICT Thermoplastic Tile	-	F4I	-	-
Ground Strata	ICT Thermoplastic Tile	-	F4I	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**MOHAWK INTERNATIONAL continued...**

Groundwork	ICT Thermoplastic Tile	-	F4I	-	-
Haze	ICT Thermoplastic Tile	-	F4I	-	-
Headlights	ICT Thermoplastic Tile	-	F4I	-	-
Heartland	ICT Thermoplastic Tile	-	F4I	-	-
High Marks	ICT Thermoplastic Tile	-	F4I	-	-
Horsepower	ICT Thermoplastic Tile	-	F4I	-	-
Initiative III	ICT Thermoplastic Tile	-	F4I	-	-
Intown	ICT Thermoplastic Tile	-	F4I	-	-
Istanbul	ICT Thermoplastic Tile	-	F4I	-	-
Itergrated Cuircit	ICT Thermoplastic Tile	-	F4I	-	-
It's A Sign	ICT Thermoplastic Tile	-	F4I	-	-
Jacket	ICT Thermoplastic Tile	-	F4I	-	-
Mast	ICT Thermoplastic Tile	-	F4I	-	-
MetallicGrid	ICT Thermoplastic Tile	-	F4I	-	-
Micro Stream	ICT Thermoplastic Tile	-	F4I	-	-
Modern Gaze	ICT Thermoplastic Tile	-	F4I	-	-
Monroe Harbor	ICT Thermoplastic Tile	-	F4I	-	-
Moon Trance	ICT Thermoplastic Tile	-	F4I	-	-
Notion III	ICT Thermoplastic Tile	-	F4I	-	-
On The Surface	ICT Thermoplastic Tile	-	F4I	-	-
Paradox	ICT Thermoplastic Tile	-	F4I	-	-
Parkway	ICT Thermoplastic Tile	-	F4I	-	-
Photofinish	ICT Thermoplastic Tile	-	F4I	-	-
Pix	ICT Thermoplastic Tile	-	F4I	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>MOHAWK INTERNATIONAL continued...</b>					
Positive Light	ICT Thermoplastic Tile	-	F4I	-	-
Random Path II QS	ICT Thermoplastic Tile	-	F4I	-	-
Realization	ICT Thermoplastic Tile	-	F4I	-	-
River Rush	ICT Thermoplastic Tile	-	F4I	-	-
Second Sight	ICT Thermoplastic Tile	-	F4I	-	-
Shirt	IICT Thermoplastic Tile	-	F4I	-	-
Sisal Tile II	ICT Thermoplastic Tile	-	F4I	-	-
Spring Flourish	ICT Thermoplastic Tile	-	F4I	-	-
Square Montage	ICT Thermoplastic Tile	-	F4I	-	-
Step In Style	ICT Thermoplastic Tile	-	F4I	-	-
Step Up	ICT Thermoplastic Tile	-	F4I	-	-
Sweater	ICT Thermoplastic Tile	-	F4I	-	-
Tailored Silhouette	ICT Thermoplastic Tile	-	F4I	-	-
Take Note	ICT Thermoplastic Tile	-	F4I	-	-
Texture Blocks	ICT Thermoplastic Tile	-	F4I	-	-
The Edge	ICT Thermoplastic Tile	-	F4I	-	-
The Field	ICT Thermoplastic Tile	-	F4I	-	-
The Groove	ICT Thermoplastic Tile	-	F4I	-	-
Tie	ICT Thermoplastic Tile	-	F4I	-	-
Vacant Beauty	ICT Thermoplastic Tile	-	F4I	-	-
Weave	ICT Thermoplastic Tile	-	F4I	-	-
Winter Lattice	ICT Thermoplastic Tile	-	F4I	-	-
Wisdom	ICT Thermoplastic Tile	-	F4I	-	-
Workforce	ICT Thermoplastic Tile	-	F4I	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>MOHAWK INTERNATIONAL continued...</b>					
Woven Circuit	ICT Thermoplastic Tile	-	F4I	-	-
<b>NCF</b> Tel: 01179 863177 Email: sales@baileysbristol.co.uk Web: www.baileysbristol.co.uk					
<b>TILES</b>					
Bristol	Bitumen	F3	F4I	-	F66
Carmathenshire	Bitumen	F3	F4I	-	F66
Durham	Bitumen	F3	F4I	-	F66
Monmouthshire	Bitumen	F3	F4I	-	F66
Pembrokeshire	Bitumen	F3	F4I	-	F66
Vienna	Bitumen	F3	F4I	-	F66
Waterford Plain	Bitumen	F3	F4I	-	F66
Waterford Stripe	Bitumen	F3	F4I	-	F66
<b>SHEET</b>					
Bristol Gel	Gel	F3	-	-	F60,F66
Carmathenshire	Gel	F3	-	-	F60,F66
Exmoor Rib	Gel	F3	-	-	F60,F66
Exmoor Velour	Gel	F3	-	-	F60,F66
Monmouthshire	Gel	F3	-	-	F60,F66
Pembrokeshire	Gel	F3,F52	-	-	F60,F66
Shropshire	Gel	F3	-	-	F60,F66
Hampshire	Gel *	F3,F40	-	-	F60,F66
Middlesex	Gel *	F3,F40	-	-	F60,F66
Yorkshire	Gel *	F3,F40	-	-	F60,F66
*F3 applied using a 3mm x 6mm 'V' notched trowel.					
<b>NEOBO LTD</b> Tel: 0330 1233543 Email: simon.mills@neobo.com Web: www.neobo.com					
Neobo	PVC	F44,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
<b>NEWHEY CARPETS LTD</b> Tel: 01706 846375 Email: sales@newheycarpets.co.uk Web: www.newheycarpets.co.uk Fax: 01706 842979					
<b>WOVEN AXMINSTERS CONTRACT</b>					
Custom Broadloom	Jute/Cotton/ Polyester/ Polypropylene	F3,F40	F40	-	F60,F66
Custom Narrow Loom	Jute/Cotton/ Polyester/ Polypropylene	F3,F40	F40	-	F60,F66
<b>COLORTEC+</b>					
Colortec+ Custom Specifications	Evo-Bac	F3,F40	F40	-	F60,F66
Connect Naturals Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Express2go	Evo-Bac	F3,F40	F40	-	F60,F66
Maze Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Patina Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Colortec+ Custom Felt	Felt *	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**NEWHEY CARPETS LTD continued...**

**GRAPHICS TUFTED**

GT Custom Specification	Evo-Bac	F3,F40	F40	-	F60,F66
Linen Tones Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Lines Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Lusso Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Natural Wool Collection	Evo-Bac	F3,F40	F40	-	F60,F66
Twill Stock Collection	Evo-Bac	F3,F40	F40	-	F60,F66
GT Custom Felt	Felt *	F3,F40	F40	-	F60,F66

F40\* to be applied by roller for release bond.

**NICOLINE LIMITED** Tel: 01704 822889 Email: info@nicoline.co.uk Web: www.nicoline.co.uk Fax: 01704 823229

Plain Tiles	Cork	F3	-	-	F60,F66
Sealed Tiles	Cork	F46,F60,F66	-	-	F60,F66

**NORA FLOORING SYSTEMS UK LTD** Tel: 0800 313 4456 Email: norauk@nora.com Web: www.nora.com

Noraplan Sentica Acoustic	Cork/Rubber	-	-	F73 PLUS,F74,F81,F84	F61,F66
Noraplan Signa Acoustic	Foam Rubber	F58 PLUS	-	-	F61,F66
Noraplan Stone Acoustic	Foam Rubber	F58 PLUS	-	-	F61,F66
Nora Profiles	Rubber	F61,F66	-	-	-
Noramant 825	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61,F66
Noramant 920	Rubber	F48 PLUS,F49	-	F73 PLUS,F81	F49
Noramant 922	Rubber	F49	-	-	F49
Noramant 926 Crossline	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F61,F66
Noramant 926/926 Grano	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61
Noramant 975LL	Rubber	F48 PLUS,F49,F58 PLUS	F41	F73 PLUS,F74,F81,F84	F49,F60,F61,F66
Noramant 992/992 Grano	Rubber	-	-	F73 PLUS,F74,F81	F61,F66
Noramant Stairtreads	Rubber	F61,F66	-	-	-
Noraplan Eco	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61,F66
Noraplan Sentica	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F61,F66
Noraplan Signa	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61,F66
Noraplan Stone	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61,F66
Noraplan Ultra Grip	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61,F66
Noraplan Uni	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F61,F66
Noraplan Unita	Rubber	F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F61,F66

**OBJECT CARPET** Tel: 0049 7113 402131 Email: export@object-carpet.com Web: www.object-carpet.com Fax: 0049 7113 402156

**BROADLOOM**

Accor	Action Bac	F3,F40	F40	-	F60,F66
Airport	Action Bac	F3,F40	F40	-	F60,F66
Allure	Action Bac	F3,F40	F40	-	F60,F66
Apriori	Action Bac	F3,F40	F40	-	F60,F66
Arabesque	Action Bac	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**OBJECT CARPET continued...**

Arames	Action Bac	F3,F40	F40	-	F60,F66
Arctic	Action Bac	F3,F40	F40	-	F60,F66
Area	Action Bac	F3,F40	F40	-	F60,F66
Ascot	Action Bac	F3,F40	F40	-	F60,F66
Astral	Action Bac	F3,F40	F40	-	F60,F66
Bowlloop	Action Bac	F3,F40	F40	-	F60,F66
Buttons	Action Bac	F3,F40	F40	-	F60,F66
Canyon	Action Bac	F3,F40	F40	-	F60,F66
Chicc	Action Bac	F3,F40	F40	-	F60,F66
Col. Pearl	Action Bac	F3,F40	F40	-	F60,F66
Contract	Action Bac	F3,F40	F40	-	F60,F66
Cord	Action Bac	F3,F40	F40	-	F60,F66
Corones	Action Bac	F3,F40	F40	-	F60,F66
Cotton Look	Action Bac	F3,F40	F40	-	F60,F66
Craze x Chase	Action Bac	F3,F40	F40	-	F60,F66
Crystal	Action Bac	F3,F40	F40	-	F60,F66
Deal x Feel	Action Bac	F3,F40	F40	-	F60,F66
Dune	Action Bac	F3,F40	F40	-	F60,F66
Eden Roc	Action Bac	F3,F40	F40	-	F60,F66
Field	Action Bac	F3,F40	F40	-	F60,F66
Fine	Action Bac	F3,F40	F40	-	F60,F66
Fishbone	Action Bac	F3,F40	F40	-	F60,F66
Flash	Action Bac	F3,F40	F40	-	F60,F66
Flow x Glow	Action Bac	F3,F40	F40	-	F60,F66
Forest	Action Bac	F3,F40	F40	-	F60,F66
Frizzle	Action Bac	F3,F40	F40	-	F60,F66
G.G.Grass	Action Bac	F3,F40	F40	-	F60,F66
Galaxy	Action Bac	F3,F40	F40	-	F60,F66
Glamour	Action Bac	F3,F40	F40	-	F60,F66
Glory	Action Bac	F3,F40	F40	-	F60,F66
Gold Chain	Action Bac	F3,F40	F40	-	F60,F66
Gold Loop	Action Bac	F3,F40	F40	-	F60,F66
Gracce	Action Bac	F3,F40	F40	-	F60,F66
Helix	Action Bac	F3,F40	F40	-	F60,F66
Highlow	Action Bac	F3,F40	F40	-	F60,F66
Highs x Sighs	Action Bac	F3,F40	F40	-	F60,F66
Jacquard	Action Bac	F3,F40	F40	-	F60,F66
Level	Action Bac	F3,F40	F40	-	F60,F66
Linic.V	Action Bac	F3,F40	F40	-	F60,F66
Loop	Action Bac	F3,F40	F40	-	F60,F66
Lotis	Action Bac	F3,F40	F40	-	F60,F66
Lotis Line	Action Bac	F3,F40	F40	-	F60,F66
Loxxes	Action Bac	F3,F40	F40	-	F60,F66
Madra	Action Bac	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**OBJECT CARPET *continued...***

Marc Ten	Action Bac	F3,F40	F40	-	F60,F66
Medis.V	Action Bac	F3,F40	F40	-	F60,F66
Meet x Beat	Action Bac	F3,F40	F40	-	F60,F66
Mondiale	Action Bac	F3,F40	F40	-	F60,F66
Mood	Action Bac	F3,F40	F40	-	F60,F66
Move	Action Bac	F3,F40	F40	-	F60,F66
Move x Groove	Action Bac	F3,F40	F40	-	F60,F66
Nylloop	Action Bac	F3,F40	F40	-	F60,F66
Nylrips	Action Bac	F3,F40	F40	-	F60,F66
Nyltecc	Action Bac	F3,F40	F40	-	F60,F66
Object	Action Bac	F3,F40	F40	-	F60,F66
Ocean	Action Bac	F3,F40	F40	-	F60,F66
One	Action Bac	F3,F40	F40	-	F60,F66
Peak	Action Bac	F3,F40	F40	-	F60,F66
Pearl	Action Bac	F3,F40	F40	-	F60,F66
Pescara	Action Bac	F3,F40	F40	-	F60,F66
Poodle	Action Bac	F3,F40	F40	-	F60,F66
Pulse	Action Bac	F3,F40	F40	-	F60,F66
Punto	Action Bac	F3,F40	F40	-	F60,F66
Pure	Action Bac	F3,F40	F40	-	F60,F66
Python	Action Bac	F3,F40	F40	-	F60,F66
Reef	Action Bac	F3,F40	F40	-	F60,F66
Ritz	Action Bac	F3,F40	F40	-	F60,F66
Rondo	Action Bac	F3,F40	F40	-	F60,F66
Savoy	Action Bac	F3,F40	F40	-	F60,F66
Sheen	Action Bac	F3,F40	F40	-	F60,F66
Shift	Action Bac	F3,F40	F40	-	F60,F66
Shiny	Action Bac	F3,F40	F40	-	F60,F66
Silky Velvet	Action Bac	F3,F40	F40	-	F60,F66
Silver Chain	Action Bac	F3,F40	F40	-	F60,F66
Silver Loop	Action Bac	F3,F40	F40	-	F60,F66
Skill x Chill	Action Bac	F3,F40	F40	-	F60,F66
Slim	Action Bac	F3,F40	F40	-	F60,F66
Snowstips	Action Bac	F3,F40	F40	-	F60,F66
Splash	Action Bac	F3,F40	F40	-	F60,F66
Splendido	Action Bac	F3,F40	F40	-	F60,F66
Springles	Action Bac	F3,F40	F40	-	F60,F66
Springles Eco	Action Bac	F3,F40	F40	-	F60,F66
Squadra	Action Bac	F3,F40	F40	-	F60,F66
Square.V	Action Bac	F3,F40	F40	-	F60,F66
Stella	Action Bac	F3,F40	F40	-	F60,F66
Stripes	Action Bac	F3,F40	F40	-	F60,F66
Summerfield	Action Bac	F3,F40	F40	-	F60,F66
Suvretta	Action Bac	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**OBJECT CARPET *continued...***

Teddy	Action Bac	F3,F40	F40	-	F60,F66
Tosh	Action Bac	F3,F40	F40	-	F60,F66
Tutti Frutti	Action Bac	F3,F40	F40	-	F60,F66
Tweed	Action Bac	F3,F40	F40	-	F60,F66
Twist	Action Bac	F3,F40	F40	-	F60,F66
Walk x Talk	Action Bac	F3,F40	F40	-	F60,F66
Weave	Action Bac	F3,F40	F40	-	F60,F66
X.Cut	Action Bac	F3,F40	F40	-	F60,F66
X.Loop	Action Bac	F3,F40	F40	-	F60,F66
Yacoon	Action Bac	F3,F40	F40	-	F60,F66
Casina	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
FORUM	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Geo	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Madra	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Nylloop	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Nyltecc	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Pepita	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Silky Seal	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Smoozy	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Springles Eco	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
WEB Flex	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
Xanis	Welltex® Acoustic Plus	F3,F40	F40	-	F60,F66
<b>FELT</b>					
Scor	Synthetic Felt	F3,F52	-	-	F60,F66
<b>TILES</b>					
Sl. Allure	Welltex® Acoustic	F3	F41	-	F66
Sl. Arctic	Welltex® Acoustic	F3	F41	-	F66
Sl. Area	Welltex® Acoustic	F3	F41	-	F66
Sl. Canyon	Welltex® Acoustic	F3	F41	-	F66
Sl. Col. Pearl	Welltex® Acoustic	F3	F41	-	F66
Sl. Contract	Welltex® Acoustic	F3	F41	-	F66
Sl. Cord	Welltex® Acoustic	F3	F41	-	F66
Sl. Dune	Welltex® Acoustic	F3	F41	-	F66
Sl. FORUM	Welltex® Acoustic	F3	F41	-	F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**OBJECT CARPET continued...**

Sl. Field	Welltex® Acoustic F3	F4I	-	F66
Sl. Fine	Welltex® Acoustic F3	F4I	-	F66
Sl. Fishbone	Welltex® Acoustic F3	F4I	-	F66
Sl. Forest	Welltex® Acoustic F3	F4I	-	F66
Sl. Freestile	Welltex® Acoustic F3	F4I	-	F66
Sl. Gracce	Welltex® Acoustic F3	F4I	-	F66
Sl. Madra	Welltex® Acoustic F3	F4I	-	F66
Sl. Move x Groove	Welltex® Acoustic F3	F4I	-	F66
Sl. Nyloop	Welltex® Acoustic F3	F4I	-	F66
Sl. Nyltecc	Welltex® Acoustic F3	F4I	-	F66
Sl. Nylweb	Welltex® Acoustic F3	F4I	-	F66
Sl. Ocean	Welltex® Acoustic F3	F4I	-	F66
Sl. Poodle	Welltex® Acoustic F3	F4I	-	F66
Sl. Pulse	Welltex® Acoustic F3	F4I	-	F66
Sl. Punto	Welltex® Acoustic F3	F4I	-	F66
Sl. Python	Welltex® Acoustic F3	F4I	-	F66
Sl. Reef	Welltex® Acoustic F3	F4I	-	F66
Sl. Rondo	Welltex® Acoustic F3	F4I	-	F66
Sl. Springles	Welltex® Acoustic F3	F4I	-	F66
Sl. Springles Eco	Welltex® Acoustic F3	F4I	-	F66
Sl. Stella	Welltex® Acoustic F3	F4I	-	F66
Sl. Twist	Welltex® Acoustic F3	F4I	-	F66
Sl. WEB FLEX	Welltex® Acoustic F3	F4I	-	F66
Sl. Walk x Talk	Welltex® Acoustic F3	F4I	-	F66

**ONEFLOR EUROPE** Tel: +32 56 41 06 04 Email: info@oneflor-europe.com

Ecolay 70	Loose lay	F44,F49,F58 PLUS	-	F74,F84	F49,F66
Ecolay 70 Acoustic	Loose lay	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F81,F84	F49,F60,F66
Classic 30XL	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F81,F84	F49,F60,F66
Eco 30	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F84	F49,F60,F66
Eco 55	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F84	F49,F60,F66
Eco 70	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F84	F49,F60,F66
Loom+	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F81,F84	F49,F66
AlterOne 55	PVC free	F44,F46,F48 PLUS,F49,F58 PLUS	-	-	F49,F60,F66

**OROTEX part of BFS EUROPE NV** Tel: 0032 56672211 Email: Sales.BfsEurope@bintg.com Web: www.Beaulieuflooringsolutions.com Fax: 0032 56668745

Alicante	Gel Star *	F3,F40	-	-	F60,F66
Fashion	Gel Star *	F3,F40	-	-	F60,F66
Heavy Tread	Gel Star *	F3,F40	-	-	F60,F66
Kokos	Gel Star *	F3,F40	-	-	F60,F66
Matrix	Gel Star *	F3,F40	-	-	F60,F66
Rolex	Gel Star *	F3,F40	-	-	F60,F66
Rollrib	Gel Star *	F3,F40	-	-	F60,F66
Rollstep	Gel Star *	F3,F40	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**OROTEX part of BFS EUROPE NV continued...**

Sidney	Gel Star *	F3,F40	-	-	F60,F66
--------	------------	--------	---	---	---------

\*F3 applied using a 3mm x 6mm 'V' notched trowel.

**OVATION INTERIOR FLOORING DESIGN LTD** Tel: +44 (0)7968 699160 Email: shfp@ovationflooring.com Web: www.ovationflooring.com

Canopus	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Canopus Plus	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
FAB Woven Vinyl	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F81	F49,F66
Idea Nebula	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Idea Rustic Wood	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Idea Stone & Steel	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Idea Ventura Metallic	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Idea Ventura Metallic Wood	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Idea Ventura Satin	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Idea Wood	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Luvanto FR Marine	PVC	F44,F49,F58 PLUS	-	F81	F49,F66
Oceanic Custom Design	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Galaxy	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Geo	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Hammered Aluminium	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Madera Wood	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Moda Editions Stone	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Moda Editions Wood	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Rustico	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Terra	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Oceanic Verve	PVC	F44,F46,F49,F58 PLUS	-	F81	F49,F66
Talitha	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66

**PARAGON CARPETS** Tel: 01709 763800 Email: sbailey@paragon-carpets.co.uk Web: www.paragon-carpets.co.uk / www.mat-works.co.uk

Cetus Tile	Bitumen	F3	F4I	-	F66
Codec Tile	Bitumen	F3	F4I	-	F66
Diversity Groove	Bitumen	F3	F4I	-	F66
Diversity Tile	Bitumen	F3	F4I	-	F66
Highlights	Bitumen	F3	F4I	-	F66
Inspiration Collection	Bitumen	F3	F4I	-	F66
Macaw Stripe Tile	Bitumen	F3	F4I	-	F66
Macaw Tile	Bitumen	F3	F4I	-	F66
Maestro Tile	Bitumen	F3	F4I	-	F66
Sirocco Stripe Tile	Bitumen	F3	F4I	-	F66
Sirocco Tile	Bitumen	F3	F4I	-	F66
Strobe Tile	Bitumen	F3	F4I	-	F66
Toccarre Tile	Bitumen	F3	F4I	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PARAGON CARPETS continued...**

Total Contrast	Bitumen	F3	F4I	-	F66
Vapour	Bitumen	F3	F4I	-	F66
Vital	Bitumen	F3	F4I	-	F66
Workspace Cutpile Tile	Bitumen	F3	F4I	-	F66
Workspace Entrance	Bitumen	F3	F4I	-	F66
Workspace Entrance Design	Bitumen	F3	F4I	-	F66
Workspace Linear Tile	Bitumen	F3	F4I	-	F66
Workspace Loop Tile	Bitumen	F3	F4I	-	F66
Duera 5mm	Loose Lay	F49	F4I	F73 PLUS,F74,F81,F84	F49,F66
Rapport 2.5mm	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**MAT.WORKS BY PARAGON**

MW Maxim	Bitumen	F3	F4I	-	-
MW Rib HD	Bitumen	F3	F4I	-	-
Workspace Entrance	Bitumen	F3	F4I	-	F66
Workspace Entrance Design	Bitumen	F3	F4I	-	F66
Premier	FR Foam Rubber	F3	-	F73 PLUS,F74,F81	F60,F66
MW Maxim	Fibrebonded	F3	-	F73 PLUS,F74,F81	F60,F66
MW Rib HD	Fibrebonded	F3	-	F73 PLUS,F74,F81	F60,F66
Treadloc 25	Nitrile Rubber	-	-	F73 PLUS,F74,F81,F84	-
Treadsure	Nitrile Rubber	-	-	F73 PLUS,F74,F81,F84	-
Coir	PVC	-	-	F73 PLUS,F74,F81,F84	-
Coir DDA	PVC	-	-	F73 PLUS,F74,F81,F84	-
EXT Mat	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Tyre Tile	Recycled Rubber	-	-	F73 PLUS,F74,F81	-
Entrack 50	TPE	-	-	F73 PLUS,F81	-

**PENTHOUSE CARPETS LTD** Tel: 01706 341231 Email: sales@penthousecarpets.co.uk Web: www.penthousecarpets.co.uk Fax: 01706 860577

Carlton Twist	Hessian	F3,F40	F40	-	F60,F66
Colorado 45	Hessian	F3,F40	F40	-	F60,F66
Colorado 55	Hessian	F3,F40	F40	-	F60,F66
Cumbrian 40	Hessian	F3,F40	F40	-	F60,F66
Cumbrian 50	Hessian	F3,F40	F40	-	F60,F66
Esprit Nouveau 50	Hessian	F3,F40	F40	-	F60,F66
Esprit Nouveau 60	Hessian	F3,F40	F40	-	F60,F66
Esprit Nouveau 75	Hessian	F3,F40	F40	-	F60,F66
Maxim 50	Hessian	F3,F40	F40	-	F60,F66
New Pentwist 40	Hessian	F3,F40	F40	-	F60,F66
New Pentwist 50	Hessian	F3,F40	F40	-	F60,F66
Prism 40	Hessian	F3,F40	F40	-	F60,F66
Prism 50	Hessian	F3,F40	F40	-	F60,F66
Quartz 40	Hessian	F3,F40	F40	-	F60,F66
Quartz 50	Hessian	F3,F40	F40	-	F60,F66
Seasons	Hessian	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PENTHOUSE CARPETS LTD continued...**

Shoreline 40	Hessian	F3,F40	F40	-	F60,F66
Shoreline 50	Hessian	F3,F40	F40	-	F60,F66
Springtime 40	Hessian	F3,F40	F40	-	F60,F66
Springtime 50	Hessian	F3,F40	F40	-	F60,F66
Stateside 40	Hessian	F3,F40	F40	-	F60,F66
Stateside 50	Hessian	F3,F40	F40	-	F60,F66
Super Carlton Twist	Hessian	F3,F40	F40	-	F60,F66
Super Maxim	Hessian	F3,F40	F40	-	F60,F66
Vantage 50	Hessian	F3,F40	F40	-	F60,F66
Vantage 60	Hessian	F3,F40	F40	-	F60,F66
Vermont 40	Hessian	F3,F40	F40	-	F60,F66
Vermont 50	Hessian	F3,F40	F40	-	F60,F66
Wentworth 40	Hessian	F3,F40	F40	-	F60,F66
Wentworth 50	Hessian	F3,F40	F40	-	F60,F66

**PLANNERS SERVICES & SUNDRIES LTD** Tel: 0207 6098321 Email: sales@planners.uk.net Web: www.planners.uk.net Fax: 0207 7002010

**BROADLOOM CARPETS**

Blenheim	Actionback	F3,F40	F40	-	F60,F66
Calgary	Actionback	F3,F40	F40	-	F60,F66
Gala	Actionback	F3,F40	F40	-	F60,F66
Genius	Actionback	F3,F40	F40	-	F60,F66
Hampton Bays	Actionback	F3,F40	F40	-	F60,F66
Heathers Luxury	Actionback	F3,F40	F40	-	F60,F66
Luxury Twist	Actionback	F3,F40	F40	-	F60,F66
Marathon	Actionback	F3,F40	F40	-	F60,F66
Moorland	Actionback	F3,F40	F40	-	F60,F66
Pembridge Heathers	Actionback	F3,F40	F40	-	F60,F66
Revolution Heathers	Actionback	F3,F40	F40	-	F60,F66
Saxon King	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Heritage	Actionback	F3,F40	F40	-	F60,F66
Sweet Home	Actionback	F3,F40	F40	-	F60,F66
Titchfield	Actionback	F3,F40	F40	-	F60,F66
Traffic	Actionback	F3,F40	F40	-	F60,F66
Big Hit	Felt	F3	-	-	F60,F66
Gala	Felt	F3	-	-	F60,F66
Moorland	Felt	F3	-	-	F60,F66
Noble Collection	Felt	F3	-	-	F60,F66
Superstar	Felt	F3	-	-	F60,F66
Sweet Home	Felt	F3	-	-	F60,F66
Marathon	Gel	F3	-	-	F60,F66
Scala Twist	Gel	F3	-	-	F60,F66
Trafalgar	Gel	F3	-	-	F60,F66
Victory Cord	Gel	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PLANNERS SERVICES & SUNDRIES LTD continued...**

Scala Solutions	Rubber Foam (Emb)	F3,F40	-	-	F60,F66
Gentle Touch	Twinback	F3	-	-	F60,F66

**CARPET TILES**

Americana	Bitumen	F3	F4I	-	F66
Aniseed Balls	Bitumen	F3	F4I	-	F66
Aurora	Bitumen	F3	F4I	-	F66
Candy Caine	Bitumen	F3	F4I	-	F66
Chalfont	Bitumen	F3	F4I	-	F66
Composition	Bitumen	F3	F4I	-	F66
Cotton Candy	Bitumen	F3	F4I	-	F66
Dahlia	Bitumen	F3	F4I	-	F66
Dahlia Cut Pile	Bitumen	F3	F4I	-	F66
Dahlia Stripe	Bitumen	F3	F4I	-	F66
Dimensions	Bitumen	F3	F4I	-	F66
Expression	Bitumen	F3	F4I	-	F66
Flagstone	Bitumen	F3	F4I	-	F66
Humbug	Bitumen	F3	F4I	-	F66
Insomnia	Bitumen	F3	F4I	-	F66
King Kong	Bitumen	F3	F4I	-	F66
Lagoon	Bitumen	F3	F4I	-	F66
Latitude	Bitumen	F3	F4I	-	F66
Light Speed	Bitumen	F3	F4I	-	F66
Maestro 4000	Bitumen	F3	F4I	-	F66
Meadowlines	Bitumen	F3	F4I	-	F66
Montana	Bitumen	F3	F4I	-	F66
Narcissi	Bitumen	F3	F4I	-	F66
Outset	Bitumen	F3	F4I	-	F66
Palladium	Bitumen	F3	F4I	-	F66
Percussionist	Bitumen	F3	F4I	-	F66
Prism	Bitumen	F3	F4I	-	F66
Reflections	Bitumen	F3	F4I	-	F66
Shadows	Bitumen	F3	F4I	-	F66
Skyscape	Bitumen	F3	F4I	-	F66
Starburst	Bitumen	F3	F4I	-	F66
Transmission	Bitumen	F3	F4I	-	F66

**PLASTIC EXTRUDERS LTD** Tel: 01268 571116 Email: mats@plastex.co.uk Web: www.plastexmatting.com Fax: 01268 560027

Flexi Button	PVC	-	-	F74,F84	-
Flexi Coin	PVC	-	-	F74,F81,F84	-
Flexi Dot	PVC	-	-	F81,F84	-
Frontrunner SB	PVC	F49	F4I	F73 PLUS,F74,F84	-
Frontrunner SB+	PVC	F49	F4I	F73 PLUS,F74,F84	-
Flexi Tred	PVC*	-	-	F73 PLUS,F74,F81,F84	-

Backing must be abraded and wiped before bonding.

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PLAY-RITE LTD** Tel: 01924 412488 Email: info@play-rite.co.uk Web: www.play-rite.co.uk Fax: 01924 412337

Foundation	Fibre bonded	F52	-	-	-
Match Play 2	Fibre bonded	F3	-	-	F73 PLUS,F74,F81

**POLYFLOR LIMITED** Tel: 0161 767 1912 Email: tech@polyflor.com Web: www.polyflor.com Fax: 0161 767 1100

**FLEXIBLE HOMOGENEOUS VINYL**

Polyflor 2000 PUR	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66
Polyflor Classic Mystique PUR	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66
Polyflor Palettone PUR	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66
Polyflor Pearlazzo PUR	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66
Polyflor Prestige PUR	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F74,F81	F49,F60,F66
Polyflor Standard XL	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66
Polyflor XL PU	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66

**SAFETY FLOORS**

Polysafe Wood FX Acoustix PUR	PVC Foam to EN 13845	F44,F46,F49	-	-	F73 PLUS,F74,F81,F84	F49,F66
Expona Control PUR	Vinyl to EN 13845	F46,F49	-	-	F73 PLUS,F74,F81	F49,F66
Polysafe Apex	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F60,F66
Polysafe Astral PUR	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F60,F66
Polysafe Ecomax	Vinyl to EN 13845	F44,F46,F49	-	-	F73 PLUS,F81,F84	F49,F60,F66
Polysafe Hydro	Vinyl to EN 13845	F49	-	-	F73 PLUS,F74,F84	F49,F60
Polysafe Hydro Evolve	Vinyl to EN 13845	F49	-	-	F73 PLUS,F74,F84	F49,F60
Polysafe Mosaic PUR	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F66
Polysafe Quattro PUR	Vinyl to EN 13845	F49	-	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Polysafe Standard PUR	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F60,F66
Polysafe Stone FX PUR	Vinyl to EN 13845	F44,F46,F49	-	-	F73 PLUS,F74,F81,F84	F49,F66
Polysafe Ultima	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F60,F66
Polysafe Verona PUR	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F60,F66
Polysafe Vogue Ultra PUR	Vinyl to EN 13845	F44,F45,F47,F49	-	-	F73 PLUS,F74,F84	F49,F66
Polysafe Wood FX PUR	Vinyl to EN 13845	F44,F46,F49	-	-	F73 PLUS,F74,F84	F49,F66

**HETEROGENEOUS**

Polyflor Acoustix Forest FX PUR	PVC Foam to EN 651	F44,F46,F49	-	-	F73 PLUS,F74,F81,F84	F49,F66
Polyflor Silentflor PUR	PVC Foam to EN 651	F44,F46,F49	-	-	F73 PLUS,F74,F81,F84	F49,F66
Polyflor Secura PUR	PVC Foam to EN 653/ ISO 26986	F44,F46,F49	-	-	F73 PLUS,F74,F81,F84	F49,F66
Polyflor Designatex PUR	Polyester Felt	-	F4I	-	-	-
Polyflor Forest FX PUR	Vinyl to EN 649/ ISO 10582	F44,F46,F49	-	-	F73 PLUS,F74,F81,F84	F49,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**POLYFLOR LIMITED continued...**

Polyflor Expona Flow PUR	Vinyl to EN 653/ IOS 10582	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F66
Polyflor Bloc PUR	Vinyl to EN649/ ISO10582	F46,F49	-	-	F49,F66

**LUXURY VINYL TILES**

Expona Simplay PUR	Loose Lay	F49	F41	-	-
Wovon	Textile to EN 1307	F44,F49	F41	F74,F81,F84	F49
Affinity 255 PUR	Vinyl to EN 649/ ISO 10582	F46,F49	-	F73 PLUS,F74,F81	F49,F60,F66
Camaro PUR	Vinyl to EN 649/ ISO 10582	F46,F49	-	F73 PLUS,F74,F81	F49,F60,F66
Colonia PUR	Vinyl to EN 649/ ISO 10582	F46,F49	-	F73 PLUS,F74,F81	F49,F60,F66
Expona Bevel Line PUR	Vinyl to EN 649/ ISO 10582	F46,F49	-	F73 PLUS,F74,F81	F49,F60,F66
Expona Commercial PUR	Vinyl to EN 649/ ISO 10582	F46,F49	-	F73 PLUS,F74,F81	F49,F60,F66
Expona Design PUR	Vinyl to EN 649/ ISO 10582	F46,F49	-	F73 PLUS,F74,F81	F49,F60,F66

**SPORT**

Polyflor Sport 67	Foam Backed Sports Vinyl to EN 14904	F44,F46,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
-------------------	--------------------------------------	-------------	---	----------------------	-------------

**SEMI FLEXIBLE TILES**

Polyflex Plus PU	Vinyl to EN 649 ISO 10581	F44,F46,F49	-	F73 PLUS,F81	F49,F60
------------------	---------------------------	-------------	---	--------------	---------

**STATIC CONTROL VINYLs**

Polyflor EC	Vinyl to EN 649/ ISO 10581	F57	-	-	F49,F66
Polyflor Finesse SD	Vinyl to EN 649/ ISO 10581	F57	-	-	F49,F60,F66
Polyflor OHMega EC	Vinyl to EN 649/ ISO 10581	F57	-	-	F49,F66
Polyflor SD	Vinyl to EN 649/ ISO 10581	F57	-	-	F49,F60
Polyflor Palettone SD	Vinyl to EN649/ ISO 10581	F57	-	-	F49,F60,F66

**RUBBER FLOORING**

Saarfloor Noppe Stud Tile	Rubber to EN 12199	F48 PLUS	-	F73 PLUS,F74,F81,F84	F60,F61,F66
---------------------------	--------------------	----------	---	----------------------	-------------

**ACCESSORIES**

Polyflor Ejecta	PVC	-	-	-	F49,F60,F66
Acoustifoam	PVC Foam	F44,F46,F47	-	-	-

**VOYAGER**

Voyager Polysafe Stud Tile	Synthetic Rubber	F44	-	F81	-
----------------------------	------------------	-----	---	-----	---

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**POLYFLOR LIMITED continued...**

Voyager Marinesafe	Vinyl to EN 13845	F44	-	F81	-
Voyager Transafe PUR	Vinyl to EN 13845	F44,F45,F47	-	F74,F84	-
Voyager PU	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	F81	F49,F66
Voyager PUR	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	F81	F49,F66
Voyager XL	Vinyl to EN 649/ ISO 10581	F44,F46,F49	-	F81	F49,F66
Voyager Maritime	Vinyl to EN649/ ISO10582	F46,F49	-	-	F49

**POLYMAX LTD** Tel: 01420 474123 Email: sales@polymax.co.uk Web: www.polymax.co.uk Fax: 01420 487816

Protek	NR/SBR Rubber	-	-	-	F60
Chek	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Circa	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Diamex	Rubber	-	-	-	F60
Eco	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Fina	Rubber	-	-	-	F60
Galaxy	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Pyramic	Rubber	-	-	-	F60

**PROJECT FLOORS (UK) LTD** Tel: 0116 2165192 Email: info@projectfloors.co.uk Web: www.projectfloors.co.uk Fax: 0845 0584648

Chevron Collection	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Herringbone Collection	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Random Tile Collection	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Timber Collection	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
floors@home 20	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
floors@home 30	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
floors@home 40	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
floors@work 55	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
floors@work 80	PVC	F44,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66

**PROVINCIAL FLOORCOVERINGS LTD** Tel: (0)61 227100 Email: sales@pfl.ie Web: www.pfl.ie Fax: (0)61 227000

**PFL SIGNATURE CARPET RANGES**

Boulevard	Action Bac	F3	F40	-	F60,F66
Boulevard Tweed	Action Bac	F3	F40	-	F60,F66
Eclipse	Action Bac	F3	F40	-	F60,F66
Fantasy	Action Bac	F3	F40	-	F60,F66
Imperial	Action Bac	F3	F40	-	F60,F66
Marriott & Kimpinski	Action Bac	F3	F40	-	F60,F66
Ritz	Action Bac	F3	F40	-	F60,F66
Tender Touch	Action Bac	F3	F40	-	F60,F66
Velvet Deluxe	Action Bac	F3	F40	-	F60,F66
Nevada	Feltback	F3,F40	F40	-	F60,F66
Unique	Feltback	F3,F40	F40	-	F60,F66
Object Rib	Gel	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PROVINCIAL FLOORCOVERINGS LTD continued...**

Contessa	Woven	F3	-	-	F60,F66
Frienze Chateau	Woven	F3	-	-	F60,F66
Frienze Graphic Stripe	Woven	F3	-	-	F60,F66
Frienze Grids	Woven	F3	-	-	F60,F66
Frienze Highlands	Woven	F3	-	-	F60,F66
Frienze Marrakesh	Woven	F3	-	-	F60,F66
Frienze Mosaic	Woven	F3	-	-	F60,F66
Frienze Saxon	Woven	F3	-	-	F60,F66
Frienze Wave	Woven	F3	-	-	F60,F66
Apollo Elite	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Apollo Plus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Gemini	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Home Counties Plain	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
New Oaklands	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Grande	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Natural	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Ultra	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Original	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Twist	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Soft Focus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Soft Focus Heathers	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66

**PFL SIGNATURE CARPET TILE RANGES**

Concord	Bitumen	F3	F41	-	F66
Concord Stripe	Bitumen	F3	F41	-	F66
Space & Matrix	Bitumen	F3	F41	-	F66
Acoustix Linear	Comfort back/felt	F3,F44,F58 PLUS	F40,F41	-	F60,F66
Acoustix Original	Comfort back/felt	F3,F44,F58 PLUS	F40,F41	-	F60,F66

**PFL SIGNATURE LVT RANGES**

Puzzle 70 Interlocking Loose Lay Tiles	PVC	F44,F46	F41	-	-
Aura	PVC LVT	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Fusion	PVC LVT	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PROVINCIAL FLOORCOVERINGS LTD continued...**
**PFL SIGNATURE ARTIFICIAL GRASS RANGES**

Alizee	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Asco	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Bloom	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Blossom	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Daisy	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Golf	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Indra	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Kiano	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Moss	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Protect	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Rainbow	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Sade	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Soft Walk Doonbeg	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Soft Walk Lahinch	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Velvet	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-
Vesta	UV Resistant PP Cloth & Non Woven Fabric	F3	-	F73 PLUS,F74,F81,F84	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**PROVINCIAL FLOORCOVERINGS LTD continued...**

**PFL SIGNATURE VINYL RANGES**

Goliath	PVC Foam	F44,F46,F58 PLUS	-	-	-
Gripstar	Textile Back	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Texstar	Textile Back	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Deco-Tex	Textile Back/felt	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Xtra-Tex	Textile Back/felt	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Xtra-Tex Noble	Textile Back/felt	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Premier Contract	Vinyl PVC Back	F45,F46,F58 PLUS	-	-	-

**PFL SIGNATURE MATTING RANGES**

Alba	PVC	F45	F41	F74,F81	-
Alpina	PVC	F45	F41	F74,F81	-
Matt Rib	Waffle/rubber	F3	-	F74,F81	F60,F66

**FLOORWISE UNDERLAYS**

Champion	Crumb rubber	F3	F40	-	-
Durafit 500	Crumb rubber	F3	F40	-	-
Durafit 650	Crumb rubber	F3	F40	-	-
Vigor	Crumb rubber	F3	F40	-	-

**SOUNDSENSE**

G4 Fusion 2mm	Agglomerated Cork & recycled rubber	F3,F44,F49	-	-	F49,F60,F66
Acousticork SS 3.0	Cork/Rubber	F44,F45	-	F73 PLUS,F74,F81,F84	-
Acousticork SS 4.5	Cork/Rubber	F44,F45	-	F73 PLUS,F74,F81,F84	-
Acousticork SS 6.0	Cork/Rubber	F44,F45	-	F73 PLUS,F74,F81,F84	-
Acousticork SS LVT 1.6	EVA/Cork	F3,F44	-	F73 PLUS,F74,F81,F84	-

**QUANTUM FLOORING SOLUTIONS** Tel: 0161 6274222 Email: sales@quantumflooring.co.uk Web: www.quantumflooring.co.uk Fax: 0161 6274333

Angles UTA (Stair Edging Trims)	Aluminium	Stycco Flex	-	-	F60,F66
H-Range (Heavy Duty Nosings)	Aluminium	F61,Stycco Flex	-	-	-
Q-Range (Stair Nosings)	Aluminium	F61,Stycco Flex	-	-	-
S-Range (Slenderline Nosings)	Aluminium	F61,Stycco Flex	-	-	-
Transition Profiles (QLVT)	Aluminium	F61,Stycco Flex	-	-	-
Z-Range (Stair Nosings)	Aluminium	F61,Stycco Flex	-	-	-
Floormitres (external, internal)	PVC	F49,F66	-	-	F49,F66
PVC Skirtings	PVC	-	-	-	F49,F60,F66
PVC Trims	PVC	-	-	-	F49,F60,F66
Transition Profiles	PVC	F49,F60,F66	-	-	-
Angles UTP (Stair Edging Trims)	PVC-u	Stycco Flex	-	-	F60,F66
H-Range (Heavy Duty Nosings)	PVC-u	F61,Stycco Flex	-	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**QUANTUM FLOORING SOLUTIONS continued...**

Q-Range (Stair Nosings)	PVC-u	F61,Stycco Flex	-	-	-
S-Range (Slenderline Nosings)	PVC-u	F61,Stycco Flex	-	-	-
Transition Profiles (dementia friendly)	PVC-u	F61,Stycco Flex	-	-	-
Tactile	Rubber *	F74,F81,F84	-	-	-

**RAWSON CARPETS LTD** Tel: 01924 382860 Email: rcsales@werawson.co.uk Web: www.rawsoncarpets.co.uk Fax: 01924 366204

Champion Tile	Bitumen/Felt	F3	F41	-	F66
Countryside Tile	Bitumen/Felt	F3	F41	-	F66
Dominator Plus Tile	Bitumen/Felt	F3	F41	-	F66
Eden Tile	Bitumen/Felt	F3	F41	-	F66
Eurocord Tile	Bitumen/Felt	F3	F41	-	F66
Fanfare Tile	Bitumen/Felt	F3	F41	-	F66
Felkirk Tile	Bitumen/Felt	F3	F41	-	F66
Freeway Tile	Bitumen/Felt	F3	F41	-	F66
Jazz Cut Pile Tile	Bitumen/Felt	F3	F41	-	F66
Jazz Loop Tile	Bitumen/Felt	F3	F41	-	F66
Microloop Tile	Bitumen/Felt	F3	F41	-	F66
Riven Tile	Bitumen/Felt	F3	F41	-	F66
Signal Tile	Bitumen/Felt	F3	F41	-	F66
Spikemaster Tile	Bitumen/Felt	F3	F41	-	F66
Champion	Fibre Bonded	F3,F52	-	-	F60,F66
Denby	Fibre Bonded	F3,F52	-	-	F60,F66
Eurocord	Fibre Bonded	F3,F52	-	-	F60,F66
Felkirk Sheet	Fibre Bonded	F3,F52	-	-	F60,F66
Freeway	Fibre Bonded	F3,F52	-	-	F60,F66
Patio	Fibre Bonded	F3,F52	-	F73 PLUS,F74,F81	F60,F66
Dominator Plus	Rubber Waffle	F3	-	-	F60
Hercules	Rubber Waffle	F3	-	-	F60,F66
Trackmaster	Rubber Waffle	F3	-	-	F60,F66

**REAL part of BFS EUROPE NV** Tel: 0032 56 672211 Email: Sales.BfsEurope@bintg.com Web: www.beaulieu-needlefelt.com Fax: 0032 56 668745

Bedford	Bitumen	F3	F41	-	F66
Can Can	Bitumen	-	F41	-	-
Hong Kong	Bitumen	F3	F41	-	F66
Jazz	Bitumen	F3	F41	-	F66
Parade	Bitumen	F3	F41	-	F66
Primavera	Bitumen	F3	F41	-	F66
Atlas	Gel	F3	-	-	F60,F66
Bali	Gel	F3	-	-	F60,F66
Bedford	Gel	F3	-	-	F60,F66
Can Can	Gel	F3	-	-	F60,F66
Canterbury	Gel	F3	-	-	F60,F66
Chevy	Gel	F3	-	-	F60,F66





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**REAL part of BFS EUROPE NV continued...**

Entry	Gel	F3	-	-	F60,F66
Hong Kong	Gel	F3	-	-	F60,F66
Java	Gel	F3	-	-	F60,F66
Jazz	Gel	F3	-	-	F60,F66
Lombok	Gel	F3	-	-	F60,F66
Magnum	Gel	F3	-	-	F60,F66
Magnus	Gel	F3	-	-	F60,F66
Memphis	Gel	F3	-	-	F60,F66
Primavera	Gel	F3	-	-	F60,F66
Quantum	Gel	F3	-	-	F60,F66
York	Gel	F3	-	-	F60,F66
Bounty	RealBack (Felt)	F3	-	-	F60,F66
Primavera	Resine	F3,F52	-	-	F60,F66
Ultracord	SBR Resine	F3,F52	-	-	F60,F66

**REMP MOLDING TECHNOLOGY S.R.I** Tel: +39 0546 81721 Email: paolo.granuzzo@rempmolding.it Web: www.rempubberflooring.com

Dotfloor S	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Duofloor	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Easyway Dotfloor AP	Rubber	F58 PLUS	F41	F73 PLUS,F74,F81,F84	F60
Iceway	Rubber	-	-	F73 PLUS,F74,F81,F84	-
Planway Dotfloor N	Rubber	-	-	F73 PLUS,F74,F81,F84	F60,F66
Planway MR/UR	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Sabbia	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Studway Ardesia	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Studway TB-BK	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Studway TM-BK	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Suber	Rubber	-	-	F73 PLUS,F74,F81,F84	F60
Unifloor	Rubber	-	-	F73 PLUS,F74,F81,F84	F60

**RINOS** Tel: +31 38 385 35 00 Email: customerservice@rinos.com Fax: +31 38 385 64 35

Connection	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Dimensions	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Duratap	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Gibson	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Grafic	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Hudson	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Moss	PVC	F45,F49	-	F73 PLUS,F74,F81,F84	-
Nubia	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Panthera	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Prisma	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Promotap	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Rinotap	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Sahara	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Sahara Wave	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Stelvio	PVC	F45,F49	-	F73 PLUS,F74,F81,F84	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**RINOS continued...**

Symphony2	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Victoria	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Volante	PVC	F45,F49	-	F73 PLUS,F81,F84	-
Connection	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Dimensions	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Gibson	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Grafic	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Hudson	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Moss	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Nubia	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Panthera	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Prisma	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Sahara	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Sahara Wave	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Stelvio	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Symphony2	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Victoria	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-
Volante	Pura Backing	-	-	F73 PLUS,F74,F81,F84	-

**ROPPE RUBBER** Tel: 01325 369800 Email: florprotec@hotmail.com Fax: 01325 369801

See entry for FLORPROTEC

**ROYAL THAI UK LTD** Tel: 07968 091231 Email: richardrowley@royalthai.com Web: www.royalthai.com

Royal Thai Contract Wool Tile	Ecosoft Cushion Back	F3	F41	-	F60,F66
Hand Tufted	Tufted	F3	F40	-	F60,F66
Machine Tufted	Tufted	F3	F40	-	F60,F66
7 Row Axminster	Woven	F3,F40	F40	-	F60,F66
8 Row Axminster	Woven	F3,F40	F40	-	F60,F66
9 Row Axminster	Woven	F3,F40	F40	-	F60,F66
10 Row Axminster	Woven	F3,F40	F40	-	F60,F66
11 Row Axminster	Woven	F3,F40	F40	-	F60,F66
12 Row Axminster	Woven	F3,F40	F40	-	F60,F66

**RUCKSTUHL UK** Tel: 07860371477 Email: ruckstuhl-gb@ruckstuhl.com Web: www.ruckstuhl.com

Calicut	Actionback	F3	-	-	F60,F66
Flatwool Stripe	Actionback	F3	-	-	F60,F66
Flow	Actionback	F3	-	-	F60,F66
Herringbone Small	Actionback	F3	-	-	F60,F66
Jaipolino	Actionback	F3	-	-	F60,F66
Jaipur	Actionback	F3	-	-	F60,F66
Martinique	Actionback	F3	-	-	F60,F66
Rep	Actionback	F3	-	-	F60,F66
Rollerwool	Actionback	F3,F40	F40	-	F60,F66
Soho	Actionback	F3,F40	F40	-	F60,F66
Trap	Actionback	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**RUCKSTUHL UK continued...**

Feltro	Felt	F3,F44,F58 PLUS	-	-	-
Natweave	PVC	F45,F48 PLUS	-	F73 PLUS,F74,F81,F84	F66

**RUSSELL PLASTICS** Tel: 01582 762868 Email: [ian@russellplastics.co.uk](mailto:ian@russellplastics.co.uk) Web: [www.russellplastics.co.uk](http://www.russellplastics.co.uk)

Rusplas Flexible PVC Flooring Profiles	PVC	F61	-	-	-
--	-----	-----	---	---	---

**SAFETY TREAD** Tel: 01202 625596 Email: [sales@safety-tread.co.uk](mailto:sales@safety-tread.co.uk) Web: [www.safety-tread.co.uk](http://www.safety-tread.co.uk) Fax: 01202 625597

Allite	Aluminium	Stycco Flex	-	F73 PLUS,F81	-
Definer	Aluminium	Stycco Flex	-	F73 PLUS,F81	-
Altread	uPVC	Stycco Flex	-	F73 PLUS,F81	-
Allite	uPVC *	Stycco Flex	-	F73 PLUS,F81	-

\* Requires abrasion prior to bonding.

**SHAW CONTRACT GROUP** Tel: +44 (0) 207 442 5755 Email: [www.shawcontract.com/en-gb/ContactUs](http://www.shawcontract.com/en-gb/ContactUs) Web: [www.shawcontract.com/en-gb](http://www.shawcontract.com/en-gb)**TILES**

Carpet Tiles	ComfortWorx	-	F40,F41	-	-
Concrete & Composed	Cork	F49,B95	-	-	F49
Stratum 700	Cork	F3,F49,B95	-	-	F49
Stratum Eiris	Cork	F3,F49,B95	-	-	F49
Carpet Tiles	Ecologix	F3	F41	-	F60,F66
Carpet Tiles	Ecoworx (Polyolefin)	F3	F41	-	F66
Carpet Tiles	TaskWorx (Bitumen)	F3	F41	-	F66

**BROADLOOM**

Ecoworx Performance	Polyolefin	F3,F40	F40	-	F60,F66
Ultraloc MPC Custom Backed	Polyurethane Foam *	F3,F40	F40	-	F60,F66
Fiber EBL	Secondary	F3,F40	F40	-	F60,F66
Ultraloc	Secondary	F3,F40	F40	-	F60,F66

**LVT**

Grain & Pigment	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F84	F49,F60,F66
Painted Timber	PVC	F46,F48 PLUS,F49,F58 PLUS	F41	F74,F81,F84	F49,F66
Rethink	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F84	F49,F66
Solitude	PVC	F46,F48 PLUS,F49,F58 PLUS	-	F74,F81,F84	F49,F66
Strand	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F74,F84	F49,F60,F66
Unite – Heavy Commercial LVT	PVC (Loose lay)	F44,F46,F48 PLUS,F49,F58 PLUS	F41	F73 PLUS,F74,F81,F84	F49,F66

F40\* to be applied by roller for release bond.

**SOFTLAY** Tel: 01245 929122 Email: [info@softlay.co.uk](mailto:info@softlay.co.uk) Web: [www.softlay.co.uk](http://www.softlay.co.uk)

Softlay Fleece	PU Foam/ Glass Fibre Scrim *	F3,F44,F46,F49,F58 PLUS	-	-	-
----------------	---------------------------------	-------------------------	---	---	---

Not all floor coverings are suitable for installation on as underlay system. Please consult the floor covering manufacturer before proceeding.

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**SOYANG EUROPE** Tel: +44 (0) 161 765 3400 Email: [sales@soyang.co.uk](mailto:sales@soyang.co.uk) Web: [www.soyang.co.uk](http://www.soyang.co.uk)

Bild Print	PVC *	F46,F47,F49,F58 PLUS	-	-	F49
------------	-------	----------------------	---	---	-----

Roller application will reduce the potential for trowel lines showing through the flooring.

**STS FLOORING DISTRIBUTORS LTD** Tel: 0345 899 1000 Email: [sales@stsflooring.co.uk](mailto:sales@stsflooring.co.uk) Web: [www.stsflooring.co.uk](http://www.stsflooring.co.uk) Fax: 01689 870457**STS CARPET RANGES**

Captivation	Action Bac	F3	-	-	F60,F66
Dublin Twist	Action Bac	F3	-	-	F60,F66
Enchantment	Action Bac	F3	-	-	F60,F66
Eternity Deluxe/Supreme	Action Bac	F3	-	-	F60,F66
Gala Action Back	Action Bac	F3	-	-	F60,F66
Inglewood Saxony	Action Bac	F3	-	-	F60,F66
Seduction Supreme/Elite	Action Bac	F3	-	-	F60,F66
Soft Accent	Action Bac	F3	-	-	F60,F66
Soft Accent Dreams	Action Bac	F3	-	-	F60,F66
Gala Felt Back	Felt *	F3,F40	F40	-	F60,F66
Scala IB	Rubber Foam (Emb.)	F3,F40	-	-	F60,F66
Santino Royale	Twinback	F3,F40	F40	-	F60,F66
Santino Royce	Twinback	F3,F40	F40	-	F60,F66
Soft Flair	Twinback	F3,F40	F40	-	F60,F66
Abbey Supreme/Elite/Delux	Woven Scrim	F3,F40	F40	-	F60,F66
Aston Heathers	Woven Scrim	F3,F40	F40	-	F60,F66
Aston Twist	Woven Scrim	F3,F40	F40	-	F60,F66
Beaulieu 40/50/60	Woven Scrim	F3,F40	F40	-	F60,F66
Gemini	Woven Scrim	F3,F40	F40	-	F60,F66
Plain Contract Velvet	Woven Scrim	F3,F40	F40	-	F60,F66
Primo Grande	Woven Scrim	F3,F40	F40	-	F60,F66
Primo Naturals	Woven Scrim	F3,F40	F40	-	F60,F66
Southwold	Woven Scrim	F3,F40	F40	-	F60,F66
Valley Classic Twist	Woven Scrim	F3,F40	F40	-	F60,F66
Apollo Elite	Woven Synthetic	F3,F40	F40	-	F60,F66
Apollo Plus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Boucle Neutrals	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Home Counties Heathers	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Home Counties Plain	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Impressions Highlights	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Malabar Two Fold	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Natural Berber Twist	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**STS FLOORING DISTRIBUTORS LTD continued...**

Primo Choice	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Plus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Primo Ultra	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Ravensbury Twist	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Heather	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensation Twist	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Sensations	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Soft Focus	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Temptation	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Tranquility Twist	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66
Woodland Heathers	Woven Synthetic Secondary	F3,F40	F40	-	F60,F66

**STS CARPET TILE RANGES**

Beckenham	Bitumen	F3	F41	-	F66
Central Point	Bitumen	F3	F41	-	F66
Cheltenham Cut Pile	Bitumen	F3	F41	-	F66
Cheltenham Loop Pile	Bitumen	F3	F41	-	F66
Creative spark	Bitumen	F3	F41	-	F66
Croydon	Bitumen	F3	F41	-	F66
Croydon Impact	Bitumen	F3	F41	-	F66
DVS	Bitumen	F3	F41	-	F66
Expansion Point	Bitumen	F3	F41	-	F66
Heuga 727	Bitumen	F3	F41	-	F66
Latour	Bitumen	F3	F41	-	F66
NV	Bitumen	F3	F41	-	F66
New Croydon	Bitumen	F3	F41	-	F66
XLNC	Bitumen	F3	F41	-	F66

**STS LUXURY VINYL TILES**

Elegance Aura LVT	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Elegance Royale	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Fusion LVT	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

F40\* to be applied by roller for release bond.

**TAPIBEL NV.** Tel: 01623 481221 Email: tapibeluk@tiscali.co.uk Web: www.incati.be Fax: 01623 481220

**TUFTED RANGES**

Accent	Actionback	F3	-	-	F60,F66
--------	------------	----	---	---	---------



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TAPIBEL NV. continued...**

Altum Velvet	Actionback	F3	-	-	F60,F66
Atlantic	Actionback	F3	-	-	F60,F66
Atlas	Actionback	F3	-	-	F60,F66
Basalt	Actionback	F3	-	-	F60,F66
Brussels	Actionback	F3	-	-	F60,F66
Casa	Actionback	F3	-	-	F60,F66
Chroma	Actionback	F3	-	-	F60,F66
Cobalt	Actionback	F3	-	-	F60,F66
Cobalt Lines	Actionback	F3	-	-	F60,F66
Diplomat	Actionback	F3	-	-	F60,F66
Gala	Actionback	F3	-	-	F60,F66
Golf	Actionback	F3	-	-	F60,F66
Granite	Actionback	F3	-	-	F60,F66
Hotel Collection	Actionback	F3	-	-	F60,F66
Jeden	Actionback	F3	-	-	F60,F66
Linea	Actionback	F3	-	-	F60,F66
Linnox	Actionback	F3	-	-	F60,F66
Lisbon	Actionback	F3	-	-	F60,F66
Manor	Actionback	F3	-	-	F60,F66
Metal-X	Actionback	F3	-	-	F60,F66
Metropolis	Actionback	F3	-	-	F60,F66
Milano	Actionback	F3	-	-	F60,F66
Myrage	Actionback	F3	-	-	F60,F66
Myriad	Actionback	F3	-	-	F60,F66
New Melody	Actionback	F3	-	-	F60,F66
Opal	Actionback	F3	-	-	F60,F66
Pacific	Actionback	F3	-	-	F60,F66
President E	Actionback	F3	-	-	F60,F66
Saphir	Actionback	F3	-	-	F60,F66
Stadium	Actionback	F3	-	-	F60,F66
Stardust	Actionback	F3	-	-	F60,F66
Techno	Actionback	F3	-	-	F60,F66
Touchstones	Actionback	F3	-	-	F60,F66
Tunis	Actionback	F3	-	-	F60,F66
Wool Design	Actionback	F3	-	-	F60,F66
Woolmatch	Actionback	F3	-	-	F60,F66
Zamba	Actionback	F3	-	-	F60,F66
Chroma	Feltback	F3	-	-	F60,F66
Hotel Collection	Feltback	F3	-	-	F60,F66
Metropolis	Feltback	F3	-	-	F60,F66
Gala	Impervious Gel	F3	-	-	F60,F66
Metropolis	Impervious Gel	F3	-	-	F60,F66
New Melody	Impervious Gel	F3	-	-	F60,F66
Techno	Impervious Gel	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TAPIBEL NV. continued...**

Touchtones	Impervious Gel	F3	-	-	F60,F66
Cairns	Jute	F3	-	-	F60,F66
Castellano	Jute	F3	-	-	F60,F66
Hobart	Jute	F3	-	-	F60,F66
Irish Weave	Jute	F3	-	-	F60,F66
Perth	Jute	F3	-	-	F60,F66
Reed	Jute	F3	-	-	F60,F66
Verona	Jute	F3	-	-	F60,F66

**NEEDLEPUNCH RANGES**

Bonanza	Actionback	F3	-	-	F60,F66
Superrib	Gel	F3	-	-	F60,F66
Tri-line	Gel	F3	-	-	F60,F66
Alpha	Latex	F3	-	-	F60,F66
Ascot	Latex	F3	-	-	F60,F66
Cobble	Latex	F3	-	-	F60,F66
Delta	Latex	F3	-	-	F60,F66
Flair	Latex	F3	-	-	F60,F66
Fortress	Latex	F3	-	-	F60,F66
Forum	Latex	F3	-	-	F60,F66
Gamma	Latex	F3	-	-	F60,F66
Gamma Plus	Latex	F3	-	-	F60,F66
Istra	Latex	F3	-	-	F60,F66
Kos	Latex	F3	-	-	F60,F66
Nataly	Latex	F3	-	-	F60,F66
Omega	Latex	F3	-	-	F60,F66
Spirit	Latex	F3	-	-	F60,F66
Artis	Precoat	F3	-	-	F60,F66
Bonanza	Precoat	F3	-	-	F60,F66
Delta	Precoat	F3	-	-	F60,F66
Flair	Precoat	F3	-	-	F60,F66
Kos	Precoat	F3	-	-	F60,F66
Secura	Precoat	F3	-	-	F60,F66
Spirit	Precoat	F3	-	-	F60,F66

**TILE RANGES**

Accent	Bitumen + PP Fleece	F3	F41	-	-
Altum Velvet	Bitumen + PP Fleece	F3	F41	-	-
Atlantic	Bitumen + PP Fleece	F3	F41	-	-
Atlas	Bitumen + PP Fleece	F3	F41	-	-
Balsalt	Bitumen + PP Fleece	F3	F41	-	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TAPIBEL NV. continued...**

Classic	Bitumen + PP Fleece	F3	F41	-	-
Cobalt	Bitumen + PP Fleece	F3	F41	-	-
Cobalt Lines	Bitumen + PP Fleece	F3	F41	-	-
Cobble	Bitumen + PP Fleece	F3	F41	-	-
Comet	Bitumen + PP Fleece	F3	F41	-	-
Country	Bitumen + PP Fleece	F3	F41	-	-
Country Lines	Bitumen + PP Fleece	F3	F41	-	-
Gamma	Bitumen + PP Fleece	F3	F41	-	-
Kos	Bitumen + PP Fleece	F3	F41	-	-
Linea	Bitumen + PP Fleece	F3	F41	-	-
Linox	Bitumen + PP Fleece	F3	F41	-	-
Linx	Bitumen + PP Fleece	F3	F41	-	-
Metal-X	Bitumen + PP Fleece	F3	F41	-	-
Milano	Bitumen + PP Fleece	F3	F41	-	-
Mistral	Bitumen + PP Fleece	F3	F41	-	-
Myrage	Bitumen + PP Fleece	F3	F41	-	-
Myriad	Bitumen + PP Fleece	F3	F41	-	-
President E	Bitumen + PP Fleece	F3	F41	-	-
Shades	Bitumen + PP Fleece	F3	F41	-	-
Shark	Bitumen + PP Fleece	F3	F41	-	-
Spirit	Bitumen + PP Fleece	F3	F41	-	-
Stardust	Bitumen + PP Fleece	F3	F41	-	-
Twilight	Bitumen + PP Fleece	F3	F41	-	-
Twister	Bitumen + PP Fleece	F3	F41	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TAPIBEL NV. continued...**

Vintage	Bitumen + PP Fleece	F3	F4I	-	-
Zamba	Bitumen + PP Fleece	F3	F4I	-	-

**TARKETT COMMERCIAL** Tel: 01622 854000 Email: [uksales@tarkett.com](mailto:uksales@tarkett.com) Web: [www.tarkett.co.uk](http://www.tarkett.co.uk) Fax: 01622 854500

**LINOLEUM**

Elafono Cork Underlay	Hessian	F54	-	-	-
Etrusco x <sup>2</sup>	Hessian	F54	-	-	F66
Lino Sport	Hessian	F54	-	-	F66
Style Elle x <sup>2</sup>	Hessian	F54	-	-	F66
Style Emme x <sup>2</sup>	Hessian	F54	-	-	F66
Veneto x <sup>2</sup>	Hessian	F54	-	-	F66

**COMMERCIAL VINYL**

Acczent Evolution 4	PVC	F45,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
IQ One	PVC	F45,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Acczent Essentials 55	PVC Foam	-	-	F73 PLUS,F74,F81,F84	-
I.D. Revolution	PVC Free	F44,F46,F49,F58 PLUS	-	F73 PLUS,F84	F49,F60,F66
Acczent Excellence 80 Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Acczent Excellence 80 Tile	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Contract Nature/Wood Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49
Contract Plus Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Eclipse Premium Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Eclipse Premium Tile	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Granit Multisafe Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F81	F49,F66
Granit SafeT Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
I.D. Essential 30 Planks/Tiles	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
I.D. Inspiration 40 Planks/Tiles	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
I.D. Inspiration 55/70 Planks/Tiles	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Omnisport Compact	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Primo Premium Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Primo Premium Tiles	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Primo SD Sheet	Vinyl	F57	-	-	-
Primo SD Tile	Vinyl	F57	-	-	-
Primo Safe. T Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Aqua Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Design (Woods/Naturals/Ceramics) Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Ion (Contrast/Linen) Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TARKETT COMMERCIAL continued...**

Safetred Spectrum Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Spectrum Tile	Vinyl	F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Universal Plus RI I	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Universal Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Safetred Universal Tile	Vinyl	F49,F46,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Standard Plus Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Standard Plus Tile	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Tapiflex Essential 50 Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Tapiflex Excellence 65 Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Tapiflex Tiles 50	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Tapiflex Tiles 65	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Vylon Plus Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
Vylon Plus Tile	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
iQ Eminent Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
iQ Eminent Tile	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
iQ Granit SD Sheet	Vinyl	F57	-	-	-
iQ Granit SD Tile	Vinyl	F57	-	-	-
iQ Granit Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Granit Tiles	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Megalit Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Megalit Tiles	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Natural Sheet	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F49,F66
iQ Natural Tile	Vinyl	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81	F73 PLUS, F49,F66
iQ Optima Sheet	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Optima Tile	Vinyl	F44,F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Toro SC Sheet	Vinyl	F57	-	-	-
iQ Toro SC Tile	Vinyl	F57	-	-	-
Omnisport Excel	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Omnisport Reference	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Omnisport Speed	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Omnisport Training	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Primo Acoustic Sheet	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Safetred Design Acoustic	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Granit Acoustic	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
iQ Optima Acoustic	Vinyl Foam	F45,F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66

**COMMERCIAL VINYL WALLCOVERINGS**

Aquarelle Wall HFS	Vinyl	-	-	-	F46
ProtectWall 1.50mm	Vinyl	-	-	-	F46
ProtectWall 2.00mm	Vinyl	-	-	-	F46
Wallguard	Vinyl	-	-	-	F46



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TARKETT COMMERCIAL continued...**

**TARKETT RESIDENTIAL VINYL**

Chic	PVC Foam	F44,F46,F58 PLUS	-	-	-
Classical Living	PVC Foam	F44,F46,F58 PLUS	-	-	-
Elegance	PVC Foam	F44,F46,F58 PLUS	-	-	-
Goliath	PVC Foam	F44,F46,F58 PLUS	-	-	-
Gripstar	PVC Foam	F44,F46,F58 PLUS	-	-	-
Homestyle	PVC Foam	F44,F46,F58 PLUS	-	-	-
Manor	PVC Foam	F44,F46,F58 PLUS	-	-	-
Modern Living	PVC Foam	F44,F46,F58 PLUS	-	-	-
TX Evolution 4	PVC Foam	F46,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Texstar	PVC Foam	F44,F46,F58 PLUS	-	-	-

**RHINOFLOOR RESIDENTIAL VINYL**

Choice	PVC Foam	F44,F46,F58 PLUS	-	-	-
Contract	PVC Foam	F44,F46,F58 PLUS	-	-	-
Elite Professional	PVC Foam	F44,F46,F58 PLUS	-	-	-
Elite Tiles	PVC Foam	F44,F46,F58 PLUS	-	-	-
Elite Woods	PVC Foam	F44,F46,F58 PLUS	-	-	-
Options Tiles	PVC Foam	F44,F46,F58 PLUS	-	-	-
Options Timber Planks	PVC Foam	F44,F46,F58 PLUS	-	-	-
Super Deluxe	PVC Foam	F44,F46,F58 PLUS	-	-	-
XL Supergrip	PVC Foam	F44,F46,F58 PLUS	-	-	-

**DESSO BROADLOOM**

Asteranne	Polypropylene	F3,F40	F40	-	F66
Denim	Polypropylene	F3,F40	F40	-	F66
Desso & Ex	Polypropylene	F3,F40	F40	-	F66
Essence	Polypropylene	F3,F40	F40	-	F66
Palatino	Polypropylene	F3,F40	F40	-	F66
Patterns	Polypropylene	F3,F40	F40	-	F66
Sense of Marble	Polypropylene	F3,F40	F40	-	F66
Shades	Polypropylene	F3,F40	F40	-	F66
Torso	Polypropylene	F3,F40	F40	-	F66

**DESSO CARPET TILES**

AirMaster GOLD Nazca	EcoBase *	F40	F41	-	-
AirMaster GOLD Salina	EcoBase *	F40	F41	-	-
AirMaster GOLD Tierra	EcoBase *	F40	F41	-	-
Airmaster	EcoBase *	F40	F41	-	-
Airmaster Atmos	EcoBase *	F40	F41	-	-
Airmaster Earth	EcoBase *	F40	F41	-	-
Airmaster Sphere	EcoBase *	F40	F41	-	-
Airmaster Tones	EcoBase *	F40	F41	-	-
Arable	EcoBase *	F40	F41	-	-
Arcade	EcoBase *	F40	F41	-	-
Breccia	EcoBase *	F40	F41	-	-
Carved	EcoBase *	F40	F41	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TARKETT COMMERCIAL continued...**

Desert	EcoBase *	F40	F41	-	-
Desert Airmaster	EcoBase *	F40	F41	-	-
Desso & Ex Concrete	EcoBase *	F40	F41	-	-
Edges Large	EcoBase *	F40	F41	-	-
Edges Small	EcoBase *	F40	F41	-	-
Essence	EcoBase *	F40	F41	-	-
Essence Maze	EcoBase *	F40	F41	-	-
Essence Stripe	EcoBase *	F40	F41	-	-
Essence Structure	EcoBase *	F40	F41	-	-
Fields	EcoBase *	F40	F41	-	-
Flores	EcoBase *	F40	F41	-	-
Frisk	EcoBase *	F40	F41	-	-
Fuse & Fuse Create	EcoBase *	F40	F41	-	-
Futurity	EcoBase *	F40	F41	-	-
Grain	EcoBase *	F40	F41	-	-
Granite	EcoBase *	F40	F41	-	-
Grids	EcoBase *	F40	F41	-	-
Harvest	EcoBase *	F40	F41	-	-
Iconic	EcoBase *	F40	F41	-	-
Jeans Original	EcoBase *	F40	F41	-	-
Jeans Stonewash	EcoBase *	F40	F41	-	-
Jeans Twill	EcoBase *	F40	F41	-	-
Libra Lines	EcoBase *	F40	F41	-	-
Linon	EcoBase *	F40	F41	-	-
Marvel	EcoBase *	F40	F41	-	-
Metallic Shades	EcoBase *	F40	F41	-	-
Mila	EcoBase *	F40	F41	-	-
Natural Nuances	EcoBase *	F40	F41	-	-
Orchard	EcoBase *	F40	F41	-	-
Palatino	EcoBase *	F40	F41	-	-
Protect	EcoBase *	F40	F41	-	-
Reclaim Ribs II	EcoBase *	F40	F41	-	-
Reveal	EcoBase *	F40	F41	-	-
Ridge	EcoBase *	F40	F41	-	-
Rock	EcoBase *	F40	F41	-	-
Salt	EcoBase *	F40	F41	-	-
Scape	EcoBase *	F40	F41	-	-
Stitch	EcoBase *	F40	F41	-	-
Stratos	EcoBase *	F40	F41	-	-
Stratos Blocks	EcoBase *	F40	F41	-	-
Street Tracks	EcoBase *	F40	F41	-	-
Street View	EcoBase *	F40	F41	-	-
Tempra	EcoBase *	F40	F41	-	-
Torso	EcoBase *	F40	F41	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TARKETT COMMERCIAL continued...**

Trace	EcoBase *	F40	F4I	-	-
Traverse	EcoBase *	F40	F4I	-	-
Tweed	EcoBase *	F40	F4I	-	-
Verso	EcoBase *	F40	F4I	-	-
Wave	EcoBase *	F40	F4I	-	-
Arcade	ProBase	F40	F4I	-	-
Desert	ProBase	F40	F4I	-	-
Essence	ProBase	F40	F4I	-	-
Essence Maze	ProBase	F40	F4I	-	-
Essence Stripe	ProBase	F40	F4I	-	-
Essence Structure	ProBase	F40	F4I	-	-
Forto	ProBase	F40	F4I	-	-
Frisk	ProBase	F40	F4I	-	-
Grain	ProBase	F40	F4I	-	-
Harvest	ProBase	F40	F4I	-	-
Libra Lines	ProBase	F40	F4I	-	-
Lita	ProBase	F40	F4I	-	-
Mila	ProBase	F40	F4I	-	-
Natural Nuances	ProBase	F40	F4I	-	-
Palatino	ProBase	F40	F4I	-	-
Protect	ProBase	F40	F4I	-	-
Reclaim Ribs II	ProBase	F40	F4I	-	-
Rock	ProBase	F40	F4I	-	-
Salt	ProBase	F40	F4I	-	-
Scape	ProBase	F40	F4I	-	-
Tempra	ProBase	F40	F4I	-	-
Torso	ProBase	F40	F4I	-	-
Trace	ProBase	F40	F4I	-	-
AirMaster GOLD Nazca	SoundMaster Lite	-	F4I	-	-
AirMaster GOLD Salina	SoundMaster Lite	-	F4I	-	-
AirMaster GOLD Tierra	SoundMaster Lite	-	F4I	-	-
AirMaster Sphere	SoundMaster Lite	-	F4I	-	-
Airmaster	SoundMaster Lite	-	F4I	-	-
Airmaster Atmos	SoundMaster Lite	-	F4I	-	-
Airmaster Earth	SoundMaster Lite	-	F4I	-	-
Airmaster Tones	SoundMaster Lite	-	F4I	-	-
Arable	SoundMaster Lite	-	F4I	-	-
Arcade	SoundMaster Lite	-	F4I	-	-
Breccia	SoundMaster Lite	-	F4I	-	-
Carved	SoundMaster Lite	-	F4I	-	-
Desert	SoundMaster Lite	-	F4I	-	-
Desert Airmaster	SoundMaster Lite	-	F4I	-	-
Edges Large	SoundMaster Lite	-	F4I	-	-
Edges Small	SoundMaster Lite	-	F4I	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TARKETT COMMERCIAL continued...**

Essence	SoundMaster Lite	-	F4I	-	-
Essence Maze	SoundMaster Lite	-	F4I	-	-
Essence Stripe	SoundMaster Lite	-	F4I	-	-
Essence Structure	SoundMaster Lite	-	F4I	-	-
Fields	SoundMaster Lite	-	F4I	-	-
Flores	SoundMaster Lite	-	F4I	-	-
Frisk	SoundMaster Lite	-	F4I	-	-
Futurity	SoundMaster Lite	-	F4I	-	-
Grain	SoundMaster Lite	-	F4I	-	-
Granite	SoundMaster Lite	-	F4I	-	-
Grids	SoundMaster Lite	-	F4I	-	-
Harvest	SoundMaster Lite	-	F4I	-	-
Iconic	SoundMaster Lite	-	F4I	-	-
Jeans Original	SoundMaster Lite	-	F4I	-	-
Jeans Stonewash	SoundMaster Lite	-	F4I	-	-
Jeans Twill	SoundMaster Lite	-	F4I	-	-
Libra Lines	SoundMaster Lite	-	F4I	-	-
Linon	SoundMaster Lite	-	F4I	-	-
Marvel	SoundMaster Lite	-	F4I	-	-
Metallic Shades	SoundMaster Lite	-	F4I	-	-
Mila	SoundMaster Lite	-	F4I	-	-
Natural Nuances	SoundMaster Lite	-	F4I	-	-
Orchard	SoundMaster Lite	-	F4I	-	-
Palatino	SoundMaster Lite	-	F4I	-	-
Reclaim Ribs II	SoundMaster Lite	-	F4I	-	-
Ridge	SoundMaster Lite	-	F4I	-	-
Rock	SoundMaster Lite	-	F4I	-	-
Salt	SoundMaster Lite	-	F4I	-	-
Scape	SoundMaster Lite	-	F4I	-	-
Stitch	SoundMaster Lite	-	F4I	-	-
Stratos	SoundMaster Lite	-	F4I	-	-
Stratos Blocks	SoundMaster Lite	-	F4I	-	-
Street Tracks	SoundMaster Lite	-	F4I	-	-
Street View	SoundMaster Lite	-	F4I	-	-
Torso	SoundMaster Lite	-	F4I	-	-
Tweed	SoundMaster Lite	-	F4I	-	-

F4I\* To be applied at a rate of 20m<sup>2</sup> per litre.

**TECSOM-ARS (Agence pour la Rénovation de Sols)** Tel: 0033 324 298319 Email: [customerservice@tecsom.com](mailto:customerservice@tecsom.com)  
Web: [www.tecsom.com](http://www.tecsom.com)

**CARPET TILES**

Acoustic Carpet Tiles	Fibre Bonded	-	F4I	-	-
Microtec+	Vinyl	-	F4I	-	-
Tecsom 2500 Nordic	Vinyl	-	F4I	-	-

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TECSOM-ARS (Agence pour la Rénovation de Sols) continued...**

Tecsom 3550 Linear Vision Vinyl	-	F4I	-	-
Tecsom 3580 City Square Vinyl	-	F4I	-	-
Tecsom 3600 Green Vinyl System	-	F4I	-	-
Tecsom 3620 Pointe Vinyl	-	F4I	-	-
Tecsom 3630S Design Vinyl	-	F4I	-	-
Tecsom 3630S Supreme Vinyl	-	F4I	-	-
Tecsom 3710 Linear Spirit Vinyl	-	F4I	-	-
Tecsom 3800 Cross Vinyl	-	F4I	-	-
Tecsom 4090 Design Vinyl	-	F4I	-	-
Tecsom 4120 Dandy Vinyl	-	F4I	-	-
Tecsom 4120 Design Vinyl	-	F4I	-	-
Tecsom 4120 Galerie Vinyl	-	F4I	-	-
Tecsom 4700 Elegance Vinyl	-	F4I	-	-
Tecsom 4900 Avenue Vinyl	-	F4I	-	-
Tecsom 4910 Boulevard Vinyl	-	F4I	-	-
Tecsom Camera Vinyl	-	F4I	-	-
Tecsom Decostructure Vinyl	-	F4I	-	-
Tecsom Evolution Vinyl	-	F4I	-	-
Tecsom Nuance Vinyl	-	F4I	-	-
Tecsom Ombre Vinyl	-	F4I	-	-
Tecsom Prima Vinyl	-	F4I	-	-
Tecsom Reflet Vinyl	-	F4I	-	-

**FIBRE BONDED SHEET**

Tapisom 600	Fibre Bonded	F3,F52	-	-	F60,F66
Tapisom 600 Design	Fibre Bonded	F3,F52	-	-	F60,F66
Tapisom 900	Fibre Bonded	F3,F52	-	-	F60,F66
Tapisom 900 Design	Fibre Bonded	F3,F52	-	-	F60,F66
Tapisom Forte	Fibre Bonded	F3,F52	-	-	-
Tapisom Modul (tiles)	Vinyl	-	F4I	-	-

**TELENZO CARPETS LTD** Tel: 01827 831494 Email: mark.rooney@telenzocarpets.co.uk Web: www.telenzocarpets.co.uk

Bakerloo	Action Bac	F3	-	-	F60,F66
Barbican	Action Bac	F3	-	-	F60,F66
Burford Bridge	Action Bac	F3	-	-	F60,F66
Centre Point	Action Bac	F3	-	-	F60,F66
Chelsea	Action Bac	F3	-	-	F60,F66
Cormo	Action Bac	F3	-	-	F60,F66
Diversity	Action Bac	F3	-	-	F60,F66
Eton	Action Bac	F3	-	-	F60,F66
Greenwich	Action Bac	F3	-	-	F60,F66
Hoxton	Action Bac	F3	-	-	F60,F66
King's Cross	Action Bac	F3	-	-	F60,F66
Lawrence	Action Bac	F3	-	-	F60,F66
London Bridge	Action Bac	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TELENZO CARPETS LTD continued...**

Mainline	Action Bac	F3	-	-	F60,F66
Paddington	Action Bac	F3	-	-	F60,F66
Piccadilly	Action Bac	F3	-	-	F60,F66
Primrose Hill	Action Bac	F3	-	-	F60,F66
Rya	Action Bac	F3	-	-	F60,F66
Windsor	Action Bac	F3	-	-	F60,F66

**ATMOSPHERE RANGE**

Breeze	Starback	F3	-	-	F60,F66
Cloud	Starback	F3	-	-	F60,F66
Twister	Starback	F3	-	-	F60,F66
Whisper	Starback	F3	-	-	F60,F66

**TEXFELT LTD** Tel: 01274 905411 Email: sales@textfelt.co.uk Web: www.textfelt.co.uk

Springbond FR	Spunbound	F3	F40	-	-
---------------	-----------	----	-----	---	---

**THE CARPET TILE BROKERS LTD** Tel: 01629 57292 Email: paul.dobney@btinternet.com Fax: 01629 57282

**FIBRE BONDED COLLECTION**

Nahwal	Bitumen	F3	F4I	-	F66
Nares	Bitumen	F3	F4I	-	F66
Nemus	Bitumen	F3	F4I	-	F66

**LOOP PILE COLLECTION**

Baltica	Bitumen	F3	F4I	-	F66
Barracuda	Bitumen	F3	F4I	-	F66
Duet	Bitumen	F3	F4I	-	F66
Dune	Bitumen	F3	F4I	-	F66
Grand Banks	Bitumen	F3	F4I	-	F66
Lagoon	Bitumen	F3	F4I	-	F66
Manta	Bitumen	F3	F4I	-	F66
Mariana	Bitumen	F3	F4I	-	F66
Marlin	Bitumen	F3	F4I	-	F66
Neptune	Bitumen	F3	F4I	-	F66

**CUT PILE COLLECTION**

Beluga	Bitumen	F3	F4I	-	F66
--------	---------	----	-----	---	-----

**DESIGNER MODULYSS RANGES**

Alpha	Bitumen	F3	F4I	-	F66
First Absolute	Bitumen	F3	F4I	-	F66
First Define	Bitumen	F3	F4I	-	F66
First Forward	Bitumen	F3	F4I	-	F66
First Lines	Bitumen	F3	F4I	-	F66
In-Groove	Bitumen	F3	F4I	-	F66
New Normal	Bitumen	F3	F4I	-	F66
Normal	Bitumen	F3	F4I	-	F66
Patchwork	Bitumen	F3	F4I	-	F66
Pattern	Bitumen	F3	F4I	-	F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**THE FLOOR HUB** Tel: 01923 211151 Email: [hello@thefloorhub.co.uk](mailto:hello@thefloorhub.co.uk) Web: [www.thefloorhub.co.uk](http://www.thefloorhub.co.uk)

Americana	Bitumen	F3	F4I	-	F66
Aniseed Balls	Bitumen	F3	F4I	-	F66
Aurora	Bitumen	F3	F4I	-	F66
Candy Caine	Bitumen	F3	F4I	-	F66
Chalfont	Bitumen	F3	F4I	-	F66
Composition	Bitumen	F3	F4I	-	F66
Cotton Candy	Bitumen	F3	F4I	-	F66
Dahlia	Bitumen	F3	F4I	-	F66
Dahlia Cut Pile	Bitumen	F3	F4I	-	F66
Dahlia Stripe	Bitumen	F3	F4I	-	F66
Dimensions	Bitumen	F3	F4I	-	F66
Expression	Bitumen	F3	F4I	-	F66
Flagstone	Bitumen	F3	F4I	-	F66
Humbug	Bitumen	F3	F4I	-	F66
Insomnia	Bitumen	F3	F4I	-	F66
King Kong	Bitumen	F3	F4I	-	F66
Lagoon	Bitumen	F3	F4I	-	F66
Latitude	Bitumen	F3	F4I	-	F66
Light Speed	Bitumen	F3	F4I	-	F66
Maestro 4000	Bitumen	F3	F4I	-	F66
Meadowlines	Bitumen	F3	F4I	-	F66
Montana	Bitumen	F3	F4I	-	F66
Narcissi	Bitumen	F3	F4I	-	F66
Outset	Bitumen	F3	F4I	-	F66
Palladium	Bitumen	F3	F4I	-	F66
Percussionist	Bitumen	F3	F4I	-	F66
Prism	Bitumen	F3	F4I	-	F66
Reflections	Bitumen	F3	F4I	-	F66
Shadows	Bitumen	F3	F4I	-	F66
Skyscape	Bitumen	F3	F4I	-	F66
Starburst	Bitumen	F3	F4I	-	F66
Transmission	Bitumen	F3	F4I	-	F66

**THE GROSVENOR WILTON COMPANY LTD** Tel: 01562 701456 Email: [enquiries@grosvenorwilton.co.uk](mailto:enquiries@grosvenorwilton.co.uk) Web: [www.grosvenorwilton.co.uk](http://www.grosvenorwilton.co.uk) Fax: 01562 701228

Folio	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Metropolitan	Jute/Polyester/ Cotton	F3	-	-	F60,F66

**THE UNNATURAL FLOORING CO** Tel: 01548 434998 Email: [info@unnaturalflooring.com](mailto:info@unnaturalflooring.com) Web: [www.unnaturalflooring.com](http://www.unnaturalflooring.com)

Alpha/Beta	Actionback	F3	-	-	F60,F66
New York	Felt	F3	-	-	F60,F66
FauXsal™ Colour	Gel	F3	-	-	F60,F66
Precision	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66
Unnatural Flooring	PVC	F44,F45,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**THE UNNATURAL FLOORING CO continued...**

Unnatural Wood	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F84	F49,F66
Long Island	PVC Foam	F44,F46,F47,F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
Andes	Twinback	F3	-	-	F60,F66
New England	Woven	F3	-	F73 PLUS,F74,F81	F60,F66

**THE WILTON CARPET FACTORY LTD** Tel: 01722 746000 Email: [sales@wiltoncarpets.com](mailto:sales@wiltoncarpets.com) Web: [www.wiltoncarpets.com](http://www.wiltoncarpets.com) Fax: 01722 742923

**AXMINSTER**

Axminster Carpet Tiles	Bitumen	F3	F4I	-	-
Axminster Carpet Tiles	Felt	F3	F4I	-	-
Bespoke 7-12 row – narrowloom	Jute	F3	-	-	F60,F66
Amalfi	Jute or Poly	F3	-	-	F60,F66
Artisan	Jute or Poly	F3	-	-	F60,F66
Bespoke 7-12 row – broadloom	Jute or Poly	F3,F40	F40	-	F60,F66
Carnaby	Jute or Poly	F3	-	-	F60,F66
Checkpoint	Jute or Poly	F3	-	-	F60,F66
Classical Dimensions 3	Jute or Poly	F3	-	-	F60,F66
Contemporary Classics	Jute or Poly	F3	-	-	F60,F66
Elements	Jute or Poly	F3	-	-	F60,F66
Havana	Jute or Poly	F3	-	-	F60,F66
Iona	Jute or Poly	F3	-	-	F60,F66
Kinetic	Jute or Poly	F3	-	-	F60,F66
Kingston – all	Jute or Poly	F3	-	-	F60,F66
Labyrinth	Jute or Poly	F3	-	-	F60,F66
Matrix	Jute or Poly	F3	-	-	F60,F66
Melrose	Jute or Poly	F3	-	-	F60,F66
Natural Silhouettes	Jute or Poly	F3	-	-	F60,F66
Nova Scotia	Jute or Poly	F3	-	-	F60,F66
Opus	Jute or Poly	F3	-	-	F60,F66
Portofino	Jute or Poly	F3	-	-	F60,F66
Sculpture	Jute or Poly	F3	-	-	F60,F66
Spirit	Jute or Poly	F3	-	-	F60,F66
Urban	Jute or Poly	F3	-	-	F60,F66
Virtue	Jute or Poly	F3	-	-	F60,F66

**BESPOKE WILTON**

Wilton Quality – all	Poly	F3,F40	F40	-	F60,F66
----------------------	------	--------	-----	---	---------

**TUFTED**

Aura	Action	F3	-	-	F60,F66
Berwick	Action	F3	-	-	F60,F66
Bespoke Tufted – all	Action	F3	-	-	F60,F66
Chantilly	Action	F3	-	-	F60,F66
Custom Graphics 30-50oz	Action	F3	-	-	F60,F66
Heritage	Action	F3	-	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**THE WILTON CARPET FACTORY LTD continued...**

Lindisfarne	Action	F3	-	-	F60,F66
Signature	Action	F3	-	-	F60,F66

**THERDEX** Tel: 0031 3838 57373 Email: info@therdex.nl Web: www.therdex.nl Fax: 0031 3838 56587

**WOVEN COLLECTION**

Bamboo	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Cane	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Herringbone	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Linen	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Rattan	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Sisal	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Stripe	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Twill	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-

**LVT**

Basic	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Chevron	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Herringbone Original	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Herringbone Premium	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Herringbone Regular	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Herringbone Tapis	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Original	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Premium Series	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Regular	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Stone Series	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-
Xtra Long	PVC	F44,F45,F46,F47,F48 PLUS, F58 PLUS	-	F73 PLUS,F74,F81,F84	-

**THERMAL ECONOMICS LTD** Tel: 01582 450814 Email: info@thermal-economics.co.uk Web: www.thermal-economics.co.uk Fax: 01582 429305

Isorubber Top E-FC-9 & 10	Cork/Rubber	F3	-	F73 PLUS,F74,F81,F84	-
---------------------------	-------------	----	---	----------------------	---

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TRANQUIL EARTH LTD** Tel: 07525 354292 Email: enquiries@tranquilearth.co.uk Web: www.tranquilearth.co.uk

Grand Boucle	Rubber Latex	F3	-	-	F60,F66
Panama	Rubber Latex	F3	-	-	F60,F66
Petit Boucle	Rubber Latex	F3	-	-	F60,F66
Tigers Eyes	Rubber Latex	F3	-	-	F60,F66

**TREADS** Tel: 01453 821800 Email: treads@marlings.co.uk Web: www.treadnosings.co.uk Fax: 01453 791167

DDA Range Aluminium	-	Stycco Flex	-	-	-
L Range Aluminium	-	Stycco Flex	-	-	-
M Range Aluminium	-	Stycco Flex	-	-	-
T Range Aluminium	-	Stycco Flex	-	-	-
UPVC Range	-	Stycco Flex	-	-	-
V Range Aluminium	-	Stycco Flex	-	-	-

**TRET福德 CARPETS LIMITED** Tel: 01827 831400 Email: sales@jhs carpets.com Web: www.jhs carpets.com Fax: 01827 831401

Tretford Carpet Tiles	Ecoback	-	F41	-	-
Tretford Interland	Hessian	F3	-	-	F60,F66

**TURFGRASS part of BFS GROUP NV** Tel: 0032 56672211 Email: Sales.BfsEurope@bintg.com Web: www.BeaulieuFlooringsolutions.com Fax: 0032 56668745

Destiny	Felt	F3	-	-	F60,F66
Arcadia	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Cocoon	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Elite	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Forestland	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Golf	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Grassland	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Lakeside	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Magnolia	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Mountain Creek	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Mystique	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Riviera+	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Spring	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Summer	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Sunset	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Walnut Creek	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Wanderlust	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Wimbledon	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Woodland	Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Summer	Marine Backing with Dots *	F3	-	F73 PLUS,F74,F81,F84	-
Edge	Precoat Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-
Petit Dakar	Precoat Marine Backing *	F3	-	F73 PLUS,F74,F81,F84	-

\*F3 applied using a 3mm x 6mm 'V' notched trowel.





Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TVS GROUP** Tel: 01706 260220 Email: paul.stringer@TVS-Group.co.uk Web: www.TVS-Group.co.uk Fax: 01706 260240

Acousticork T82 2mm	Cork/PU foam	F3,F44,F49	-	F73 PLUS,F74,F81,F84	-
Acousticork T66 3mm	Cork/rubber	F3,F44,F49	-	F73 PLUS,F74,F81,F84	-
Acousticork T66 4.5mm	Cork/rubber	F3,F44,F49	-	F73 PLUS,F74,F81,F84	-
G-FIT ABSORB Advanced	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Base	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Extreme	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Pro	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Advanced	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Base	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Extreme	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
G-FIT ABSORB Pro	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SPORTEC Purcolor	100% EPDM Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC UNI Classic	100% EPDM Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC UNI Versa	100% EPDM Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC Variant	100% EPDM Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC Color	SBR Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC Giga	SBR Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC Splash	SBR Rubber	F3,F44	-	F73 PLUS,F81	-
SPORTEC Standard	SBR Rubber Crumb	F44	-	F73 PLUS,F81	-
SPORTEC Team Cup X	SBR Rubber Crumb	F44	-	F73 PLUS,F81	-
SYLODYN NB	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLODYN NC	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLODYN ND	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLODYN NE	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLODYN NF	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLODYN NB	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS	-
SYLODYN NC	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**TVS Group continued...**

SYLODYN ND	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS	-
SYLODYN NE	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS	-
SYLODYN NF	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS	-
SYLOMER SRI I	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI 8	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR28	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR42	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR55	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI I 0	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR220	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR450	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR850	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI 200	100% Polyurethane Foam	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI I	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI 8	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR28	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR42	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR55	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI I 0	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR220	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR450	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SR850	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
SYLOMER SRI 200	100% Polyurethane Foam (with skin)	F46	F41	F73 PLUS,F81,F84	-
TVS VIBsorb RF250/40	PU Foam	F3	-	F73 PLUS,F81,F84	-



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**ULSTER CARPETS** Tel: 02838 334433 Email: eddie.ruddell@ulstercarpets.com Web: www.ulstercarpets.com

Grange Wilton	Jute/Cotton	F3,F40	F40	-	F60,F66
Natural Choice (Plains)	Jute/Cotton	F3,F40	F40	-	F60,F66
Ulster Velvet	Jute/Cotton	F3,F40	F40	-	F60,F66
York Wilton	Jute/Cotton	F3,F40	F40	-	F60,F66
Anatolia	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Athenia	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Blossom	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Braeburn	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Country House Collection	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Custom Plan	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Fusion	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Glenavy	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Glendun	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Glenmoy	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Natural Choice	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Sheriden	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Tazmin	Jute/Polyester/ Cotton	F3	-	-	F60,F66
Watercolours	Jute/Polyester/ Cotton	F3	-	-	F60,F66
HABITUS (Tufted)	Polypropylene	F3	-	-	F60,F66
Open Spaces (Tufted)	Polypropylene	F3	-	-	F60,F66
Terraen (Tufted)	Polypropylene	F3	-	-	F60,F66
Boho Collection	Polypropylene/ Polyester/Cotton	F3	-	-	F60,F66
Custom Plan	Polypropylene/ Polyester/Cotton	F3	-	-	F60,F66
The Mix	Polypropylene/ Polyester/Cotton	F3	-	-	F60,F66
Vescent	Polypropylene/ Polyester/Cotton	F3	-	-	F60,F66

**ULTIMATE IMPACT RUBBER FLOORING** Tel: 01189312722 / 08005677954 Email: info@impactrubberflooring.co.uk  
Web: www.impactrubberflooring.co.uk Fax: 08701236254

Rubber Flooring	Rubber	F58 PLUS	-	F73 PLUS,F74,F81,F84	F60,F66
-----------------	--------	----------	---	----------------------	---------

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**UNIVERSAL DESIGN FLOORING** Tel: 01562 749300 Email: sales@myvictoria.co.uk Web: www.myvictoria.co.uk

See entry for VICTORIA DESIGN FLOORS

**UNIVERSAL FROM MCD KIDDERMINSTER** Tel: 01562 821888 Email: mcdk@mcd.co.uk Web: www.mcdkiddermminster.co.uk  
Fax: 01562 863626
**CONTRACT CARPET RANGE**

Marathon	Actionbac	F3,F40	F40	-	F60,F66
Zeus	Actionbac	F3,F40	F40	-	F60,F66
Bali Matting	Gel	F3	-	-	F60,F66
Bedford Rib	Gel	F3	-	-	F60,F66
Canterbury	Gel	F3	-	-	F60,F66
Chevy Gel	Gel	F3	-	-	F60,F66
Magnum Gel	Gel	F3	-	-	F60,F66
Marathon	Gel	F3	-	-	F60,F66
Primavera	Gel	F3	-	-	F60,F66
Scala Classic	Gel	F3,F40	-	-	F60,F66
Zeus	Gel	F3	-	-	F60,F66
Cocos	Rubber Waffle *	F3,F40	-	-	F60,F66
Heavy Tread	Rubber Waffle *	F3,F40	-	-	F60,F66
Matrix Tread	Rubber Waffle *	F3,F40	-	-	F60,F66

**CARPET TILES**

Celtic 500	Back2Back	F3	F41	-	F66
Canterbury	Bitumen	F3	F41	-	F66
Cromwell	Bitumen	F3	F41	-	F66
Latour	Bitumen	F3	F41	-	F66
New Trojan	Bitumen	F3	F41	-	F66
New Viking	Bitumen	F3	F41	-	F66
Predator	Bitumen	F3	F41	-	F66
Saturn	Graphlar	F3	F41	-	F66
Heuga 727 Select	Graphlex	F3	F41	-	F66

\*F3 applied using a 3mm x 6mm 'V' notched trowel.

**US FLOORS EUROPE** Tel: +32 9 391 64 55 Email: info@usfloors.be Web: www.coretecfloors.eu

Coretec Mineral Core	Cork	F3,F49,B95	-	-	F49
Coretec Pro Core	Cork	F3,F49,B95	F49	-	-
Coretec Sound Core	Cork	F3,F49,B95	-	-	F49

**VEBE FLOORCOVERINGS** Tel: +31 888251100 Email: info@vebe.net Web: www.condor.group.eu

Premium PD	Gelbacking	F3	-	-	F60,F66
Novadura DB	Heavy contract gelbacking	F3	-	-	F60,F66
Metal LF	Latex backing	-	-	-	F60,F66
Metal WB	Waffle gelbacking	F3	-	-	F60,F66

**VICTORIA CARPETS LTD.** Tel: 01562 749300 Email: sales@myvictoria.co.uk Web: www.myvictoria.co.uk Fax: 01562 749349
**EASICARE CUT PILE**

Aura	Polypropylene	F3	-	-	F60,F66
------	---------------	----	---	---	---------

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**VICTORIA CARPETS LTD. continued...**

First Impressions	Polypropylene	F3	-	-	F60,F66
Freedom	Polypropylene	F3	-	-	F60,F66
Freedom Xtra	Polypropylene	F3	-	-	F60,F66
Heartland	Polypropylene	F3	-	-	F60,F66
Heartland Heathers	Polypropylene	F3	-	-	F60,F66
Heartland Ultra	Polypropylene	F3	-	-	F60,F66
Ultimate Expressions	Polypropylene	F3	-	-	F60,F66
Ultimate Impressions	Polypropylene	F3	-	-	F60,F66

**NATUREBORN CUT PILE**

Atlas Berber	Polypropylene	F3	-	-	F60,F66
Burford Twist-Elite	Polypropylene	F3	-	-	F60,F66
Burford Twist-Super	Polypropylene	F3	-	-	F60,F66
Royal Velvet	Polypropylene	F3	-	-	F60,F66
Royal Victoria	Polypropylene	F3	-	-	F60,F66
Strathmore	Polypropylene	F3	-	-	F60,F66
Tudor Twist	Polypropylene	F3	-	-	F60,F66

**NATUREBORN LOOP PILE**

Frontier	Polypropylene	F3	-	-	F60,F66
Habberley-Classic	Polypropylene	F3	-	-	F60,F66
Habberley-Herringbone	Polypropylene	F3	-	-	F60,F66
Habberley-Ridge	Polypropylene	F3	-	-	F60,F66
Natural Coordinates-Cord	Polypropylene	F3	-	-	F60,F66
Natural Coordinates-Stripe	Polypropylene	F3	-	-	F60,F66
Sisal Weave-Classic	Polypropylene	F3	-	-	F60,F66
Sisal Weave-Style	Polypropylene	F3	-	-	F60,F66
Tudor Twist Stripe	Polypropylene	F3	-	-	F60,F66

**LUXURIA CUT PILE**

Luxuria Stratosphere	Polypropylene	F3	-	-	F60,F66
Luxuria Velvet	Polypropylene	F3	-	-	F60,F66

**VICTORIA DESIGN FLOORS** Tel: 01562 749300 Email: sales@myvictoria.co.uk Web: www.myvictoria.co.uk

Distinctive Flooring Landscape Click	Looselay	-	-	-	-
Distinctive Flooring Aspect	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Distinctive Flooring Landscape	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Universal 30	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Universal 55	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Universal 55 Click	Looselay	-	-	-	-

**VIVAFLOORS** Tel: +31 (0)547 262717 Email: info@vivafloors.nl Web: www.vivafloors.nl Fax: +31 (0)547 276404

Novadura DB	Heavy contract gelbacking	F3	-	-	F60,F66
4410 Pine	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66
6850 Oak	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F74,F81,F84	F49,F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**VOLANTE LTD** Tel: 020 8947 6561 Email: sales@volante.uk.net Web: www.volante.uk.net Fax: 020 8947 1347

**BROADLOOM CARPETS**

Blenheim	Actionback	F3,F40	F40	-	F60,F66
Calgary	Actionback	F3,F40	F40	-	F60,F66
Gala	Actionback	F3,F40	F40	-	F60,F66
Genius	Actionback	F3,F40	F40	-	F60,F66
Hampton Bays	Actionback	F3,F40	F40	-	F60,F66
Heathers Luxury	Actionback	F3,F40	F40	-	F60,F66
Luxury Twist	Actionback	F3,F40	F40	-	F60,F66
Marathon	Actionback	F3,F40	F40	-	F60,F66
Moorland	Actionback	F3,F40	F40	-	F60,F66
Pembridge Heathers	Actionback	F3,F40	F40	-	F60,F66
Revolution Heather	Actionback	F3,F40	F40	-	F60,F66
Saxon King	Actionback	F3,F40	F40	-	F60,F66
Stainsafe Heritage	Actionback	F3,F40	F40	-	F60,F66
Sweet Home	Actionback	F3,F40	F40	-	F60,F66
Titchfield	Actionback	F3,F40	F40	-	F60,F66
Traffic	Actionback	F3,F40	F40	-	F60,F66
Big Hit	Felt	F3	-	-	F60,F66
Gala	Felt	F3	-	-	F60,F66
Moorland	Felt	F3	-	-	F60,F66
Noble Collection	Felt	F3	-	-	F60,F66
Superstar	Felt	F3	-	-	F60,F66
Sweet Home	Felt	F3	-	-	F60,F66
Marathon	Gel	F3	-	-	F60,F66
Scala Twist	Gel	F3	-	-	F60,F66
Trafalgar	Gel	F3	-	-	F60,F66
Victory Cord	Gel	F3	-	-	F60,F66
Scala Solutions	Rubber Foam (Emb)	F3,F40	-	-	F60,F66
Gentle Touch	Twinback	F3	-	-	F60,F66

**CARPET TILES**

Americana	Bitumen	F3	F41	-	F66
Aniseed Balls	Bitumen	F3	F41	-	F66
Aurora	Bitumen	F3	F41	-	F66
Candy Caine	Bitumen	F3	F41	-	F66
Chalfont	Bitumen	F3	F41	-	F66
Composition	Bitumen	F3	F41	-	F66
Cotton Candy	Bitumen	F3	F41	-	F66
Dahlia	Bitumen	F3	F41	-	F66
Dahlia Cut Pile	Bitumen	F3	F41	-	F66
Dahlia Stripe	Bitumen	F3	F41	-	F66
Dimensions	Bitumen	F3	F41	-	F66
Expression	Bitumen	F3	F41	-	F66
Flagstone	Bitumen	F3	F41	-	F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>VOLANTE LTD continued...</b>					
Humbug	Bitumen	F3	F4I	-	F66
Insomnia	Bitumen	F3	F4I	-	F66
King Kong	Bitumen	F3	F4I	-	F66
Lagoon	Bitumen	F3	F4I	-	F66
Latitude	Bitumen	F3	F4I	-	F66
Light Speed	Bitumen	F3	F4I	-	F66
Maestro 4000	Bitumen	F3	F4I	-	F66
Meadowlines	Bitumen	F3	F4I	-	F66
Montana	Bitumen	F3	F4I	-	F66
Narcissi	Bitumen	F3	F4I	-	F66
Outset	Bitumen	F3	F4I	-	F66
Palladium	Bitumen	F3	F4I	-	F66
Percussionist	Bitumen	F3	F4I	-	F66
Prism	Bitumen	F3	F4I	-	F66
Reflections	Bitumen	F3	F4I	-	F66
Shadows	Bitumen	F3	F4I	-	F66
Skyscape	Bitumen	F3	F4I	-	F66
Starburst	Bitumen	F3	F4I	-	F66
Transmission	Bitumen	F3	F4I	-	F66

**WESTEX FLOORING** Tel: 01274 861334 Email: info@westexflooring.com Web: www.westexflooring.com Fax: 01274 873266

**CONTRACT ROLLS**

Argyle Design	Polypropylene	F3,F40	F40	-	F60,F66
Barcode Design	Polypropylene	F3,F40	F40	-	F60,F66
Castill Design	Polypropylene	F3,F40	F40	-	F60,F66
Contemporary Design	Polypropylene	F3,F40	F40	-	F60,F66
Cube Design	Polypropylene	F3,F40	F40	-	F60,F66
Dimple Design	Polypropylene	F3,F40	F40	-	F60,F66
Flow Design	Polypropylene	F3,F40	F40	-	F60,F66
Format Design	Polypropylene	F3,F40	F40	-	F60,F66
Frequency Design	Polypropylene	F3,F40	F40	-	F60,F66
Genetic Design	Polypropylene	F3,F40	F40	-	F60,F66
Harmony	Polypropylene	F3,F40	F40	-	F60,F66
Lanes Design	Polypropylene	F3,F40	F40	-	F60,F66
Lattice Design	Polypropylene	F3,F40	F40	-	F60,F66
Link Design	Polypropylene	F3,F40	F40	-	F60,F66
Matrix Design	Polypropylene	F3,F40	F40	-	F60,F66
Medley Design	Polypropylene	F3,F40	F40	-	F60,F66
Melody	Polypropylene	F3,F40	F40	-	F60,F66
Menuet Design	Polypropylene	F3,F40	F40	-	F60,F66
Quartet Stripe	Polypropylene	F3,F40	F40	-	F60,F66
Quartet Velvet Stripe	Polypropylene	F3,F40	F40	-	F60,F66
Ripple Design	Polypropylene	F3,F40	F40	-	F60,F66
Symphony	Polypropylene	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical
<b>WESTEX FLOORING continued...</b>					
Trellis Design	Polypropylene	F3,F40	F40	-	F60,F66
Waffle Design	Polypropylene	F3,F40	F40	-	F60,F66
Wave Design	Polypropylene	F3,F40	F40	-	F60,F66
<b>ULTIMA TWIST RANGE</b>					
Crest	Polypropylene	F3,F40	F40	-	F60,F66
Major	Polypropylene	F3,F40	F40	-	F60,F66
Penultima	Polypropylene	F3,F40	F40	-	F60,F66
Pinnacle	Polypropylene	F3,F40	F40	-	F60,F66
Ultima	Polypropylene	F3,F40	F40	-	F60,F66
<b>WESTEND VELVET RANGE</b>					
Prestige	Polypropylene	F3,F40	F40	-	F60,F66
Supreme	Polypropylene	F3,F40	F40	-	F60,F66
Westend	Polypropylene	F3,F40	F40	-	F60,F66
<b>EXQUISITE VELVET</b>					
Exquisite Velvet	Polypropylene	F3,F40	F40	-	F60,F66
<b>NATURAL LOOP RANGE</b>					
Boucle	Polypropylene	F3,F40	F40	-	F60,F66
Briar	Polypropylene	F3,F40	F40	-	F60,F66
Cable	Polypropylene	F3,F40	F40	-	F60,F66
<b>LUXURY 100% WOOL COLLECTION</b>					
Opulence	Polypropylene	F3,F40	F40	-	F60,F66
Troika	Polypropylene	F3,F40	F40	-	F60,F66
Tundra	Polypropylene	F3,F40	F40	-	F60,F66
<b>SILKEN VELVET</b>					
Chic	Polypropylene	F3,F40	F40	-	F60,F66
Debonair	Polypropylene	F3,F40	F40	-	F60,F66
Vogue	Polypropylene	F3,F40	F40	-	F60,F66
<b>LUXURY VINYL TILES</b>					
Natural	100% Virgin PVC	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Select	100% Virgin PVC	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Stonework	100% Virgin PVC	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
<b>WHITESTONE WEAVERS LTD</b> Tel: 01429 892555 Email: sales@whitestone.co.uk Fax: 01429 892560					
<b>AXMINSTER</b>					
Durham Cathedral	Woven	F3	-	-	F60,F66
Liberty	Woven	F3	-	-	F60,F66
Moda	Woven	F3	-	-	F60,F66
Natures Own	Woven	F3	-	-	F60,F66
New Barrington	Woven	F3	-	-	F60,F66
Prince Bishop	Woven	F3	-	-	F60,F66
Safari	Woven	F3	-	-	F60,F66
Tartanesque	Woven	F3	-	-	F60,F66
The Cathedral Collection	Woven	F3	-	-	F60,F66
The Designer Collection	Woven	F3	-	-	F60,F66



Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**WHITESTONE WEAVERS LTD continued...**

The Tartan Collection	Woven	F3	-	-	F60,F66
-----------------------	-------	----	---	---	---------

**FAST-TRACK COLLECTION**

Comfort	Woven	F3	-	-	F60,F66
Exclusive	Woven	F3	-	-	F60,F66
General	Woven	F3	-	-	F60,F66
Special	Woven	F3	-	-	F60,F66
Splendid	Woven	F3	-	-	F60,F66

**TUFTED RANGES**

Natural Weave	Jute	F3,F40	F40	-	F60,F66
Riverside Twist 40	Jute	F3,F40	F40	-	F60,F66
Riverside Twist 50	Jute	F3,F40	F40	-	F60,F66
Riverside Twist 60	Jute	F3,F40	F40	-	F60,F66
Hassle Free Heathers	Synthetic	F3	-	-	F60,F66
Hassle Free Luxury Supreme/Elite	Synthetic	F3	-	-	F60,F66
Hassle Free Saxony	Synthetic	F3	-	-	F60,F66
Hassle Free Twist Supreme	Synthetic	F3	-	-	F60,F66
Hassle Free Twist/Stripe	Synthetic	F3	-	-	F60,F66
Riverside Twist/Supreme	Synthetic	F3	-	-	F60,F66

**WINDMÖLLER FLOORING PRODUCTS** Tel: +49 5237 609 0 Email: info@wineo.de Web: www.wineo.de

Purline Organic Flooring Wineo 1000	Fleece	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Purline Organic Flooring Wineo 1200	Fleece	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Purline Organic Flooring Wineo 1500	Fleece	F44,F46,F48 PLUS,F49	-	F73 PLUS,F74,F81,F84	F49,F60,F66
Design Flooring Wineo 400	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66
Design Flooring Wineo 600	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66
Design Flooring Wineo 800	PVC	F44,F46,F48 PLUS,F49,F58 PLUS	-	F73 PLUS,F81,F84	F49,F60,F66

**WOOL CLASSICS LTD** Tel: 0207 3491560 Email: sales@woolclassics.com Web: www.woolclassics.com Fax: 0207 3528727

Artsilk	Secondary	F3,F40	F40	-	F60,F66
Countess	Secondary	F3	-	-	F60,F66
Cumbria	Secondary	F3,F40	F40	-	F60,F66
Devon	Secondary	F3,F40	F40	-	F60,F66
Dorset	Secondary	F3,F40	F40	-	F60,F66
Eton	Secondary	F3,F40	F40	-	F60,F66
Greenwich	Secondary	F3,F40	F40	-	F60,F66
Kensington	Secondary	F3,F40	F40	-	F60,F66
Kent	Secondary	F3,F40	F40	-	F60,F66
Northumberland	Secondary	F3,F40	F40	-	F60,F66

Trade Mark	Backing	Type of Bond			
		Permanent	Release	Heavy-Duty / Wet Areas	Vertical

**WOOL CLASSICS LTD continued...**

Olympian Collection	Secondary	F3	-	-	F60,F66
Petite Point	Secondary	F3	-	-	F60,F66
Royal Savannah	Secondary	F3,F40	F40	-	F60,F66
Savannah	Secondary	F3,F40	F40	-	F60,F66
Soho	Secondary	F3	-	-	F60,F66
Solitaire	Secondary	F3	-	-	F60,F66
Somerset	Secondary	F3,F40	F40	-	F60,F66
Winchester	Secondary	F3	-	-	F60,F66
Absolute Velvet	Woven	F3	-	-	F60,F66
Aringa	Woven	F3	-	-	F60,F66
Candy Stripe	Woven	F3	-	-	F60,F66
Carmargue	Woven	F3	-	-	F60,F66
Carres	Woven	F3	-	-	F60,F66
Casa	Woven	F3	-	-	F60,F66
Chelsea Collection	Woven	F3	-	-	F60,F66
Enigma	Woven	F3	-	-	F60,F66
Equilibrium	Woven	F3	-	-	F60,F66
Grande	Woven	F3	-	-	F60,F66
Herringbone	Woven	F3	-	-	F60,F66
Monterey	Woven	F3	-	-	F60,F66
Nest	Woven	F3	-	-	F60,F66
Ragged Point	Woven	F3	-	-	F60,F66
Ripple	Woven	F3	-	-	F60,F66
Spey	Woven	F3	-	-	F60,F66
Tweed	Woven	F3	-	-	F60,F66
Utopia	Woven	F3	-	-	F60,F66
Windsor	Woven	F3	-	-	F60,F66

**ZENO-PROTECT** Tel: 0031 88 835 9366 Email: info@zeno-protect.com Web: www.zeno-protect.com Fax: 0031 88 835 9333

Excellence	PVC	F45	-	F73 PLUS,F74,F81,F84	-
Super	PVC	F45	-	F73 PLUS,F74,F81,F84	-



# TRUST THE YELLOW BUCKET



Exceptional quality, innovative products  
and support that you can always rely on.



F. Ball Always Gives You More



F. Ball and Co. Ltd.



01538 361 633 • mail@f-ball.co.uk • www.f-ball.com



GREAT BRITISH  
INNOVATION



RAG® 2022

Guide to Adhesive Selection

## Introduction

Information on other aspects of the selection and use of adhesives are given in our Product Data Sheets, which are available on request. Individual product information can be viewed and printed directly from the F. Ball and Co. Ltd. website: [www.f-ball.com](http://www.f-ball.com)

Many manufacturers have detailed installation instructions for their floorcoverings and should be consulted for their advice.

## Adhesive Selection

Flooring products are grouped by backing type. Some product names appear with several backing types and it is important to ensure that the backing is correct as this may affect the choice of adhesive.

## Multiple Listings

When more than one adhesive is listed, selection should be made by considering such factors as site conditions, type and absorbency of the subfloor, flammability requirements etc. Information is given on the individual adhesive Product Data Sheets and these must be referred to in conjunction with this guide to ensure that the correct selection is made.

Some products are listed with water resistant adhesives. This is to suit areas subject to surface water and does not imply that the floorcovering is suitable for use outdoors or where the subfloor is damp.


## Uneven Backings

Some floorcoverings have an open textured, uneven or profiled backing. These will require more adhesive to ensure adequate contact, achieved by the use of a deeper trowel notch.

## Release Systems

Surface tackifier systems allow the removal and replacement of carpets/underlay and carpet tiles provided that the adhesive film has not become contaminated e.g. with dust. When using STYCCOBOND F41 Carpet Tile Tackifier over a raised access floor system, pour the tackifier into a tray and apply carefully using a STYCCOBOND paint roller to avoid adhesive penetration between the panels. Under no circumstances should the tackifier be poured directly on to the floor.

The tackifier must be allowed to dry completely before the tiles are laid.



## Release Underlay Systems

Some underlay systems, as specified by the manufacturers, can be fixed to the subfloor with STYCCOBOND F40.

STYCCOBOND F40 combines high shear with low peel adhesion to reduce lateral movement of release underlays under trafficking and thus minimise rucking, while enabling the carpet and underlay to be replaced when required.

Suitable carpets as specified by the manufacturers, may be bonded to the release underlay using the recommended permanent bond adhesive.

**Not all carpets are suitable for use with release underlays. Do not use rubber foam backed carpets; PVC and polyurethane foam backed carpets. Additionally, the adhesion of the secondary backing with certain tufted carpets is of significant importance.**

**We suggest the advice of the carpet manufacturer is sought to determine the suitability of a carpet for installation on a release underlay system before acclimatisation of carpets.**



**Special Note**

The following special note relates to F41 in the RAG®.

*\*Where PVC backed carpet tiles are to be laid over fully flexible vinyl flooring use STYCCOBOND F41 applied in bands to the back of the tile, avoiding the edge.*

**Dual Bond Systems**

Certain carpets as specified in the Recommended Adhesives Guide can be laid into wet STYCCOBOND F40 to produce a permanent bond.

**Vertical Bond**

Some floorcoverings are suitable for use on stairs, steps and walls. Please consult the floorcovering manufacturer or installation guides.

**High Temperature Adhesives**

In today's modern buildings with ever-greater window areas, floors are subject to the increased effects of direct sunlight.

F. Ball offer two specially formulated high temperature adhesives for use with vinyl floorcoverings which provide excellent dimensional stability, reducing the potential for movement of floorcoverings subject to temperature variations, which can lead to tenting or gapping.

STYCCOBOND F49 HYBRID PS is a temperature tolerant, water based Pressure Sensitive adhesive particularly suitable in conservatories or areas where floor to ceiling windows are installed. With a high initial tack and high bond strength, it is suitable where temperatures can fluctuate between -20°C and +60°C in accordance with manufacturers recommendations. The water resistant bond enables application in areas of high humidity on a suitable smoothing underlayment.



STYCCOBOND F48 PLUS is a fibre-reinforced, fast drying, high grab solvent free adhesive having high resistance to both heat and PVC plasticisers. It can be used for securing a wide range of plasticised PVC floorcoverings in both sheet and tile form.

Both products are protected against biodegradation and are suitable for use over normal underfloor heating installations.

**Rubber Floorcoverings**

STYCCOBOND F58 PLUS is a fast drying, fibre-reinforced adhesive that is suitable for the installation of rubber sheet and tile floorcoverings up to 2.5mm thick.

STYCCOBOND F58 PLUS offers the benefits of high bond strength and strong initial tack. It is protected against biodegradation and is suitable for use over normal underfloor heating systems.

*N.B. Some rubber floorcoverings are difficult to bond because of the presence of mould release agents or other materials. To obtain satisfactory adhesion it is sometimes necessary to abrade and solvent wipe the back of such floorcoverings before installation. The floorcovering manufacturer should be consulted for advice before this is attempted.*



**Carpet Seaming**

To prevent fibre loss from clean cut edges of carpets, apply STYCCOBOND F30 synthetic rubber/resin adhesive.

**Wood Adhesives**

F. Ball has developed a comprehensive range of adhesives and ancillaries for most types of wood and timber floor construction.



Covering the requirements of day to day wood floor installation, the range offers a choice of adhesives to meet application, site and performance requirements.

**Isolator Range**

STOPGAP Isolator range gives a complete systemised solution to damp and contaminated subfloors or refurbishment projects where the original floor must be protected. The comprehensive range ensures quick and easy solutions to situations that would otherwise require lengthy and expensive remedial work.

STOPGAP Isolator Membrane is an impervious laminated sheet onto which numerous sheet vinyl, linoleum and rubber floorcoverings can be bonded along with carpet tiles. It is designed to be laid over damp surfaces, some existing resilient floorcoverings and also onto oil and paint contaminated subfloors.

It is a loose lay system that allows easy removal, leaving the surface in its original condition. The sheet has nodules on the underside to create an airspace allowing ventilation of water vapour from a damp subfloor into a dry wall. It is supplied in rolls 2m wide by 20m long.



STOPGAP ISOLATOR JOINTING TAPE should be used on all seams.

Most sheet vinyls can be bonded to the membrane using STYCCOBOND F47 pressure sensitive vinyl adhesive.

STYCCOBOND F84 is a solvent free, two-part adhesive that can be used for bonding sheet rubber, linoleum and vinyl floorcoverings.

STYCCOBOND F41 can be used to install bitumen backed carpet tiles to the membrane.

**Marine Adhesives**



F. Ball and Co. Ltd.'s range of marine approved flooring adhesives and primary deck coverings are used extensively in shipyards throughout the world. Tested in accordance with International Maritime Organisation (IMO) standards and carrying appropriate certification. They have not only been used on prestigious vessels and luxury liners, but they also have a wider range of uses on offshore platforms, RO-RO ferries, super yachts, barges and many other types of seagoing vessels.



The F. Ball range of high performance adhesives carries the Marine Equipment Directive (MED) logo and secures a wide selection of marine approved floorcoverings including carpet, carpet tile, underlay, vinyl, linoleum, artificial grass or rubber.





## Product Performance

As the variety of floorcoverings and installation locations grow ever larger, so does the performance requirement of adhesives and subfloor preparation products. Different floorcoverings can demand a different performance from the adhesives that secure them. This is why the range of specialist adhesives increases in number in line with that of the floorcoverings.

Full compatibility of the adhesive with the floorcovering is crucial to ensure an excellent bond. The integrity of the bond guarantees that the floorcovering remains securely fixed throughout the life of the installation.

Only adhesives fully tested to British and European standards and endorsed by floorcovering manufacturers can be totally relied on.

## Adhesive Considerations

An understanding of adhesive types facilitates adhesive selection.





A simple method of classification is to differentiate between water and non-water based types:

## Water Based

These include the UK's market leading flooring adhesive, STYCCOBOND F3 which can be used to secure the most commonly used textile floorcoverings - felt, unitary, secondary backed, foam backed and fibre bonded.

Other water based adhesives include those specifically developed using acrylic polymers to secure vinyl sheet/tile and rubber floorcoverings. Tackifiers, which act as a release system to secure carpet tiles, secondary backed carpets and some underlays.



*Peel Test*

*90° Peel test - measures the bond strength of an adhesive between various types of floorcoverings and different substrates.*



## Non-Water Based

These include the neoprene contact adhesives, which provide an instant bond.



*Castor Chair Test*

## Reactive Adhesives

These include epoxy and polyurethane types, which are used for more specialised applications, such as external areas, artificial grass or for floorcoverings which are subject to surface water in building entrances or wet rooms.

## Surface Preparation

The type and condition of the subfloor has a direct influence on the installation and performance of a floorcovering and the importance of good surface preparation cannot be emphasised enough.



*Flexural Test*

*Determination of flexural strength to BS EN 13892 : Part 2. The test is a measure of the resistance to bending and is used to give an indication of the products durability when in service.*



Any substrate forming the base onto which F. Ball products and subsequent floorcoverings are installed should be designed to withstand all structural, thermal and mechanical stresses and loads which will occur during service.

F. Ball and Co. Ltd. develop and manufacture a wide range of high performance subfloor preparation products such as waterproof surface membranes, primers, floor repair compounds and floor smoothing underlays. Each product is extensively tested in the company's climate controlled laboratories and test facilities.



The detailed Subfloor Preparation Guide section at the rear of this guide describes how to identify and prepare a range of commonly found substrates. However, due to the wide variety of use of our products there may be a situation not covered in this guide. The F. Ball Technical Service Department and Technical Representatives are always available to discuss individual site conditions.

Please note that the tests depicted in this section are representative of the investment and commitment made by F. Ball and Co. Ltd. as a leading manufacturer of flooring adhesives and subfloor preparation products. The complete product testing programme can, in some cases, take in excess of forty days using many different types of test equipment and data.



#### Flow Test

*The BS EN 12706 flow test gives an assessment of the flow characteristics of floor smoothing and levelling compounds. This test indicates the ability of the mixed material to flow under its own weight, this is particularly important for pump application.*



### British Standards

BS 5325 Installation of textile floorcoverings, provides recommendations of best practice for the design and installation of both woven and non-woven textile floorcoverings.

BS 8203 Installation of resilient floorcoverings provides recommendations of best practice for the design and installation of cork, linoleum, rubber and plastic floorcoverings.

All aspects of site conditions, subfloor preparation and floorcovering installation must be in accordance with either BS 5325 Installation of textile floorcoverings or BS 8203 Installation of resilient floorcoverings, as appropriate.

BS 8204 Code of practice for screeds, bases and in situ flooring. Concrete bases and cementitious levelling screeds to receive floorings.

BS 8201 Code of practice for installation of flooring of wood and wood-based panels.

BS EN 13813 Screed material and floor screeds. Screed material. Properties and requirements.

BS EN 13892-2 Methods of test for screed materials. Determination of flexural and compressive strength.

BS EN 1504-3 Structural and Non Structural repair of concrete structures.

The information in this guide is based on results we have achieved with the floorcoverings listed. Floorcovering manufacturers are involved in continuous research and development, leading to the introduction of new products and the withdrawal of others. As these changes are beyond our control and as site conditions vary, users must ensure the suitability of our products by enquiry or by prior testing.

No liability is accepted for loss or damage arising from incorrect use of the Company's products.

### Technical Advice

Detailed technical advice is available on all our products.

Contact F. Ball Technical Service on **+44 (0)1538 361633**  
(Monday – Friday, 08.30 to 17.00)

E-mail: [technical@f-ball.co.uk](mailto:technical@f-ball.co.uk)





## INTRODUCTION

This Subfloor Preparation Guide describes the different types of procedures available to produce the most acceptable substrate possible, ready for the installation of one or more of our products.

All aspects of subfloor preparation and floorcovering installation should be carried out in accordance with the appropriate British, European or International standard and follow current good working practices.

During the laying of the floorcovering an ambient temperature of at least 18°C must be maintained along with a floor temperature of at least 10°C. The type and condition of the subfloor has a direct influence on the installation and performance of a floorcovering and the importance of subfloor preparation cannot be emphasised too strongly.

Before the final treatment to bring a subfloor up to the standard required for the application of floorcoverings to begin, the condition of the base must be investigated and any necessary treatments or repairs carried out. Failure to do this increases the potential for premature failure, which is counter productive and expensive to rectify.

Where application involves questionable substrates the installer must exercise extreme caution and advise the client of the attendant risks involved.

Old or new substrates contaminated with oil, grease, fat or chemicals, faulty concrete, inferior grades of concrete, floors with large cracks or crevices, poor asphalt and tiles are not satisfactory bases for the application of most of our products. Some severe conditions cannot be corrected by normal preparation techniques and the only remedy may well be to uplift and relay the complete subfloor.

Any substrate forming the base on which an F. Ball product is applied should be designed to withstand all structural, thermal and mechanical stresses and loads which will occur during service. A substrate should remain stable and be provided with any expansion, contraction and crack inducement joints as necessary. Cracking, unevenness and faults in the substrate may be reflected through the surface treatments and floorcoverings. It must be acknowledged that any shortcomings or failures in a subfloor could lead to a premature failure of the new decorative floorcovering.

## REFERENCES

The following British Standards should be referred to when specifying and installing F. Ball products or systems:

**BS EN 312** Particleboards

<b>BS EN 314-2</b>	Plywood Bonding Quality
<b>BS 5325</b>	Installation of textile floorcoverings
<b>BS EN 636</b>	Plywood Specification
<b>BS 8201</b>	Code of practice for installation of flooring of wood and wood-based panels
<b>BS 8203</b>	Installation of resilient floorcoverings
<b>BS 8204</b>	Code of practice for concrete bases to receive in-situ floorings. Concrete bases and cementitious levelling screeds to receive floorings
<b>BS 8204-5</b>	Screeds, bases and in situ floorings. Mastic asphalt underlays and wearing surfaces

## SUBSTRATES

Good design and subsequent installation practices to receive F. Ball products or systems should be followed at all times and are essential for the success of the finished floor. In order to minimise problems and save any possible additional costs, it is essential that specifiers, clients, main contractors or installers of subfloors such as concrete and sand/cement screeds, should have tested and be satisfied that the surfaces are to specification and are adequate for the intended use prior to the installation of our products.

The company recommends the procedures mentioned in this guide for the preparation of concrete, screeds and other surfaces prior to the installation of our products.

In the case of vertical surfaces extra consideration should be shown due to possibly greater absorbency of many of the surfaces i.e. brick, blockwork, plaster, etc and the surface regularity may be insufficient.

Coverage rates of materials may be affected by the selected method of surface preparation and due allowances should be made for any increase or decrease.

## CONSIDERATIONS - OLD CONCRETE AND SCREED SURFACES

Old surfaces are often contaminated, worn or degraded and often present a greater risk than new substrates. BS 8204 should be used as a guide to good flooring methods. In order to minimise problems and save additional costs, it is essential that specifiers, clients, main contractors or installers of F. Ball systems have the floor tested, and are satisfied that surfaces are adequate for the intended use.

A surface tensile pull-off strength of at least 1.5 N/mm<sup>2</sup> or in-situ crushing resistance test, with a maximum depth of indentation of 3mm, in accordance with BS 8204, is required



onto a prepared subfloor before the application of floor smoothing underlayments and serves as a good guide as to the integrity of the floor.

In the case of contaminated surfaces the depth and type of contamination should be checked to ensure that removal and subsequent adhesion can be ensured. It is often advisable to take cores from the most contaminated areas to be sure of penetration depth and the soundness of substrate. For instance, oil can penetrate many centimetres into concrete, and although the surface may be cleaned, it can migrate back to the surface. Adhesion of a Waterproof Surface Membrane (WSM), underlayment or adhesive may be compromised or in the worst cases be non-existent. If in doubt, do not progress any further work without management instructions. Further discussion with our Technical Service Department may be advisable before proceeding.

## WEAK AND DAMAGED SCREEDS

Poorly installed sand/cement or calcium sulphate screeds can result in a weak or friable surface which is unsuitable for the application of subsequent subfloor preparation products and installation of decorative floorcoverings. A poorly compacted, damaged or weak screed should be completely removed by mechanical means and reinstalled correctly. Alternatively, the surface can be treated with a surface reinforcement system such as STOPGAP SRS which will quickly penetrate and stabilise the screed.

Before the application of STOPGAP SRS, weak or damaged screeds should be evaluated by either an In-Situ Crushing Resistance test (ISCR) or even a subjective scratch test to evaluate the condition of the subfloor and to demonstrate its suitability. The surface of the screed must be exposed and all laitance and any previously applied adhesives or smoothing underlayment residues must be completely removed. The area should be vacuumed to remove all dust and debris so as not to impair adhesion and penetration. STOPGAP SRS can be used over heated floors and damp subfloors but should not be used on calcium sulphate screeds where the Relative Humidity is above 85% or over subfloors where movement is anticipated.

## LAITANCE

Laitance is always present on new concrete bases, sand/cement and calcium sulphate screeds and should always be removed. Laitance is formed from a mixture of water, cement and the fine particles of the screed or concrete brought to the surface when placing and trowelling. As the concrete or screed cures this mixture dries to form a crust or thin layer

(known as laitance) on the surface. The wetter the mix, and the more it is worked or trowelled, the thicker and usually weaker the laitance will be. The thickness of laitance may vary from, in the best cases, barely measurable - to the worst examples, 6mm or more. Scoring the surface with a steel edge (i.e. a screwdriver) until the main aggregate in the mix is reached will determine the thickness of the laitance.

Laitance is a friable and weak layer, and can either delaminate or be subject to impact damage, or may go to dust when abraded by traffic. Therefore, to ensure the new floor surface and smoothing underlayment are able to fully bond, the floor needs first to be mechanically prepared to expose the aggregate in the concrete/screed base. The heavier the floor traffic, and the greater the temperature fluctuations that the floor area is subjected to, the more important laitance removal is. If not removed, laitance is a major cause of failure within concrete/screeded floors and may lead to failure of the surface treatment, smoothing underlayment or floor covering. Unless it has been removed by previous surface preparation techniques, laitance may still be present on old concrete and screeded floors. Removal is vitally important.

## STEEL

All steel floor sections or decking must be suitably supported to prevent movement and excessive deflection.

The surface of the steel should be mechanically treated to achieve SA2½ by (Grit Blasting) prior to the application of epoxy resin deck plate primer, steel primers or suitable smoothing underlayments.

## SURFACE PREPARATION TECHNIQUES

The most frequently used methods of surface preparation of concrete or screeded floors are:

- Vacuum recovered dust-free shot/grit blasting
- Mechanical Planing
- Grinding
- Abrading

Floors and their uses vary enormously. Therefore, each method must be judged on its merits and full account be taken of the working environment in which the preparation has to take place. For example, planing may be a perfectly suitable method of preparing a floor in an unoccupied site. However, the resulting dust and noise may preclude it in many other situations. A subfloor mechanical preparation specialist should be consulted regarding the appropriate method.





## MECHANICAL SURFACE PREPARATION - REMOVAL, CLEANING AND FINISHING

Whatever the make or model of surface preparation equipment the principles of the operation remain the same. The capabilities and performance are gauged by machine size, power supply and sizes/grades of accessories selected for the task. Hand tools are readily available for hard to reach areas and preparation of “edges”. It is important that the contractor has an understanding of the importance of selecting “The correct method” of mechanical surface preparation to remove, clean or key the existing material(s) ready to receive the specified new products. It is also important to highlight that all grinders, planers and shotblasters and associated hand tools are designed to be used with industrial vacuum systems or heavy duty filtration units for containment of dust and to prevent dust contamination of the working area.

## DUST-FREE SHOT/GRIT BLASTING

This is probably the fastest and most efficient form of old/new floor preparation and for the removal of laitance. The machines used vary in size and are generally operated by specialist concrete preparation contractors or flooring contractors. Horizontal and slightly inclined surfaces are impacted and abraded by steel abrasive/shot propelled at high velocity which cleans and textures the background surface while the abrasive shot and debris is contained and reclaimed by powerful suction processes. The shot is cleaned and recycled for immediate re-use. Up to 1000m<sup>2</sup> of flooring may be completed in a day. This is a dry process and floor laying may often continue while preparation is progressing in adjacent areas. In many cases old coatings and other contamination may also be removed by this method.

Dust-free shot blasting is far quicker, quieter and cleaner than mechanical planing, scabbling, etc. The type and size of the machine selected will determine production rates achievable and degree of profiling required for the specified material to be applied.

The medium for shotblasting equipment is steel abrasive “Shot”. The most common grades are 390, 460 and 550.

Shotblasting can be selected for removal of laitance on new power floated concrete, cleaning and texturing asphalt, surface re-texturing, removal of coatings, steel preparation and exposing aggregate. The disadvantage is the general inability of the machine to remove exceptionally thick, hard or flexible materials i.e. certain epoxy or polyurethane floor surfaces. The specialist contractor using these machines will advise in more detail.

Shotblasting will produce a lining effect commonly known as tramlining. This can be minimised with operator experience, but will be visible when applying sealers or thin coatings. Shotblasting will highlight surface defects in the surface being prepared, this is particularly important when applying to old concrete.

Shotblasting will not effectively remove: soft composition screeds, sticky/bituminous materials or material in excess of ½ mm in thickness.

*Note: Shotblasting cannot be applied to wet or damp conditions and requires a smooth even surface for optimum results. Steel abrasive (Shot) will escape from the machine on uneven surfaces, causing minor hazard and the need to vacuum prior to applying new materials.*

## MECHANICAL PLANING/SCABBLING

Often referred to as ‘concrete planing’, the machines incorporate a drum which carries rows of flails/picks tipped with tungsten. This is an excellent method to remove laitance and other forms of surface contamination.

The finished profile is dependent on the size of the machine and the type and size of the flail selected by the operator.

Various types of flail are available:

Milling flails are used for the removal of thermoplastic line markings, bituminous and rubber deposits, with minimal profiling to the background surface.

TCT (Tungsten carbide tipped cutters) are used for cleaning and texturing concrete, asphalt stone surfaces and removal of screeds and coatings, creating a “rippled effect” on the background surface.

Beam/Star flails are used for cleaning/removing soft composition materials from hard surfaces/concrete without damaging the surface but cannot be used on hard materials.

Typical applications are:

- Profiling concrete (TCT flails)
- Removing Thermoplastic lines (Milling flails)
- Removing soft materials (Beam/Star flails)
- Reducing levels (TCT Flail)

Removing screeds/asphalt in excess of 5mm in thickness. (Picks are used on large ride on models).

Always check that the profile that is produced by the flail/picks selected are suitable for the material to be applied, the type and thickness of surface to be removed and the finished profile produced.



*Note: Hard compositions may create a problem for smaller planing machines as there is not enough weight to cut into the surface.*

The finished surfaces may be grooved or flat and are generally rougher than using dust-free shot blasting. Greater thicknesses of the substrate can be removed quickly and more effectively than by shot blasting. Mechanical planing is slower and noisier than other methods but when attached to a suitable vacuum cleaner reduces dust to an acceptable minimum.

## GRINDING/ABRADING

Grinding machines are designed for precision, control and safe operation. The process is provided by diamond, tungsten or resin bonded grinding plates fitted to either single or multiheaded machines which rotate.

The diamonds cut, smooth and clean the background surface. There are different grades and sizes of diamond plates/tools and also PCD (Polycrystalline Diamond) especially designed to remove sticky compositions and adhesives.

Grinding would be selected for smoothing concrete, removal of coatings, adhesives, levelling compounds and contaminants. Grinding machines are also used to polish a variety of surface finishes.

Grinding an uneven surface will skim across the high profile and not touch the lower ones unless the surface is reduced to the lowest point of the surface being prepared.

Sticky compositions may prove difficult to remove and merely re-disperse the material rather than remove if the correct diamond accessory is not selected. It is important to determine the type and thickness of material to be removed or prepared.

The selection of the wrong type of diamond/resin attachment can prove costly.

There are a number of methods of abrading which include the use of STR machines, carborundum blocks, or abrasive papers etc. These have limited uses and are not generally used on larger areas.

## FINAL CHECKS

Hardeners and surface sealers frequently interfere with adhesion and should have been removed by one of the methods described above.

Prior to coating or topping, concrete or screeds must first be: free of all contamination and laitance; strong enough to support the coating or topping under the conditions for which

the floor is designed. Moisture levels must also be below 75% RH, 2.5% total moisture by gravimetric, carbide bomb or speed test methods (less than 65% RH for wood floors) before proceeding with the installation.

Concrete and sand/cement screeds must be left for construction moisture to dry out before floorcoverings are laid. If there is insufficient time to allow the base to dry naturally or if there is no protection from moisture from the ground, bases with Relative Humidity (RH) readings greater than 75% RH (65% RH for wood floors) should be treated with the appropriate STOPGAP Waterproof Surface Membrane (WSM), following preparation of the concrete or sand/cement screed detailed. New concrete and sand/cement screeds must be left for at least 7 days after placing before being treated with an appropriate WSM. STOPGAP ISOLATOR MEMBRANE can be used in certain situations as a fast track alternative for damp floors.

The measurement of construction moisture can also be undertaken using the carbide bomb method. Readings of less than 2.5% for all cement based subfloors and less than 0.5% for Calcium Sulphate subfloors must be obtained.

Immediately prior to applying any coating, topping or adhesive, ensure that dust from any preparation method employed is removed by vacuuming. Preparing concrete may be a dusty operation therefore appropriate PPE should be worn and good ventilation should be provided. Protection of walls, furniture and equipment should be planned.

Residues or spillages of other trades such as plaster, paint, cement, oil (and sometimes roofing tar) are frequently present in new constructions and should be removed. Plaster and cement can be chipped up and wire brushed. Paint should be mechanically removed.

Oil, fats and grease cannot be removed by washing. If such contaminants have penetrated into the surface (which is usually the case) the only way of removing them is mechanically. This means dust-free shot blasting, scarifying, scabbling or hot compressed air blasting. Remedial work in meat processing and engineering plants, for example, remains a very difficult problem. Removing the contaminated concrete and re-screeding may be the only solution.

Cores may be taken to determine the depth of penetration and can assist in deciding on whether or not it is possible to prepare a surface for overlaying. It may be necessary to carry out adhesion tests to ensure adequate adhesion is obtained on a contaminated surface.

In certain circumstances the presence of oil may stain the new decorative floorcovering. If water flows under partitions, walls, cover mouldings, equipment bases or furniture, these areas will take longer to dry out and may delay the installation.



Putting paper or polythene sheet on the floor to keep it clean can retard the drying time.

If old concrete has never been overlaid or painted it should be treated as new concrete. More emphasis must be placed on cleaning and repairing any cracks, holes or eroded areas. Often the best procedure is to remove all contaminated and unsound concrete.

If necessary, repairs to damaged floors should be carried out using products such as STOPGAP 400 REPAIR or STOPGAP 460 EXTERIOR REPAIR Compound prior to applying floor smoothing compounds (please contact our Technical Service Department for further details). The specific concrete repair material must be checked for compatibility with the surfacing system and be of suitable strength for the environment of the finished floor.

## NON-ABSORBENT SURFACES

Surfaces that will not allow water to pass through them can be regarded as non-absorbent. Surfaces such as asphalt, ceramic and quarry tiles, granolithic, terrazzo, paints and to some extent power floated concrete can all come under this heading.

### Coated Surfaces

Traditional floor paints such as those based on oil or acrylic emulsions should be totally removed. Epoxy or polyurethane paints can be overcoated providing they are in good condition and well adhered to the substrate. Coatings vary considerably in this respect and we would suggest you check adhesion by prior testing to ensure a satisfactory bond is achieved.

The coating should be cleaned using STYCCOCLEAN C140 then either primed with neat STOPGAP P141 PRIMER followed by the recommended smoothing underlayment or the adhesive applied direct to the paint (please contact our Technical Service Department for further information on product selection).

However, in the majority of cases identifying the type of paint or coating will be difficult and it is most likely it will be brittle, worn, peeling or flaking off the substrate and is therefore not good enough to receive either a smoothing underlayment or adhesive. The easiest method of removing old paint is usually dust-free shot blasting.

*Note: certain paints and coatings may allow moisture to pass through them and checks should be made for moisture before progressing further work.*

## Chemical Hardening and Waterproofing Admixtures and Curing Agents

All these products are designed to generally repel water from entering into the concrete or screed or to form a barrier to prevent moisture escaping and adhesion will be impaired if a water based smoothing underlayment, adhesive or waterproof surface membrane is applied.

The substrate should be prepared by mechanical means such as contained shot blasting. If a waterproofing admixture is known to have been used, further testing should be carried out with the proposed system to ensure complete compatibility and adhesion to the host substrate.

Some acrylic based curing agents may be overcoated with certain STYCCOBOND adhesives and advice should be sought from F. Ball Technical Service before proceeding. If in doubt always mechanically prepare the surface.

### Waterproof Surface Membranes

Membranes such as STOPGAP F77 or F78 can be overcoated with smoothing underlayments or certain adhesives. When applying a smoothing underlayment onto a waterproof surface membrane, the surface should be primed with neat STOPGAP P141 PRIMER and allowed to dry before proceeding with the underlayment. The exception is STOPGAP F78 where the smoothing underlayment must be applied direct (within 12 hours of application) without priming.

Adhesives such as STYCCOBOND F40, F41, F46, F47, F49, F58 PLUS and B95 can be applied direct to epoxy STOPGAP Waterproof Surface Membranes.

Please refer to the data sheets or F. Ball Technical Service Department for further information on these products.

### Asphalt

The asphalt should be flooring grade, comply with the requirements of BS 8204 part 5 and be the correct grade for its service condition. Providing the flooring grade asphalt is in good condition, sound, strong has not suffered rutting or any sign of softening and is free from any form of contamination, the surface should be cleaned with STYCCOCLEAN C140, rinsed with clean water and allowed to dry. The surface should then be primed with neat STOPGAP P131 or P141 PRIMER and allowed to dry followed by the application of 3mm of the appropriate STOPGAP floor smoothing underlayment. STOPGAP I200 PRO can be applied direct without the need to prime.

*Note: the thickness of the floor smoothing underlayment should be kept to a minimum and must not exceed 6mm.*



## Ceramic, Terrazzo and Quarry Tiles

Providing they are sound and well bonded to a solid base with no cracks or lipped tiles. The surface should be mechanically prepared by either shot blasting or grinding. The surface should then be cleaned using STYCCOCLEAN C140, rinsed with clean water and allowed to dry. The tiles should remain well bonded after this process. Prime the surface with neat STOPGAP P141 PRIMER, allow to dry, then a minimum 3mm skim of the appropriate STOPGAP floor smoothing underlayment applied.

Ceramic, terrazzo and quarry tiles are unaffected by moisture but dependant on their water absorption may be sufficiently permeable to allow the passage of moisture vapour and are often laid in areas which do not incorporate a damp proof membrane. Where this is the case, these bases should be covered with a layer of flooring grade asphalt complying with BS 8204. Alternatively, the use of a STOPGAP F77 Waterproof Surface Membrane can be applied, providing the substrate has been sufficiently prepared by mechanical means and the grout lines lightly raked to remove any contaminants. In both cases this should be followed by priming with neat STOPGAP P141 PRIMER and allowed to dry before applying a minimum 3mm of the appropriate STOPGAP floor smoothing underlayment. If either method is not possible, lift the tiles and relay the floor. STOPGAP ISOLATOR Membrane may also be used in certain situations.

*Note: 1. STOPGAP I200 PRO can be applied direct without the need to prime.*

*2. Old installations may involve a substrate consisting of ash, sand or soil which can become unstable if covered up. Checks should be carried out to establish the integrity and make up of the substrate. Under no circumstances should F. Ball and Co. Ltd. products be laid on these areas.*

### Power Floated Concrete Slabs

These should be treated in the same way as traditional concrete and sand/cement screeds. In some cases it is possible to use a pressure sensitive adhesive such as STYCCOBOND F46, F47 or F58 PLUS or a tackifier adhesive such as STYCCOBOND F40 or F41 direct to the power floated slab, providing the moisture content of the slab is below 75% RH. Checks should be made with Technical Service before proceeding.

*Note: 1. Most power floated slabs will be treated with a curing agent. In most cases this will be acrylic based, however, wax based curing agents or certain silicate based products may be present that will inhibit the bond to these surfaces and should be removed by mechanical means such as shot blasting.*

*2. Power floated concrete slabs, especially those treated with curing agents, will take a considerable amount of time to dry, waterproof surface membranes such as STOPGAP F77 or F78 should be used providing the surface has been shot blasted.*

### Adhesive Residues

Any old adhesive residues should be removed by mechanical methods such as scraping, shot blasting and grinding etc. Certain underlayments such as STOPGAP I200 PRO are able to cope with firmly adhered and hard adhesive residues that are not water soluble. However, for all other smoothing compounds at least 75% of the floor area should be exposed, followed in most instances by the application of neat STOPGAP P131 PRIMER, allowed to dry and then the application of the appropriate STOPGAP smoothing underlayment. Please refer to Technical Service for product selection.

*Note: 1. If in doubt remove all traces of adhesive residues back to a clean, sound micro-textured dust free substrate.*

*2. Highly trafficked areas and those subject to high temperatures such as conservatories, should be mechanically prepared to remove all adhesive residues, primed with dilute STOPGAP P131 PRIMER, allowed to dry and a high strength smoothing underlayment applied such as STOPGAP Fast-Track 30, 200 or 300 followed by the recommended adhesive.*

Any remaining adhesive on wooden floors should be overpinned with minimum 6mm flooring grade plywood and thoroughly secured at 100-150mm centres (see wooden floors).

## EXISTING FLOORCOVERINGS

Most floorcoverings such as flexible vinyl, linoleum, rubber and textile floorcoverings must be removed and the substrate thoroughly prepared before fully bonded floorcoverings can be laid. Whilst there is a risk involved, some thermoplastic tiles can be overlaid with STOPGAP I200 PRO or certain floorcoverings providing the tiles are firmly bonded to the subfloor and all traces of polish or any other contaminant which would prevent good adhesion are removed e.g. with STYCCOCLEAN C140 Floor Cleaner. If this cannot be achieved then the tiles must be removed, and the substrate suitably prepared. With some carpet tiles it is, however, possible to install direct to existing resilient and smooth floorcoverings with STYCCOBOND F41 adhesive providing there are no surface treatments that will prevent adhesion.

*Note: Certain vinyl tiles were made using asbestos, and professional advice should be taken before proceeding to remove these types of tile and their adhesives. Generally with older buildings, these types of tiles were often laid on floors that did not contain a DPM.*



Stubborn, existing floorcoverings can be removed using a process called Multistripping whereby a blade or pick is attached to the front of the machine, which cuts into/lifts under the surface finish to be removed.

Typical applications are: removal of vinyl, rubber, carpets, fully bonded wood flooring, ceramic, stone and terrazzo tiles. Multistripping can also be used to remove levelling compounds, adhesives, thermoplastic markings and scrape surface contaminants.

Always Consider:

- The type of material to be removed.
- Single or multiple layers.
- The composition and thickness of the substrate.
- Weight and download applicable to the process.
- Power requirements of the machine specified.

Always consider the working environment, access to area and risk of flying debris.

Additional methods of preparation may be required prior to the application of the new materials specified. If in doubt contact a surface preparation expert for guidance.

## COMPOSITION FLOORS

Floors constructed of magnesite oxychloride cement will be adversely affected by dampness rising from the ground if they are covered with an impervious layer. Unless it can be established that the composition floor is adequately protected against rising dampness, it must be removed and the base made good before floorcoverings are installed. If the floor is protected against dampness then cracks and small hollows should be patch filled and the whole area skimmed with a minimum 3mm of the appropriate STOPGAP smoothing underlayment.

## CALCIUM SULPHATE SCREEDS

In all cases, calcium sulphate screeds, which includes anhydrite and Alpha hemihydrate screeds should be sound and stable. All laitance should be removed during the initial grinding stage, however, this is not always the case and checks should be made prior to proceeding with the application of any material. If laitance still exists, this should be mechanically removed by further grinding/sanding and the dust must be fully removed by vacuuming – instruction should be sought from the manufacturer of the screed. It is imperative that checks are also made to determine the moisture content of the floor and this is carried out using a hygrometer in accordance with British Standards BS 5325, BS 8201 and

BS 8203. A reading of less than 75% RH for textile/resilient and less than 65% for wood must be obtained. Where construction moisture measurement is required using the carbide bomb method, readings of less than 0.5% must be obtained. Prime using STOPGAP P121 which should be applied in two coats, the first being diluted with an equal part of water then allowed to dry before a second neat coat is applied prior to the application of STOPGAP I100 GYPSUM Smoothing Underlayment or suitable STYCCOBOND adhesive.

## WOODEN FLOORS

All wooden floors must be structurally sound, level, smooth, dry and clean. Adequate ventilation should be provided to suspended timber floors at ground level to ensure that the moisture content of the wood is maintained at equilibrium.

Worn or uneven floorboards should either be replaced or levelled by sanding, planing or by patch filling with STOPGAP GREEN BAG/ I14 Liquid or STOPGAP I200 PRO floor smoothing underlayment before finally covering with plywood conforming to BS EN 636 Class 2 (Suitable for use in humid conditions) and should be constructed with hardwood veneer and EN314-2 Class 3 (exterior) for the glue bond.

The sheets should be fixed using screws in a line 12mm in from the sheet edge at 100mm centres and at 150mm intervals at intermediate centres across the sheets and all joints should be staggered.

Wood blocks laid on ground floors must have an effective damp proof membrane incorporated in the concrete subfloor. They may be overlaid with a suitable grade of plywood (secured with either STYCCO FLEX, B95 or as described above). However, it must be ensured that the wood blocks are well bonded and remain fully secured to the subfloor and that the plywood overlay and wood blocks remain dry during the life of the installation.

If these conditions can not be met, then the wood blocks must be removed and the subfloor made good with either a flooring grade asphalt (complying with BS 8204) or a modified sand/cement screed incorporating an effective damp proof membrane. Alternatively, apply STOPGAP F77 WSM, P131 or P141 PRIMER, STOPGAP 600, P131 and STOPGAP 300 Smoothing Underlayment.

Wood blocks are not suitable for direct application of sheet or tile flooring because of the continuous differential movement of the blocks and the risk of the wood block design showing through the floorcovering surface.

Wooden floorboards (including butt jointed and tongue and groove boards) can be overlaid with a minimum of 6mm



plywood overlay, screw fixed at the centres outlined above to provide a rigid, deflection free, substrate. They may then be primed using dilute STOPGAP P131 PRIMER and a minimum thickness of 3mm of STOPGAP 700 SUPERFLEX applied.

Wood mosaic panels require over pinning with flooring grade plywood in all cases. This is not practical on solid floors and panels should therefore be removed, along with any adhesive residues.

If panels laid over a flexing timber floor need patch filling, STOPGAP GREEN BAG/ I14 Liquid or STOPGAP I200 PRO floor smoothing underlayment should be used. In all other respects wood mosaic panels should be treated as for wood block. Chipboard should comply with BS EN 312 flooring grades, type P4 to P7. It is essential that floating chipboard and other particle board floors are dry (shrinkage may occur on drying) and following good installation practice considerations must be given to overlaying the boards with plywood as described above to minimise the potential for any board edges to affect the floor covering.

Plywood must always be overlaid with STOPGAP 700 SUPERFLEX prior to the installation of a resilient floorcovering. Some textile floorcovering can be directly applied to chipboard.

In all cases chipboard and plywood must be primed with dilute STOPGAP P131 PRIMER as recommended. Sterling Board OSB (Oriented Strand Board) must be flooring grade appropriate for the construction of the floor, nature of the building and the expected design loading should conform to BS EN 300, Type OSB/2, Type OSB/3 or Type OSB/4.

MDF should conform to BS EN 622-5.

Where Sterling Board OSB or MDF are used they should always be overlaid with plywood as described above.

## RAISED ACCESS MODULAR FLOORS

These are designed to give ready access to underfloor services. All modular units must be structurally sound, level, smooth and free from contaminants. New floors should be degreased using STYCCOCLEAN CI40 and allowed to dry before applying the adhesive. Backed carpet tiles secured with a tackifier such as STYCCOBOND F41 are suitable for this type of base.

It may be suitable to overlay the panels with plywood as described in the previous section or as an alternative, panels that are clean and dry that have been screw fixed to the pedestals and primed with STOPGAP FILL AND PRIME may receive a minimum thickness of 3mm of STOPGAP 700 SUPERFLEX or STOPGAP I200 PRO.

STOPGAP FILL AND PRIME is a two component, flexible cement primer that is flexible with thixotropic properties to allow the filling of joints. STOPGAP FILL AND PRIME should be applied using a steel trowel and spread evenly on to the prepared substrate providing a smooth, uniform surface. The consistency has been designed so that joints in raised access panels are filled. However for application over wide joints it is advisable to mix a unit with reduced liquid content and fill the joints prior to a subsequent coating of STOPGAP FILL AND PRIME mixed to standard consistency. Then apply STOPGAP 700 SUPERFLEX or STOPGAP I200 PRO.

Please note that where this process has been carried out there is no longer any access to the panels underneath.

## CONCLUSION

It must be appreciated that these recommendations are general. Modifications may be required according to the floor system used and the service conditions under which the surface has to adequately perform. If there is any doubt seek further advice from our Technical Service Department before proceeding with the application of our products.

The company will be pleased to check advice given by a contractor or applicator of F. Ball products. However, because we may be unaware of every situation where our products are supplied, it is impossible to check all sites where F. Ball materials are used. This information is therefore to be used only as an informed guide to floor preparation methods.

The responsibility for the preparation of any substrate must remain with the installer. Because of the wide variety and uses of our materials, the Company is always more than willing to offer help and assistance with individual flooring problems.

The detail in this information guide is given in good faith and is based on results gained from experience and tests. However, all recommendations or suggestions are made without guarantee, since the conditions of use of the floor and the placement of materials are beyond our direct control. Please contact our Technical Service Department for further advice.





### Step 1 - Check it

Undertake an initial test for the presence of moisture in the subfloor using a radio frequency moisture meter such as the Tramex CMEX 5, Protimeter MMS2 or Protimeter Aquant™. If moisture is present, investigate further.



### Step 2 - Measure it

Confirm and accurately measure the moisture levels present using a F. Ball DIGITAL HYGROMETER. If the relative humidity is below 75%\* it is safe to proceed with fitting. If above 75% RH go to step 3.

### What is the problem?

It was only in 1965 that it became mandatory to install a Damp Proof Membrane (DPM) in new buildings. Where there is no DPM or in cases where the DPM has failed, moisture can rise into the slab from the ground. In cases of new construction the slab itself will contain a considerable amount of residual moisture and although this will generally reduce with time, dependent on environmental conditions, this can cause a significant delay to building occupancy. There are of course, other circumstances where a floor slab may temporarily absorb water, after a flood, broken pipe etc.

In any circumstance where the floor slab contains significant amounts of moisture, if floorcoverings are installed without precautions being taken, the floorcovering will reduce moisture release thereby trapping moisture under the covering with the potential to cause blisters or even failure of the adhesive. When problems like this occur (after floorcovering installation) there is no 'quick fix' other than to undertake an expensive rip out, then to either let the floor dry or install a Waterproof Surface Membrane (WSM) and install a new floor covering.

The difficulty is that moisture is not always visible and estimates of drying times can be very inaccurate. The best estimate of how long a floor takes to dry to an acceptable level of 75% RH is at a rate equivalent to 1 day per 1mm of subfloor thickness up to 50mm.

So typically a 50mm thick screed will take at least 50 days to dry. Thicker floors can dry at an even slower rate than that. Given the financial pressure to occupy a building the temptation is to take a risk and proceed with installing the floorcovering - however, the costs of getting this wrong can be substantial, not only in wasted material but because occupancy may be even further delayed while remedial action is taken.

In certain circumstances underfloor heating may be used to dry the screen in accordance with suppliers instructions.

### How can you tell if it is safe to proceed with installing a floorcovering?

Where there is a suspicion that the floor may contain moisture, this needs to be carefully checked - visual inspection is inadequate as what may appear dry on the surface may conceal retained moisture that is being slowly released.

Firstly the presence or absence of moisture can be checked easily using a radio frequency moisture meter such as the Tramex CMEX 5, Protimeter AQUANT™\* or Protimeter MMS2\*. These devices are quick and easy to use and give instant readings that indicate whether moisture is present or not.

If no moisture is present then the flooring installation can proceed, but if there is an indication of moisture presence, then this needs further investigation.


Measurements need to be made at a number of points across the floor and over a period of time to allow measurement of moisture release from the slab. Traditionally such measurements have been undertaken using a hair hygrometer that itself required careful calibration immediately prior to use. This method has now been superseded by the pre-calibrated F. Ball Digital Hygrometer\* which is temporarily sealed to the floor surface and gives a direct read out of the relative humidity of the floor. Thicker power floated slabs will take longer.

An alternative measurement method is to utilise a Tramex CMEX 5 or Protimeter MMS2\* in conjunction either with humidity boxes (similar to those used with the digital hygrometer) or using moisture probes that are inserted into pre-drilled holes in the slab.

Where Relative Humidity (RH) levels are measured at below 75%\*\*, flooring may proceed without further treatment. At levels over 75% further treatment is required.

**\*For detailed operating instructions and information on how to interpret results please see the relevant product data sheets and operating instructions.**

**\*\*For wood floors F. Ball recommend a maximum of 65% RH. Consult wood floor manufacturer.**



### Step 3 - Solve it

If relative humidity is above 75% treatment is required. F. Ball recommend the application of the appropriate Stopgap waterproof surfaces membrane or Stopgap Isolator Membrane.



### Solve the problem with a waterproof surface membrane

A Waterproof Surface Membrane (WSM) is designed to control water vapour transmission. WSM's are typically formed by applying one or two coats of an Epoxy Resin which bonds to the floor surface to create a waterproof layer. A proven alternative is a WSM in the form of sheet membranes such as Stopgap Isolator.

Stopgap Isolator is a loose lay fibre reinforced vinyl which sits proud of the subfloor yet allows a floorcovering to be bonded to its upper surface. Once installed it is very hard to believe that the floorcovering is not adhered directly to the floor. With Isolator, the WSM can simply be lifted and removed at a later date without any damage to the subfloor - an important consideration where heritage floors are concerned or where a building is to be occupied on a limited tenancy and floors will later need to be returned to their original condition.

The appropriate treatment depends on the Relative Humidity (RH) of the floor:

**The F. Ball high performance range of Stopgap waterproof surface membranes; F77, F78 and Stopgap Isolator membrane have been specifically developed to provide a moisture solution for Relative Humidity (RH) values between 75% and 98%. Please refer to the products technical data sheet or contact Technical Service for advice.**

**If there is no DPM or the DPM is damaged, F. Ball recommend Stopgap F77 or Stopgap Isolator Membrane.**

For installations where speed is important, Stopgap waterproof surface membranes can cure in as little as 60 mins at 20°C. Alternatively, Isolator can be laid directly on the floor and a floorcovering installed immediately using the recommended Stycobond adhesive.

### What if there are other problems?


If the floor suffers from other problems in addition to moisture, these can generally be overcome by using one of F. Ball's specialist range of underlayments in conjunction with the WSM. For example:

- Stopgap Green Bag & 114 Liquid or Stopgap 1200 PRO smoothing underlayments can be used under Stopgap Waterproof Surface Membranes.
- When time is important, Stopgap Fast-Track 30 can be used over the appropriate Stopgap WSM. Stopgap Fast Track 30's unique rapid setting, rapid drying technology allows the floor to be smoothed and levelled and is ready to receive floorcoverings from 45 minutes.

For details of other products that can be used in conjunction with WSM's please either contact F. Ball's Technical Service Department, view the F. Ball website on-line at [www.f-ball.com](http://www.f-ball.com) or consult F. Ball publications or Individual Product Data Sheets.

Many old floors may well have previously been painted or be suffering from efflorescence. Where the subfloor is flaking or contaminated, Isolator Membrane provides a solution as well as providing an effective WSM. For advice on subfloors refer to the F. Ball Subfloor Preparation Guide.

F. Ball manufacture a complete range of primers and adhesives for use with WSM's.





	GENERAL PURPOSE LEVELLING COMPOUNDS			HIGH PERFORMANCE LEVELLING COMPOUNDS			
	Light/ Medium-Duty	Heavy-Duty		STOPGAP FAST-TRACK 30	STOPGAP 200 SMOOTH	STOPGAP 300 HD	STOPGAP 600 BASE (1)
	STOPGAP RED BAG	STOPGAP GREEN BAG	STOPGAP GREEN BAG				

TECHNICAL CHARACTERISTICS	Product Features	Self-levelling Economy	Fast Setting Universal	Fast Setting Universal	Rapid Setting Rapid Drying	Acrylic Self-smoothing	Fast Drying Self-levelling *	Thick Section Fast Drying *		
	Working Time at 20°C (min)	15 – 25	15 – 20	15 – 20	10 – 15	20 – 30	20 – 30	20 – 30		
	Time to Foot Traffic at 20°C – approx (hrs/min)	3hrs	90min	90min	30min	90min	90min	3hrs		
	Time to cover with a floorcovering or seal – approx (Hours)	Absorbent	24	24	12	45min	6	6	6 – 24 (1)	
		Non-absorbent	n/a	24	24	60min	12	12		
	Application Thickness	Unfilled	Min (mm)	3	3	3	2 – 3	2 – 3	2 – 3	5
			Max (mm)	6	15	15	10	15	15	50
		Can be Filled	Up to 10mm	Up to 20mm	Up to 20mm	No	Up to 20mm	Up to 20mm	No	
	Suitable for Biologically Sensitive Areas	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	Coverage at 3mm per bag (m²)	4.8	5.0	5.0	5.6 @ 2mm	4.8	5.0	2.8 @ 5mm		
Suitable for Pump Application	Yes	No	No	No	No	Yes	Yes			
Suitable for High Temperature areas e.g. conservatories	No	No	No	Yes	Yes	Yes	Yes			
Compressive Strength 28 Day (N/mm²)	30	20	25	35	30	35	30			
Flexural Strength 28 Day (N/mm²)	5	5	7	10	7	8	7			
EN 13813 Class / EN 1504-3 Class	CT-C25-F5	CT-C20-F5	CT-C25-F7	CT-C35-F10	CT-C30-F7	CT-C35-F7	CT-C30-F7			

SUBFLOOR SUITABILITY + PRIMER RECOMMENDATION

TYPE	Concrete, Sand/Cement Screeds and Other Solid Absorbent Surfaces	Dilute P131	Dilute P131	Dilute P131	Dilute P131	Dilute P131	Dilute P131	Dilute P131
	Non-absorbent Surfaces e.g. Terrazzo, Ceramic Tiles	n/a	Neat P141	Apply Direct	Neat P141	Neat P141	Neat P141	Neat P141
	Power Floated Concrete (shot blasted)	n/a	Neat P141	Neat P141	Neat P141	Neat P141	Neat P141	Dilute P131
	Calcium Sulphate e.g. Anhydrite Screeds	n/a	P121 (6)	P121 (6)	P121 (6)	P121 (6)	P121 (6)	n/a
	Minimal Adhesive Residues on solid base	n/a	Neat P131	Apply Direct (2)	Neat P131	Neat P131	Neat P131	Neat P131
	Stopgap F77 (F78 see (9))	n/a	Neat P141	Neat P141	Neat P141	Neat P141	Neat P141	Neat P141
	Flooring Grade Mastic Asphalt	n/a	Neat P141	Neat P141	n/a	Neat P141	Neat P141	n/a
	Steel (non-flexing, corrosion free and clean)	n/a	Neat P141	Neat P141	Neat P141	Neat P141	Neat P141	Neat P141
	Plywood Overlays	n/a	n/a	n/a	n/a	n/a	n/a	n/a

THIS CHART IS FOR REFERENCE ONLY. ALWAYS REFER TO THE CURRENT TECHNICAL DATA SHEET, SUBFLOOR PREPARATION GUIDE AND/OR OUR TECHNICAL SERVICE DEPARTMENT FOR SPECIFIC GUIDANCE.  
 (1) STOPGAP 600 is designed to be used in conjunction with STOPGAP FAST-TRACK 30, STOPGAP 200, STOPGAP 300, STOPGAP 800 and STOPGAP 1200. Time to cover is therefore dependent on combination used.

(2) At least 75% of the subfloor must be exposed and sound.  
 (3) In certain situations priming may not be necessary, for example, when installing textile floorcoverings. However, we would recommend priming with STOPGAP P131 diluted to 4:1 with water to prevent uncontrolled drying of the compound, pin-holing and to aid the flow and workability.



HIGH PERFORMANCE LEVELLING COMPOUNDS			REPAIR AND FINISHING COMPOUNDS					
STOPGAP 700 SUPERFLEX	STOPGAP 1100 GYPSUM	STOPGAP 1200 PRO	STOPGAP 400 REPAIR	STOPGAP 460 EXTERIOR REPAIR	STOPGAP 500 MICRO	STOPGAP MICRO RAPID	STOPGAP 800 WEARCOAT	STOPGAP 850 EXTERIOR
+ WATER	+ WATER	+ STOPGAP 1200 LIQUID	+ WATER	+ WATER	+ WATER	+ WATER	+ WATER	+ WATER
Flexible Fibre-reinforced *	Compatible with calcium sulphate floors	Rapid Drying Self-smoothing *	Slump Free Rapid Drying	Repair Mortar Exterior Use	Feather Edge Fast Drying	Feather Edge Rapid Drying	Wearing Surface Self-levelling	Exterior Use
20 – 30	20 – 30	15 – 20	10 – 15	10 – 15	15 – 20	10	20 – 30	10 – 15
60min	2hrs	60min	20 – 30min	60min	25min Micro-Coat	20min Scratch Coat	90min	2hrs
3	24 – 48	4	1½ @ 2mm	24	25min Micro-Coat	20min Scratch Coat	6	24
4				n/a				n/a
2 – 3	2 – 3	2 – 3	2 – 3	3	Micro-Coat	Scratch Coat	5	5
10	10	10	20	20	I	I	15	15
No	Up to 50mm	Up to 30mm	Up to 50mm	Up to 50mm	No	No	No	Up to 50mm
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
4.8	5.0	5.0 @ 2 – 3mm	n/a	n/a	n/a	n/a	3.0 @ 5mm	2.9 @ 5mm
No	Yes	No	No	No	No	No	Yes	Yes
Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
30	30	16	30	20	16	16	40	25
10	7	6	4	5	6	6	10	6
CT-C30-F10	CA-C30-F7	CT-C16-F6	CT-C30-F4	Class R2	CT-C16-F6	CT-C16-F6	CT-C40-F10-AR0.5	Class R2
Dilute P131 or Stopgap Fill and Prime	Dilute P121	Apply Direct or Dilute P131 (9)	Apply Direct to Damp Surface or Dilute P131	Apply Direct to Damp Surface or Dilute P131	Apply Direct to Surface	Apply Direct to Surface	Dilute P131	Double Prime Dilute P131
n/a	Neat P141	Apply Direct	Neat P131 or Neat P141	n/a	n/a	n/a	Neat P141	Neat P141
n/a	Neat P141	Apply Direct or Dilute P131 (9)	Apply Direct	n/a	n/a	n/a	Dilute P131 or Neat P141	Dilute P131
n/a	P121 (6)	P121 (6)	n/a	n/a	P121 (6)	P121 (6)	n/a	n/a
n/a	Neat P131	Apply Direct	Neat P131	n/a	n/a	n/a	n/a	n/a
Neat P141	Neat P141	P141 F77 Only (9)	Neat P141	n/a	n/a	n/a	Neat P141	n/a
n/a	Neat P141	Apply Direct	n/a	n/a	n/a	n/a	n/a	n/a
Neat P141	n/a	Apply Direct	n/a	n/a	n/a	n/a	Neat P141	n/a
Dilute P131	n/a	n/a	n/a	n/a	Apply Direct	Apply Direct	n/a	n/a

(4) Within 24 hours and when not used in conjunction with Underfloor Heating.  
 (5) STOPGAP F78 Waterproof Surface Membrane does not require priming (within 12 hours of application) refer to Product Data Sheet or Technical Service.  
 (6) Please refer to the Stopgap P121 Product Data Sheet for the correct Mixing and Application method.  
 \* STOPGAP 300, STOPGAP 600, STOPGAP 700 and STOPGAP 1200 have been tested in accordance with and approved for use in marine application. n/a = not applicable or not recommended.







		Coverage		Application Method				Product Characteristics										
		3m <sup>2</sup> per litre	100 linear metres per litre	Approved for Marine Use	Trowel	Roller	Brush	Special applicator or dispenser	Solvent free	Low odour	Can withstand wet cleaning	Suitable for use over underfloor heating	Resistant to oil, grease and water	Fast Curing / Drying	Plasticiser resistant	Long open time	High initial grab	Permanently tacky when dry
TEXTILE FLOORING ADHESIVES	F3	3m <sup>2</sup> per litre		*	•					•	•						•	
	F30	100 linear metres per litre					•											
	F40	5.4m <sup>2</sup> per litre		*	•			•	•	•	•					•		•
	F41	8 – 22m <sup>2</sup> per litre		*	•	•		•	•	•	•				•	•		•
	F45	3m <sup>2</sup> per litre			•					•	•				•			
	F52	3m <sup>2</sup> per litre			•					•	•							
	F60	2m <sup>2</sup> per litre coating both surfaces			•	•				•	•							
	F73 PLUS	Up to 2.4m <sup>2</sup> /kg			•				•	•	•	•		•	•			
	F74	1.5m <sup>2</sup> per kg			•				•	•	•	•						
	F81	1.5m <sup>2</sup> per kg			*	•			•	•	•	•				•		
F84	3m <sup>2</sup> per kg			•				•	•	•	•				•			
RESILIENT FLOORING ADHESIVES	F44	4m <sup>2</sup> per litre		*	•			•	•	•	•			•	•		•	
	F45	3m <sup>2</sup> per litre			•			•	•	•	•			•	•			
	F46	3 – 5m <sup>2</sup> per litre		*	•			•	•	•	•			•	•		•	
	F48 PLUS	4m <sup>2</sup> per litre			•			•	•	•	•			•	•			
	F49	5.5 – 6m <sup>2</sup> per kg		*	•			•	•	•	•			•	•		•	
	F52	3m <sup>2</sup> per litre			•			•	•	•	•							
	F54	3m <sup>2</sup> per litre			•			•	•	•	•							
	F57	4m <sup>2</sup> per litre			•			•	•	•	•			•	•			
	F58 PLUS	4 – 6m <sup>2</sup> per litre		*	•			•	•	•	•							
	F60	2m <sup>2</sup> per litre coating both surfaces			•	•			•	•	•	•			•	•		
	F61	2m <sup>2</sup> per litre coating both surfaces			•	•			•	•	•	•			•	•		
	F66	5m <sup>2</sup> per coat per litre		*	•	•	•		•	•	•	•			•	•		
	F73 PLUS	Up to 2.4m <sup>2</sup> /kg			•				•	•	•	•		•	•			
F74	1.5m <sup>2</sup> per kg			•				•	•	•	•			•	•			
F81	1.5m <sup>2</sup> per kg		*	•				•	•	•	•			•	•			
F84	3m <sup>2</sup> per kg			•				•	•	•	•			•	•			
WOOD FLOORING ADHESIVES	B95	800g/m <sup>2</sup> – 1000g/m <sup>2</sup>		•				•	•	•	•							
	F21	1m <sup>2</sup> per kg					•			•	•							
	FLEX	38m per cartridge 3mm bead					•	•	•	•	•		•	•				
MARINE FLOORING SYSTEMS	F3	3m <sup>2</sup> per litre		*	•				•	•					•			
	F40	5.4m <sup>2</sup> per litre		*	•			•	•	•	•			•	•		•	
	F41	8 – 22m <sup>2</sup> per litre		*	•	•		•	•	•	•			•	•		•	
	F44	4m <sup>2</sup> per litre		*	•			•	•	•	•			•	•		•	
	F46	3 – 5m <sup>2</sup> per litre		*	•			•	•	•	•			•	•		•	
	F49	5.5 – 6m <sup>2</sup> per kg		*	•			•	•	•	•			•	•		•	
	F58 PLUS	4 – 6m <sup>2</sup> per litre		*	•			•	•	•	•						•	
	F66	5m <sup>2</sup> per coat per litre		*	•	•	•		•	•	•	•			•	•		
	F81	1.5m <sup>2</sup> per litre		*	•			•	•	•	•							
DAMP/CONTAMINATED FLOOR SOLUTIONS	F47*	3 – 5m <sup>2</sup> per litre		•				•	•	•	•			•	•		•	
	F84*	3m <sup>2</sup> per kg		•				•	•	•	•			•	•		•	
ANCILLARIES	F1	n/a			•			•	•	•	•					•		
	FLEX	38m per cartridge 3mm bead					•	•	•	•	•		•	•				
SEAL	11m per cartridge 6mm bead				•			•	•	•	•							



		Direct Bonding to Subfloor Type										Adhesive	
		Existing Thermoplastic Tiles	Synthetic Anhydrite	Timber floors	Steel	Epoxy & Polyurethane Floor Finishes	Mastic Asphalt	Non-absorbent Concrete, Terrazo, Marble, Granite etc	Absorbent Sand / Co-Cement, Concrete	Stopgap Isolator Membrane			
•	•	•	•	•	•	•	•	•	•	•	•	Flooring Adhesive for Woven, Rubber Foam, Felt, Secondary Backed, Needle-punch Carpets and Cork.	F3
•	•	•	•	•	•	•	•	•	•	•	•	For seaming secondary, high density rubber foam and polyurethane backed carpets.	F30
•	•	•	•	•	•	•	•	•	•	•	•	Dual Bond, High-Tack Adhesive for Carpets and Underlays.	F40
•	•	•	•	•	•	•	•	•	•	•	•	Tackifier for Carpet Tiles.	F41
•	•	•	•	•	•	•	•	•	•	•	•	Acrylic Adhesive for Highly Plasticised PVC backed Carpets, Flexible PVC Floorcoverings.	F45
•	•	•	•	•	•	•	•	•	•	•	•	Gum Spirit Adhesive for Fibre-Bonded Carpet, Linoleum and Cork.	F52
•	•	•	•	•	•	•	•	•	•	•	•	Contact Adhesive for Floorcoverings, PVC and Rubber Covings.	F60
•	•	•	•	•	•	•	•	•	•	•	•	One Part Heavy Duty Flooring Adhesive	F73 PLUS
•	•	•	•	•	•	•	•	•	•	•	•	Polyurethane Single Part Adhesive – Moisture Resistant.	F74
•	•	•	•	•	•	•	•	•	•	•	•	Two-Part Epoxy Adhesive – Moisture Resistant.	F81
•	•	•	•	•	•	•	•	•	•	•	•	Two-Part Adhesive.	F84
•	•	•	•	•	•	•	•	•	•	•	•	Acrylic Adhesive for Vinyl Sheet and Tiles, PVC backed Carpets and Rubber Floorcoverings.	F44
•	•	•	•	•	•	•	•	•	•	•	•	Acrylic Adhesive for Highly Plasticised PVC backed Carpets, Flexible PVC Floorcoverings.	F45
•	•	•	•	•	•	•	•	•	•	•	•	Pressure Sensitive Adhesive for Vinyl Floorcoverings.	F46
•	•	•	•	•	•	•	•	•	•	•	•	High Temperature Vinyl Adhesive.	F48 PLUS
•	•	•	•	•	•	•	•	•	•	•	•	Temperature Tolerant PS Adhesive for Vinyls and PVC Accessories and Trims.	F49
•	•	•	•	•	•	•	•	•	•	•	•	Gum Spirit Adhesive for Fibre-Bonded Carpet, Linoleum and Cork.	F52
•	•	•	•	•	•	•	•	•	•	•	•	High Grab Linoleum Adhesive.	F54
•	•	•	•	•	•	•	•	•	•	•	•	Conductive Acrylic Adhesive for Conductive and Antistatic PVC Floorcoverings.	F57
•	•	•	•	•	•	•	•	•	•	•	•	Fibre-reinforced Vinyl and Rubber Floorcovering Adhesive.	F58 PLUS
•	•	•	•	•	•	•	•	•	•	•	•	Contact Adhesive for Floorcoverings, PVC and Rubber Covings.	F60
•	•	•	•	•	•	•	•	•	•	•	•	Heavy-Duty Contact Adhesive for Floorcoverings, PVC and Rubber Covings.	F61
•	•	•	•	•	•	•	•	•	•	•	•	Solvent Free, Water Based Contact Adhesive.	F66
•	•	•	•	•	•	•	•	•	•	•	•	One Part Heavy Duty Flooring Adhesive	F73 PLUS
•	•	•	•	•	•	•	•	•	•	•	•	Polyurethane Single Part Adhesive – Moisture Resistant.	F74
•	•	•	•	•	•	•	•	•	•	•	•	Two-Part Epoxy Adhesive – Moisture Resistant.	F81
•	•	•	•	•	•	•	•	•	•	•	•	Two-Part Adhesive.	F84
•	•	•	•	•	•	•	•	•	•	•	•	High Performance, Flexible Wood Flooring Adhesive.	B95
•	•	•	•	•	•	•	•	•	•	•	•	Wood Block Flooring Adhesive.	F21
•	•	•	•	•	•	•	•	•	•	•	•	Rapid Curing Flexible Adhesive for fixing stair nosings, PVC and a wide range of construction and building materials.	FLEX
•	•	•	•	•	•	•	•	•	•	•	•	Flooring Adhesive for Woven, Rubber Foam, Felt, Secondary Backed, Needle-punch Carpets and Cork.	F3
•	•	•	•	•	•	•	•	•	•	•	•	Dual Bond, High-Tack Adhesive for Carpets and Underlays.	F40
•	•	•	•	•	•	•	•	•	•	•	•	Tackifier for Carpet Tiles.	F41
•	•	•	•	•	•	•	•	•	•	•	•	Acrylic Adhesive for Vinyl Sheet and Tiles, PVC backed Carpets and Rubber Floorcoverings.	F44
•	•	•	•	•	•	•	•	•	•	•	•	Pressure Sensitive Adhesive for Vinyl Floorcoverings.	F46
•	•	•	•	•	•	•	•	•	•	•	•	Temperature Tolerant PS Adhesive for Vinyls and PVC Accessories and Trims.	F49
•	•	•	•	•	•	•	•	•	•	•	•	Fibre-reinforced Vinyl and Rubber Floorcovering Adhesive.	F58 PLUS
•	•	•	•	•	•	•	•	•	•	•	•	Solvent Free, Water Based Contact Adhesive.	F66
•	•	•	•	•	•	•	•	•	•	•	•	Two-Part Epoxy Adhesive – Moisture Resistant.	F81
•	•	•	•	•	•	•	•	•	•	•	•	Pressure Sensitive Vinyl Adhesive (*For use ONLY with Stopgap Isolator Membrane).	F47*
•	•	•	•	•	•	•	•	•	•	•	•	Two-Part Adhesive. (*For use ONLY with Stopgap Isolator Membrane).	F84*
•	•	•	•	•	•	•	•	•	•	•	•	For seaming woven backed carpets.	F1
•	•	•	•	•	•	•	•	•	•	•	•	Rapid Curing Flexible Adhesive for fixing stair nosings, PVC and a wide range of construction and building materials.	FLEX
•	•	•	•	•	•	•	•	•	•	•	•	One Component Silicone Sealant for sealing floorcoverings to sanitary ware, ceramic tiles, matwells, pipes etc.	SEAL



## The Complete Solution for Successful Wood Installation

F. Ball and Co. Ltd. provide a range of high performance products to cover all three stages essential to successful wood floor installation.

We provide products for detecting, measuring and treating subfloor moisture. We have a choice of high performance floor smoothing underlayments. Also, we have a comprehensive range of outstanding wood adhesives and accessories. All you need to install wood floors from a single source.

### Further Information

You can view our Wood Installation video and view and download our Wood Floor Installation Range brochure, Technical and Safety Datasheets at: [www.f-ball.com](http://www.f-ball.com)

## Moisture Measurement and Treatment



### DIGITAL HYGROMETER

Simple and reliable way to accurately measure the Relative Humidity (RH) of a subfloor and decide whether a waterproof surface membrane is required. It is pre-calibrated and ready to use.

*Note: F. Ball recommend a Relative Humidity reading of 65% or less for wood floor installations, however, wood suppliers should also be consulted.*



### STOPGAP F77 One-Coat Waterproof Surface Membrane

Suppresses the passage of construction moisture and rising damp up to 98% RH. It is pigmented black and can be applied direct over underfloor heating screeds.



### STOPGAP F78 Two-Coat (one part) Waterproof Surface Membrane

A two-coat solvent free, one component, ready to use system which dries rapidly allowing early installation of floorcoverings in fast track building programmes. Isolates residual construction moisture where values reach 95% RH

## Floor Smoothing



### STOPGAP 200 SMOOTH Acrylic Self-Smoothing Underlayment

A hand applied underlayment for use in light to heavy-duty interior areas. It is low odour and protein free.




### STOPGAP 300 HD Heavy-Duty Smoothing Underlayment

A water mix underlayment that can be hand or pump applied in light to heavy-duty interior areas. It is fast drying and has excellent self-smoothing properties.



## STYCCOBOND Adhesive



## Wood Adhesives Range

Selection of the correct adhesive is critical. All wood flooring differs and dependent on the type of wood and size of product to be installed, different adhesives will be required. Our Technical Service Department can guide you to the most suitable products to ensure a successful and long lasting installation.

## Adhesives



### STYCCOBOND F21 Wood Block Adhesive

Dipping, grade bitumen/rubber emulsion adhesive for securing wood block flooring. It is a proven traditional product.



### STYCCOBOND B95 High Performance, Flexible Wood Flooring Adhesive

Secures wood plank, wood strip, engineered and semi-solid flooring. Trowel applied, it produces a flexible film that accommodates some movement within wood flooring over its life-time. Can be trowel or gun applied to STOPGAP waterproof surface membranes (wsm).



## Adhesives (continued)



### STYCCO FLEX Rapid Curing Flexible Adhesive

Fix stair nosings without the need for mechanical fixing to suitable sound substrates. It is also suitable for bonding carpet gripper, PVC cladding, skirting boards, architrave and trims. It can also be used to secure header rows when installing wood flooring.



### STYCCOBOND B90 Woodworking Adhesive

For tongue and groove loose-lay systems. Can also be used as a general purpose woodworking adhesive. A PVA emulsion adhesive that provides the installer friendly benefits of being solvent free, low odour and non-hazardous. Durability Class D3 of BS EN204.

# Download the RAG® App

Scan the QR code to download the RAG® App from the Apple App Store or Google Play



**NBS Source**  
PARTNER

For further information about F. Ball products, technical advice or to find your local stockist please visit [www.f-ball.com](http://www.f-ball.com)



## F. Ball and Co. Ltd.

Churnetside Business Park  
Station Road  
Cheddleton  
Leek, Staffordshire  
ST13 7RS  
United Kingdom

Tel: +44 (0) 1538 361633  
Email: [mail@f-ball.co.uk](mailto:mail@f-ball.co.uk)

[www.f-ball.com](http://www.f-ball.com)



## F. Ball and Co. (Asia) Pte Ltd.

50 Chin Swee Road  
#09-01 Thong Chai Building  
Singapore 169874

Tel: +65 6515 1715  
Mobile: +65 9687 9181  
Email: [mail@f-ballasia.com](mailto:mail@f-ballasia.com)

**Please note:** Information contained in the guide is based upon exhaustive product testing. All recommendations are published with the expressed approval of the manufacturers listed and may not be reproduced in part or in total without the written consent of F. Ball and Co. Ltd.