Issued in accordance with Regulation (EU) No. 305/2011 (CPR) Annex III

DECLARATION OF PERFORMANCE

FB005-CPR-14-02-2013

| 1. Product name: | Stopgap 400 Repair | |
|--|---|------------------------------------|
| 2. Product identification: | Batch number and/or date of manufacture on packaging | |
| | Cementitious screed material modified by polymer for use in floor construction internally | |
| | F Ball and Co Ltd Churnetside Business Park Station Road Cheddleton Leek Staffordshire ST13 7RS United Kingdom | |
| | Tel: +44 (0) 1538 361 633 Fax: +44 (0) 1538 361 622 Email: mail@f-ball.co.uk | |
| 5. Authorised representative: | Not applicable | |
| 6. AVCP: | System 4, Reaction to fire: System 4 | |
| 7. Notified body (hEN): | Not applicable | |
| 8. Notified body (ETA): | Not applicable | |
| 9. Declared performance: | | |
| Essential characteristics | Performance | Harmonised technical specification |
| Reaction to fire | Class F | EN 13501-1:2007+A1:2009 |
| Release of corrosive substances | СТ | EN 13813:2002 |
| Water permeability | NPD | EN 13813:2002 |
| Water vapour permeability | NPD | EN 13813:2002 |
| Mechanical resistance Compressive strength Flexural strength | ≥ C30 ≥ F4 | EN 13813:2002 |
| Sound insulation Sound absorption | NPD | EN 13813:2002 |

NPD

NPD

10. Declaration:

Thermal resistance

Chemical resistance

RFORMANCE

ECLARATION OF

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Leek, 24 June 2013

Stuart Whiteley Development Section Leader - Cement Technology

EN 13813:2002

EN 13813:2002

CE

Issue No. 1 Registered Office Churnetside Business Park Station Road Cheddleton Leek Staffordshire ST13 7RS UK Registered No. 282893 London



www.f-ball.co.uk